

STATE OF OREGON

COUNTY OF YAMHILL

PERMIT TO STORE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

DELPHIAN SCHOOL  
20950 SW ROCK CREEK RD  
SHERIDAN, OREGON 97378

(503) 843-3521

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: R-74409

SOURCE OF WATER: AN INTERMITTENT SPRING AND RUNOFF, TRIBUTARIES OF ASH CREEK

STORAGE FACILITY: ONE UNNAMED RESERVOIR

PURPOSE OR USE OF THE STORED WATER: TO BE APPROPRIATED UNDER APPLICATION S-74408, PERMIT 52013, FOR IRRIGATION

AMOUNT/VOLUME ALLOWED: 15.0 ACRE-FEET EACH YEAR

THE PERIOD OF ALLOWED USE: NOVEMBER 1 THROUGH APRIL 30 FOR STORAGE

DATE OF PRIORITY: AUGUST 8, 1994

The area submerged by the reservoir, when full, will be 1.0 acre and the maximum depth of water will be 20.0 feet. The maximum height of the dam shall not exceed 25.0 feet.

DAM LOCATION: SW 1/4 NE 1/4, SECTION 29, T5S, R6W, W.M.; 150 FEET SOUTH AND 350 FEET EAST FROM THE NE CORNER OF DLC 62.

THE AREA TO BE SUBMERGED BY THE RESERVOIR IS LOCATED AS FOLLOWS:

SW 1/4 NE 1/4  
SECTION 29  
TOWNSHIP 5 SOUTH, RANGE 6 WEST, W.M.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order.

- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

The outlet gate shall be cycled at least once each year and shall be fully operational. The embankment and spillway shall be kept clear of brush, debris, and burrowing animals.

A new topographical map and area-capacity curve, prepared by an engineer, must be submitted to this department if earth material is removed from the storage area during construction.

Diversion screening or fish passage facilities shall be designed, installed, and operated to Oregon Department of Fish & Wildlife specifications.

#### STANDARD CONDITIONS

The storage of water allowed herein is subject to the installation and maintenance of an fully functional conduit/gate assembly having a minimum diameter of 8 inches.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction work shall begin within one year from permit issuance and shall be completed on or before October 1, 1998. The reservoir shall be filled and complete application of the stored water to the use shall be made on or before October 1, 1999.

Issued March 18, 1996



for Water Resources Department  
Martha O. Pagel  
Director

BC 00  
BC 11