

STATE OF OREGON

COUNTY OF COOS

PERMIT TO STORE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

RONNY O. HAGA
ROUTE 1, BOX 2095
BANDON, OREGON 97411

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: R-70196

SOURCE OF WATER: JOHNSON CREEK, TRIBUTARY OF PACIFIC OCEAN

STORAGE FACILITY: ONE UNNAMED RESERVOIR

PURPOSE OR USE OF THE STORED WATER: TO BE APPROPRIATED UNDER APPLICATION S-70197, PERMIT 52296 FOR CRANBERRY OPERATIONS

MAXIMUM VOLUME ALLOWED: 9.0 ACRE-FEET EACH YEAR

PERIOD OF USE: WATER MAY BE APPROPRIATED FOR STORAGE DURING THE PERIOD NOVEMBER 1 THROUGH JUNE 15 OF EACH YEAR

DATE OF PRIORITY: FEBRUARY 12, 1990

The area submerged by the reservoir, when full, will be 0.9 acre and the maximum depth of water will be 10.0 feet. The storage facility is an excavated sump and there will be no dam.

DAM LOCATION: SE 1/4 SW 1/4, SECTION 4, TOWNSHIP 29 SOUTH, RANGE 14 WEST, W.M.; 780 FEET SOUTH & 1760 FEET EAST, BOTH FROM NORTHWEST CORNER, SW 1/4 SW 1/4, SECTION 4

THE AREA TO BE SUBMERGED BY THE RESERVOIR IS LOCATED AS FOLLOWS:

SE 1/4 SW 1/4
SECTION 4
TOWNSHIP 29 SOUTH, RANGE 14 WEST, W.M.

Measurement recording and reporting conditions:

- A. The Director may require the permittee to install a meter or other suitable measuring device as approved by the Director. If the Director notifies the permittee to install a meter or other measuring device, the permittee shall install such device within the period stated in the notice. Such installation period shall not be less than 90 days unless special circumstances warrant a shorter installation period. Once installed, the permittee shall maintain the meter or

Application R-70196 Water Resources Department PERMIT R-11808

measuring device in good working order and shall allow the watermaster access to the meter or measuring device. The Director may provide an opportunity for the permittee to submit alternative measuring procedures for review and approval.

- B. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Before water use may begin under this permit, a staff gage that measures the entire range and stage between full reservoir level dead pool storage must be installed in the reservoir. The staff gage shall be United States Geological Survey style porcelain enamel iron staff gage style A, C, E, I or M. Additionally, before water use may begin under this permit, if the reservoir is located in channel then weirs must be installed upstream and downstream of the reservoir, and, a gated valve outlet must be installed. A written waiver may be obtained from the local Watermaster if in his judgement the installation of the weir(s) will provide no public benefit.

A regulating device shall be installed pursuant to ORS 540-310. Plans and specifications shall be approved by the watermaster before installation. Work shall be done under the general supervision of the watermaster.

The permittee shall install, maintain, and operate fish screening and by-pass devices as required by the Oregon Department of Fish and Wildlife to prevent fish from entering the proposed diversion. The required screen is to be in place and functional prior to diversion of any water.

The storage of water allowed herein is subject to the installation and maintenance of an outlet pipe, or the provisions of other means to evacuate water when determined necessary by the Water Resources Director to satisfy prior downstream rights.

STANDARD CONDITIONS

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction work shall begin within one year from permit issuance and shall be completed on or before October 1, 1998. The reservoir shall be filled and complete application of the stored water to the use shall be made on or before October 1, 1999.

Issued May 28, 1996



Martha O. Pagel, Director
Water Resources Department