

STATE OF OREGON

COUNTY OF COOS

PERMIT TO STORE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

MOORE MILL AND LUMBER CO.
PO BOX 277
BANDON, OREGON 97411

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: R-71704

SOURCE OF WATER: WOLF CREEK, A TRIBUTARY OF CATCHING CREEK

STORAGE FACILITY: RESERVOIR 1 AND RESERVOIR 2

PURPOSE OR USE OF THE STORED WATER: TO BE APPROPRIATED UNDER APPLICATION S-71705, PERMIT 52421, FOR IRRIGATION

STORAGE: 1.65 ACRE-FEET, BEING 0.75 AC-FT IN RESERVOIR 1 AND 0.90 AC-FT IN RESERVOIR 2 EACH YEAR

WATER MAY BE APPROPRIATED FOR STORAGE DURING THE PERIOD: DECEMBER 1 THROUGH APRIL 30

DATE OF PRIORITY: JUNE 18, 1991

THE AREA SUBMERGED BY RESERVOIR 1, WHEN FULL, WILL BE 0.12 ACRE AND THE MAXIMUM DEPTH OF WATER WILL BE 8.0 FEET. THE MAXIMUM HEIGHT OF THE DAM SHALL NOT EXCEED 9.0 FEET.

THE AREA SUBMERGED BY RESERVOIR 2, WHEN FULL, WILL BE 0.15 ACRE AND THE MAXIMUM DEPTH OF WATER WILL BE 8.0 FEET. THE MAXIMUM HEIGHT OF THE DAM SHALL NOT EXCEED 9.0 FEET.

DAM LOCATION: RESERVOIR 1 SE 1/4 SE 1/4, SECTION 34, T29S, R13W, W.M. 120 FEET NORTH AND 200 FEET WEST, RESERVOIR 2 SE 1/4 SE 1/4 SECTION 34, T29S, R13W, W.M., 50 FEET NORTH AND 70 FEET WEST, BOTH FROM THE SE CORNER SECTION 34.

THE AREA TO BE SUBMERGED BY THE RESERVOIRS IS LOCATED AS FOLLOWS:

SE 1/4 SE 1/4
SECTION 34
TOWNSHIP 29 SOUTH, RANGE 13 WEST, W.M.

Measurement recording and reporting conditions:

- A. The Director may require the permittee to install a meter or other suitable measuring device as approved by the Director. If the Director notifies the permittee to install a meter or other measuring device, the permittee shall install such device within the period stated in the notice. Such installation period shall not be less than 90 days unless special circumstances warrant a shorter installation period. Once installed, the permittee shall maintain the meter or measuring device in good working order and shall allow the watermaster access to the meter or measuring device. The Director may provide an opportunity for the permittee to submit alternative measuring procedures for review and approval.
- B. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

The permittee shall install, maintain, and operate fish screening to prevent fish from entering the proposed diversion. The permittee shall also install a fishway at the obstruction that will provide adequate upstream and downstream passage for fish. The required screens and fishways are to be in place and functional, and the fishway must be approved by Oregon Department of Fish and Wildlife before diversion of any water.

STANDARD CONDITIONS

The storage of water allowed herein is subject to the installation and maintenance of an fully functional conduit/gate assembly having a minimum diameter of 8 inches.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.


The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

In the event of a request for a change in point of appropriation, an additional point of appropriation or alteration of the appropriation facility associated with this authorized diversion, the quantity of water allowed herein, together with any other right, shall not exceed the capacity of the facility at the time of perfection of this right.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction work shall begin within one year from permit issuance and shall be completed on or before October 1, 1998. The reservoir shall be filled and complete application of the water to the use shall be made on or before October 1, 1999.

Issued June 25, 1996


for Martha O. Pagel, Director
Water Resources Department