

STATE OF OREGON

COUNTY OF COOS

PERMIT TO STORE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

RUSSELL S AND PATTI R FRASER
ROUTE 1, BOX 1519
BANDON, OREGON 97411

(541) 347-2923

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: R-71841

SOURCE OF WATER: CONNER CREEK, TRIBUTARY OF CROFT LAKE

STORAGE FACILITY: AN UNNAMED RESERVOIR

PURPOSE OR USE OF THE STORED WATER: TO BE APPROPRIATED UNDER APPLICATION S-71842, PERMIT 52997 FOR CRANBERRY OPERATIONS

MAXIMUM VOLUME ALLOWED: 9.2 ACRE-FEET ONCE EACH YEAR

PERIOD OF ALLOWED STORAGE: WATER MAY BE APPROPRIATED FOR STORAGE FROM DECEMBER 1 THROUGH APRIL 30 OF EACH YEAR

DATE OF PRIORITY: SEPTEMBER 16, 1991

The area submerged by the reservoir, when full, will be 2.1 acres and the maximum depth of water will be 12.0 feet. The maximum height of the dam shall not exceed 9.8 feet.

DAM LOCATION: NE 1/4 NE 1/4, SECTION 13, TOWNSHIP 30 SOUTH, RANGE 15 WEST, W.M.; 400 FEET SOUTH & 1600 FEET EAST FROM NORTH 1/4 CORNER, SECTION 13

THE AREA TO BE SUBMERGED BY THE RESERVOIR IS LOCATED AS FOLLOWS:

NE 1/4 NE 1/4
SECTION 13
TOWNSHIP 30 SOUTH, RANGE 15 WEST, W.M.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, a totalizing flow meter or other suitable measuring device(s) as approved by the watermaster must be installed at each diversion point. The totalizing flow meter must be installed and maintained as identified in OAR 690-507-645. The permittee shall keep a complete record of the amount of water used each month. The permittee shall submit a report which includes the recorded

Application R-71841 Water Resources Department

PERMIT R-12100

water use measurements to the Department at its request. The permittee may be required to report annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.

Before water use may begin under this permit, a weir must be installed and maintained upstream and downstream of the reservoir.

In the event of a request for a change in point of appropriation, an additional point of appropriation or alteration of the appropriation facility associated with this authorized diversion, the quantity of water allowed herein, together with any other right, shall not exceed the capacity of the facility at the time of perfection of this right.

STANDARD CONDITIONS

The storage of water allowed herein is subject to the installation and maintenance of a fully functional conduit/gate assembly having a minimum diameter of 8 inches.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction work shall begin within one year from permit issuance and shall be completed on or before October 1, 1999. The reservoir shall be filled and complete application of the stored water to the use shall be made on or before October 1, 2000.

Issued January 31, 1997


 Martha O. Pagel, Director
 Water Resources Department

Application R-71841 Water Resources Department
 Basin 17 Volume 3 Croft Lake & Misc.

PERMIT R-12100
 District 19