* Reservoir Permit No. ...1213

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

of	a shland
	(Marting Address)
State	of Oregon, do hereby make application for a permit to construct the
follo	wing described reservoir and to store the unappropriated waters of the State of Oregon, subject to
exist	ing rights.
	If the applicant is a corporation, give date and place of incorporation
	1. The name of the proposed reservoir is Orp
*******	2. The name of the stream from which the reservoir is to be filled and the appropriation made is
	Contractive Contra
tribu	tary of
	3. The amount of water to be stored is
	4. The use to be made of the impounded water is
	5. The location of the proposed reservoir will be in Sec. (Give sections or townships to be submerged)
Tp	R, W. M., in the county of
******	(a) State whether situated in channel of running stream and give character of material at outle
*********	(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give
namo	e and dimensions
********	fall of 1.0 ft, per 1000 ft.
•	-6. The dam will be located in
T p	
	ice on center line of dam. The length on top will be
	om feet; width on top feet; slope of fron
or w	ater side; slope on back; height of dam above water line (Feet horizontal to 1 vertical)
	• A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secure

11. The estimated cost of the proposed work is \$	7. The construction of dam, the materia	l of which it is to be built, and method of protection from
Dam to be faced 1.11 121 sundstand pack to the location of wasteway with dimensions are as follows: 8. The location of wasteway with dimensions are as follows: 9. The location of outlet from the proposed reservoir, with character of construction and dimensions are as follows: (Please waster through or around the proposed dam) 10. The area submerged by the proposed reservoir, when full, will be acrewith a maximum depth of water of feet; and approximate mean depth of water feet. 11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before 13. Construction work will be completed on or before 14. LU Large of Marion, SS. STATE OF OREGON, SS. County of Marion, SS. This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion as follows: correction. In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before September 10, 1951. WITNESS my hand this 1.41 day of August 1951.	waves are as follows:dirt_fill, com	proton in not now then "]
8. The location of westeway with dimensions are as follows: (States whether over a sweed the dam) 9. The location of outlet from the proposed reservoir, with character of construction and dimensions are as follows: (States whether through as would the proposed dam) 10. The area submerged by the proposed reservoir, when full, will be	Ly cornyall at lower berm Nos	t of storage will as so lee in wares
8. The location of wasteway with dimensions are as follows: (State whether through or recent the proposed dam) 9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: (State whether through or recent the proposed dam) 10. The area submerged by the proposed reservoir, when full, will be acressiate a maximum depth of water of feet; and approximate mean depth of water feet. 11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before 13. Construction work will be completed on or before 14. W. Construction work will be completed on or before 15. This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion as follows: correction In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before September 10, 1951. WITNESS my hand this lath day of August 1951.		
9. The location of outlet from the proposed reservoir, with character of construction and dimension tre as follows: (Buts whater through or around the proposed dain) 10. The area submerged by the proposed reservoir, when full, will be acresith a maximum depth of water of feet; and approximate mean depth of water feet. 11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before 13. Construction work will be completed on or before 14. W. Conf. The area is applicable of the follows: County of Marion, as the follows of the foregoing application, together with the accompanying and data, and return the same for correction or completion as follows: In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before Septembor 10, 1951. WITNESS my hand this 1. Lith day of August 1951.	Dam to be faced the flat sund	istene rock to one on! "
9. The location of outlet from the proposed reservoir, with character of construction and dimension tre as follows: (Buts whater through or around the proposed dain) 10. The area submerged by the proposed reservoir, when full, will be acresith a maximum depth of water of feet; and approximate mean depth of water feet. 11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before 13. Construction work will be completed on or before 14. W. Conf. The area is applicable of the follows: County of Marion, as the follows of the foregoing application, together with the accompanying and data, and return the same for correction or completion as follows: In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before Septembor 10, 1951. WITNESS my hand this 1. Lith day of August 1951.	8. The location of wasteway with dime	nsions are as follows:
9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: (State whether through or around the proposed dam) 10. The area submerged by the proposed reservoir, when full, will be	concrete lines	(State whether over or around the dam)
10. The area submerged by the proposed reservoir, when full, will be acrewith a maximum depth of water of feet; and approximate mean depth of water of feet; and approximate mean depth of water of feet. 11. The estimated cost of the proposed work is \$ feet; and approximate mean depth of water of feet. 12. Construction work will begin on or before feet from the foregoing application for applicant for feet feet for the feet foregoing application, together with the accompanying maps and data, and return the same for correction or completion as follows: correction for feet fo		
10. The area submerged by the proposed reservoir, when full, will be acrewith a maximum depth of water of feet; and approximate mean depth of water feet. 11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before 13. Construction work will be completed on or before 13. Construction work will be completed on or before 15. W. Construction work will be completed on or before 16. The feet of the feet o	9. The location of outlet from the propos	ed reservoir, with character of construction and dimensions,
10. The area submerged by the proposed reservoir, when full, will be acrewith a maximum depth of water of feet; and approximate mean depth of water feet. 11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before 13. Construction work will be completed on or before 13. Construction work will be completed on or before 15. W. Construction work will be completed on or before 16. The feet of the feet o	are as follows:	a. 13 fe.
with a maximum depth of water of	(Diane)	whether through or around the proposed dam)
with a maximum depth of water of	10. The area submerged by the proposed	d reservoir, when full, will beacres.
11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before 13. Construction work will be completed on or before 14. Construction work will be completed on or before 15. Construction work will be completed on or before 16. Construction work will be completed on or before 17. Construction work will be completed on or before 18. Construction work will be completed on or before 19. Construction wil		
12. Construction work will begin on or before 13. Construction work will be completed on or before I.W. Construction will be completed on or before I.W. Construction work will be completed on or before I.W. Construction will be completed on or before I.W. Construction work will be completed on or before I.W. Construction will be completed on or before I.W. Construction will be completed	•	water
12. Construction work will begin on or before 13. Construction work will be completed on or before I.W. Construction will be completed on or before	11. The estimated cost of the proposed 1	work is\$
In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before September 10,, 1951 Witness my hand this 1.0th day of August , 1951		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion as follows: correction In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before September 10, 1951 WITNESS my hand this 10th day of August 1951.		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion as follows: correction In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before September 10, 1951 WITNESS my hand this 10th day of August 1951.		N.W. Confo by Thisaste 6. Echica
County of Marion, ss. This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion as follows: correction. In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before .September 10,, 1951 WITNESS my hand this		RTIBOX 462 Julia & it a gar.
In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before September 10,, 1951 WITNESS my hand this	\ ce	<i>y</i> ••
In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before September 10,, 1951 WITNESS my hand this 10th day of August , 1951	This is to certify that I have examined the	he foregoing application, together with the accompanying
WITNESS my hand thisloth day ofAugust, 19.51		
WITNESS my hand this loth day of August ,1951		
WITNESS my hand thisloth day ofAugust, 19.51		
WITNESS my hand this loth day of August , 19 1	In order to retain its priority, this appl	lication must be returned to the State Engineer, with cor-
	rections, on or before September 10,	, 19.5 <u>1</u>
State Engineer STATE ENGINEER	WITNESS my hand this 10th	day of August , 19 51.
AUG 1 1951 Aug 1 A	u u	State Engineer STATE ENGINEER
STATE ENGINEER By WWWWW. Ed K. Humphrey, Assistant		Ed K. Humphrev. Assistant

STATE ENGINEER SALEM. OREGON

will be 95 feet, 250 feet in length and ends sauter as	
to zero as they approach nigher grounc.	•
Upner fact of ground will be rock faced with the topology	• • •
	••••••
to prevent erosion from wave action.	

·	

·	
,	
ATE OF OREGON, and a second se	
County of Marion,	
This is to certify that I have examined the foregoing application and do hereby gran	
ject to the following limitations and conditions: the which have be appropriately a limited	
instruction of Corp Resurvoir and the storage of water from 1992 to be and	
riched union Application No. 11113, Frank M., 20538 for from attent	•
The right hereunder shall be limited to the storage of	-
The priority date of this permit is	
The priority date of this permit is	
Actual construction work shall begin on or before	
Actual construction work shall begin on or before	

Application No. R. 25902... Reservoir Permit No. R. 12.13...

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the Athay day of May

1951, at 1:00 o'clock P.M.

Approved:

March 31, 1952

Recorded in Book No. 4
Reservoirs, on Page 121:3.

CHAS, E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 16. page A.A.

Fees Paid #15.00

State Printing Dept. 31771