

STATE OF OREGON

COUNTY OF DOUGLAS

PERMIT TO STORE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

CITY OF MYRTLE CREEK
PO BOX 940
MYRTLE CREEK, OREGON 97457

(541)863-3171

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: R-81610

SOURCE OF WATER: SOUTH MYRTLE CREEK, A TRIBUTARY OF MYRTLE CREEK

STORAGE FACILITY: RESERVOIR 4

PURPOSE OR USE OF THE STORED WATER: WETLAND ENHANCEMENT AND RECREATION

MAXIMUM STORAGE VOLUME: 7.0 ACRE-FEET EACH YEAR

WATER MAY BE APPROPRIATED FOR STORAGE DURING THE PERIOD: DECEMBER 1
THROUGH JUNE 30 OF EACH YEAR

DATE OF PRIORITY: OCTOBER 18, 1996

THE MAXIMUM HEIGHT OF THE DAM SHALL NOT EXCEED 0.0 FEET (GROUND LEVEL).

DAM LOCATION: SW 1/4 SW 1/4, SECTION 27, T29S, R5W, W.M.

THE AREA TO BE SUBMERGED BY THE RESERVOIR IS LOCATED AS FOLLOWS:

SW 1/4 SW 1/4
SECTION 27
TOWNSHIP 29 SOUTH, RANGE 5 WEST, W.M.

Measurement, recording and reporting conditions:

- A. The Director may require the permittee to install a meter or other suitable measuring device as approved by the Director. If the Director notifies the permittee to install a meter or other measuring device, the permittee shall install such device within the period stated in the notice. Such installation period shall not be less than 90 days unless special circumstances warrant a shorter installation period. Once installed, the permittee shall maintain the meter or measuring device in good working order and shall allow the watermaster access to the meter or measuring device. The Director may provide an opportunity for the permittee to submit alternative measuring procedures for review and approval.

Application R-81610 Water Resources Department

PERMIT R-12163

- B. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

The permittee shall install, maintain, and operate fish screening and by-pass devices as required by the Oregon Department of Fish and Wildlife to prevent fish from entering the proposed diversion. The required screen is to be in place and functional prior to diversion of any water.

The storage of water allowed herein is subject to the installation and maintenance of an outlet pipe, or the provision of other means to evacuate water when determined necessary by the Water Resources Director to satisfy prior downstream rights.

STANDARD CONDITIONS

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction work shall begin within one year from permit issuance. The reservoir shall be filled and complete application of the stored water to the use shall be made on or before October 1, 2001.

Issued April 17, 1997


 for Martha O. Pagel, Director
 Water Resources Department

Application R-81610	Water Resources Department	PERMIT R-12163
Basin 16	VOLUME 4 S MYRTLE CR MISC	DISTRICT 15
DLB	MGMT.CODE	