

RECEIVED
JUN 1 1951
STATE ENGINEER
SALEM OREGON

* Reservoir Permit No.1218..

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, JOHNS MILLS OF OREG. LTD.
(Name of Applicant)

of P.O. Box 244, WILLAMINA, OREGON
(Mailing Address)

State of OREGON, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation Applicant is a
limited partnership organized under the laws of the State of Oregon.

1. The name of the proposed reservoir is JOHNS MILLS OF OREG. LTD. MILL POND

2. The name of the stream from which the reservoir is to be filled and the appropriation made is

SOUTH YAMHILL RIVER
tributary of WILLAMETTE RIVER

3. The amount of water to be stored is 9.115 acre feet.

4. The use to be made of the impounded water is for a saw-mill pond.
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 13
(Give sections or townships to be submerged)

Tp. 6 S, R. 7 W, W. M., in the county of Polk

(a) State whether situated in channel of running stream and give character of material at outlet

The mill pond reservoir is not situated in the channel of the stream, but
is to be dug and dyked in a flat area. There will be no drainage into it.

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions The pond is to be filled by a four inch pipe 670 feet in

length extending from the Yamhill River, under the surface of the State
Highway and across lands owned by the applicant to the pond.

6. The dam will be located in the Northwest quarter of, Sec. 13,
(Smallest legal subdivision)

Tp. 6 S, R. 7 W, W. M. The maximum height will be 5 feet above stream bed or ground surface on center line of dam. The length on top will be 998 feet; length on bottom 998 feet; width on top 25 feet; slope of front or water side 3 to 1; slope on back 3 to 1; height of dam above water line when full 2 feet.
(Feet horizontal to 1 vertical) (Feet horizontal to 1 vertical)

* A different form of application should be used for the appropriation of stored water to beneficial use Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Earthen fill; the pond will be dug by means of a bull-

doser and the earth moved from the pond proper to the perimeter.

The area is less than two acres and the pond is located on flat terrain
so there will be no drainage from the area into the pond. Also, there
will be no need to protect from waves.

8. The location of wasteway with dimensions are as follows: SEE below
(State whether over or around the dam)

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: The outlet from the reservoir or pond will be a pipe one foot in
(State whether through or around the proposed dam)

diameter from the westerly side of the pond into a small creek which
runs into the Yamhill River a short distance away. The pipe will be
equipped with a valve and the intake will be carefully protected to keep
the same from being clogged with debris.

10. The area submerged by the proposed reservoir, when full, will be 1.83 acres.
 with a maximum depth of water of 8 feet; and approximate mean depth of water
5 feet.

11. The estimated cost of the proposed work is \$ 1500.00

12. Construction work will begin on or before June 1, 1951

13. Construction work will be completed on or before July 1, 1951

JOHNS MILLS OF OREG. LTD.

(Name of applicant)

By: [Signature]

A general partner

STATE OF OREGON, }
 County of Marion. } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion as follows:

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before , 19 .

WITNESS my hand this day of , 19 .

STATE ENGINEER

Remarks: _____

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: ~~The right to store rain water in the~~ the construction of Johns Mills of Oregon, Inc. Mill Pond and the storage of water from Yamhill River to be appropriated under Application No. 10014, Permit No. 20556 for ~~new mill pond.~~

The right hereunder shall be limited to the storage of 115 acre feet.

The priority date of this permit is June 1, 1911

Actual construction work shall begin on or before March 21, 1913

and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1914

WITNESS my hand this 21st day of March, 1914

Chas. E. Stucklin
 STATE ENGINEER

SK
 - J.S.

Application No. *R-26.013*
Reservoir Permit No. *R-1218*

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the *8th* day of *June*, 19*51*, at *8:00* o'clock *A.M.*

Approved:

March 31, 1952
Recorded in Book No. *4* of
Reservoirs. on Page *1218*

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. *2* page *70R*

Fees Paid *\$13.50*

State Printing Dept. 47156