

STATE OF OREGON

COUNTY OF POLK

PERMIT TO STORE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

U.S. FISH AND WILDLIFE SERVICE  
911 NE 11TH ST  
PORTLAND, OREGON 97232 -4181

( 503)231-6145

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: R-80269

SOURCE OF WATER: BASKETT SLOUGH AND MORGAN RESERVOIR, TRIBUTARIES OF  
RICKREALL CREEK

STORAGE FACILITY: FIELD 6M RESERVOIR

PURPOSE OR USE OF THE STORED WATER: WETLAND ENHANCEMENT AND WILDLIFE

MAXIMUM STORAGE VOLUME: 40.0 ACRE-FEET EACH YEAR

WATER MAY BE APPROPRIATED FOR STORAGE DURING THE PERIOD: NOVEMBER 1  
THROUGH JUNE 30 OF EACH YEAR

DATE OF PRIORITY: APRIL 20, 1995

THE MAXIMUM HEIGHT OF THE DAM SHALL NOT EXCEED 9.9 FEET.

DAM LOCATION: NE 1/4 SW 1/4, NW 1/4 SE 1/4, SECTION 11, T7S, R5W, W.M.;  
NORTH 16 DEGREES 22 MINUTES 17 SECONDS EAST 2567.57 FEET FROM THE NW  
CORNER OF DLC 60

THE AREA TO BE SUBMERGED BY THE RESERVOIR IS LOCATED AS FOLLOWS:

NW 1/4 NE 1/4  
SW 1/4 NE 1/4  
SE 1/4 NW 1/4  
NE 1/4 SW 1/4  
NW 1/4 SE 1/4

SECTION 11

TOWNSHIP 7 SOUTH, RANGE 5 WEST, W.M.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as

Application R-80269 Water Resources Department

PERMIT R-12198

may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.

- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

Diversion screening or fish passage facilities shall be designed, installed, and operated to Oregon Department of Fish & Wildlife specifications.

The total area to be submerged by the reservoir, when full shall be 20.0 acres; the maximum depth of water shall be 9.0 feet.

The storage of water allowed herein is subject to the installation and maintenance of an outlet pipe, or the provision of other means to evacuate water when determined necessary by the Water Resources Director to satisfy prior downstream rights.

This right is limited to any deficiency in the available supply of any prior right existing for the same land.

If the riparian area is disturbed in the process of developing a point of diversion, the permittee shall be responsible for restoration and enhancement of such riparian area.

The use may be restricted if the quality of the source stream, namely the Morgan Creek and Baskett Slough, decreases to the point that it no longer meets state and federal water quality standards due to reduced flows.

#### STANDARD CONDITIONS

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction work shall begin within one year from permit issuance. The reservoir shall be filled and complete application of the stored water to the use shall be made on or before October 1, 2001.

Issued July 25, 1997

  
\_\_\_\_\_  
Martha O. Pagel, Director  
Water Resources Department