

STATE OF OREGON  
COUNTY OF DOUGLAS

PERMIT TO STORE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

CITY OF ROSEBURG; DANIEL R HUFF  
900 SE DOUGLAS AVE  
ROSEBURG, OREGON 97470

( 541)673-2856

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: R-81555

SOURCE OF WATER: RUNOFF: OVERFLOW FROM DUCK POND, A TRIBUTARY OF NEWTON CREEK

STORAGE FACILITY: STEWART PARK WETLAND PROJECT RESERVOIR

PURPOSE OR USE OF THE STORED WATER: WETLAND ENHANCEMENT

MAXIMUM STORAGE VOLUME: 3.24 ACRE-FEET EACH YEAR

WATER MAY BE APPROPRIATED FOR STORAGE DURING THE PERIOD: NOVEMBER 1 THROUGH JULY 15 OF EACH YEAR

DATE OF PRIORITY: AUGUST 19, 1996

THE MAXIMUM HEIGHT OF THE DAM SHALL NOT EXCEED 3.0 FEET.

DAM LOCATION: SW 1/4 NE 1/4, SECTION 14, T27S, R6W, W.M.

THE AREA TO BE SUBMERGED BY THE RESERVOIR IS LOCATED AS FOLLOWS:

NE 1/4 NE 1/4  
NW 1/4 NE 1/4  
SW 1/4 NE 1/4  
SE 1/4 NE 1/4

SECTION 14

TOWNSHIP 27 SOUTH, RANGE 6 WEST, W.M.

Measurement, recording and reporting conditions:

- A. The Director may require the permittee to install a meter or other suitable measuring device as approved by the Director. If the Director notifies the permittee to install a meter or other measuring device, the permittee shall install such device within the period stated in the notice. Such installation period shall not be less than 90 days unless special circumstances warrant a shorter installation period. Once installed, the permittee shall maintain the meter or measuring device in good working order and shall allow the watermaster access to the meter or measuring device. The

Application R-81555 Water Resources Department

PERMIT R-12239

Director may provide an opportunity for the permittee to submit alternative measuring procedures for review and approval.

- B. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

Excess water from the wetland shall flow into Newton Creek.

The storage of water allowed herein is subject to the installation and maintenance of an outlet pipe, or the provision of other means to evacuate water when determined necessary by the Water Resources Director to satisfy prior downstream rights.

#### STANDARD CONDITIONS

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.


The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

This permit is issued to correctly describe the source. Permit R-12213, dated July 22, 1997 is superseded by this instrument and is of no further force or effect.

SEE NEXT PAGE

Actual construction work shall begin on or before July 22, 1998. The reservoir shall be filled and complete application of the stored water to the use shall be made on or before October 1, 2001.

Issued August 28, 1997



Martha O. Pagel, Director  
Water Resources Department

Application R-81555  
Basin 16  
DLB

Water Resources Department  
VOLUME 3A S UMPQUA R MISC  
MGMT.CODE

PERMIT R-12239  
DISTRICT 15