

STATE OF OREGON

COUNTY OF WASHINGTON

PERMIT TO STORE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

UNIFIED SEWERAGE AGENCY; TOM VANDERPLAT
155 N FIRST AVE STE 270
HILLSBORO, OREGON 97124

(503)648-8621

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: R-80595

SOURCE OF WATER: AN UNNAMED STREAM, A TRIBUTARY OF TUALATIN RIVER

STORAGE FACILITY: THREE UNNAMED RESERVOIRS

PURPOSE OR USE OF THE STORED WATER: WETLAND ENHANCEMENT

MAXIMUM STORAGE VOLUME: 96.0 ACRE-FEET EACH YEAR, BEING 35.0 AF IN
RESERVOIR 1, 16.0 AF IN RESERVOIR 2 AND 45.0 AF IN RESERVOIR 3

WATER MAY BE APPROPRIATED FOR STORAGE DURING THE PERIOD: NOVEMBER 1
THROUGH APRIL 30 OF EACH YEAR

DATE OF PRIORITY: AUGUST 25, 1995

THE MAXIMUM HEIGHT OF THE DAMS SHALL NOT EXCEED 6.0 FEET.

DAM LOCATION: SW 1/4 SE 1/4, SECTION 5, NW 1/4 NE 1/4, SECTION 8, T1S,
R3W, W.M.; RESERVOIR 1 - 350 FEET NORTH & 370 FEET EAST; RESERVOIR 2 -
100 FEET NORTH & 480 FEET EAST; RESERVOIR 3 - 400 FEET SOUTH & 550 FEET
EAST, ALL FROM THE N 1/4 CORNER OF SECTION 8

THE AREA TO BE SUBMERGED BY THE RESERVOIRS IS LOCATED AS FOLLOWS:

SE 1/4 SW 1/4
NW 1/4 SE 1/4
SW 1/4 SE 1/4
SE 1/4 SE 1/4
SECTION 5
NE 1/4 NE 1/4
NW 1/4 NE 1/4
NE 1/4 NW 1/4
SECTION 8

TOWNSHIP 1 SOUTH, RANGE 3 WEST, W.M.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order.

Application R-80595 Water Resources Department

PERMIT R-12303

- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

Diversion screening or fish passage facilities shall be designed, installed, and operated to Oregon Department of Fish & Wildlife specifications.

The total area to be submerged by Reservoir 1, when full shall be 15.0 acres; the maximum depth of water shall be 6.0 feet.

The total area to be submerged by Reservoir 2, when full shall be 7.7 acres; the maximum depth of water shall be 6.0 feet.

The total area to be submerged by Reservoir 3, when full shall be 20.8 acres; the maximum depth of water shall be 6.0 feet.

The storage of water allowed herein is subject to the installation and maintenance of an fully functional conduit/gate assembly having a minimum diameter of 8 inches.

STANDARD CONDITIONS

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.


This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction work shall begin within one year from permit issuance. The reservoirs shall be filled and complete application of water shall be made on or before October 1, 2001.
Issued October 21, 1997



Martha O. Pagel, Director
Water Resources Department

Application R-80595
Basin 02
DB

Water Resources Department
VOLUME 19 TUALATIN R
MGMT.CODE

PERMIT R-12305
DISTRICT 18