

**Application for a Permit to Construct a Reservoir and to Store for
Appropriation for a Permit to Construct a Reservoir and to Store for
Commercial Use the Unappropriated Waters
of the State of Oregon**

Tillamook Rendering Company

(Name of Applicant)

At Post Office Box 152 Tillamook, Oregon
(Mailing Address)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

May 1, 1951, Tillamook, Oregon

1. The name of the proposed reservoir is Tillamook

2. The name of the stream from which the reservoir is to be filled and the appropriation made is Tillamook Bay

tributary of

Tillamook Bay

3. The amount of water to be stored is 670,000. gallons. acre feet.

4. The use to be made of the impounded water is Rendering plant. Power, domestic supply, etc.

5. The location of the proposed reservoir will be in Sec. 2 Give sections or townships to be submerged.

To. L.S. R. 10.W. W.M., in the county of Tillamook

(a) State whether situated in channel of running stream and give character of material at outlet

In channel of running stream. Clay material at outlet.

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in Government lot 2 and 3 Sec. 2 (Sect. of legal 1/16th section)

To. L.S. R. 10.W. W.M. The maximum height will be 5 feet above stream bed or ground surface on center line of dam. The length on top will be 70 feet; length on

bottom 45 feet; slope on back 1:6 feet; slope of front 1:6 feet; height of dam above water line

or water side 13 (feet horizontal to 1 vertical), slope on back 1:6 (feet horizontal to 1 vertical)

when full one ft feet. A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

3. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Clay material built with Culverts. No waves involved.

120' grain at bottom.

4. The location of outlet from proposed reservoir, with character of construction and dimensions.

5. The location of waste way with dimensions are as follows:

5 ft at base with 1:1 soil slopes. clay material.

6. Ground above the dam
(State whether over or around the dam)

7. The location of outlet from proposed reservoir, with character of construction and dimensions are as follows:

Pump will pump above the dam.

(State whether through or around the proposed dam)

8. The area submerged by the proposed reservoir, when full, will be $\frac{1}{2}$ acres.
with a maximum depth of water of 6 feet; and approximate mean depth of water 5 feet.

9. The estimated cost of the proposed work is \$ 2500.

10. The estimated cost of the proposed work is \$ 1500.

11. Construction work will begin on or before September 1, 1951.

12. Construction work will be completed on or before October 1, 1951.

(Name of applicant)

STATE OF OREGON

STATE OF OREGON } "

County of Marion } "

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion as follows:

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before

10

WITNESS my hand this

day of

10

STATE ENGINEER

~~Report: The stream flows one-half ft of elevation at the dry season, and in order to have plenty of water for the rendering plant it was found necessary that a reservoir should be stored up during the wet season, and it is recommended that the reservoir shall be kept full at all times. The reservoir will be used to complete the reservoir to an average depth of 5 ft with a 50 ft bottom width and slopes 1 to 1.~~

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The dam shall be located on the stream bed, and the outlet conduit shall be located on the stream bed. The dam shall be constructed with an outlet conduit sufficient to pass the normal flow of the stream.


The right hereunder shall be limited to the storage of.

1000 cubic yards of water per acre-foot.

The priority date of this permit is January 1, 1961.

Actual construction work shall begin on or before April 1, 1961, and shall thereafter be prosecuted with reasonable diligence and be completed on or before December 31, 1961.

WITNESS my hand this 11st day of May, 1961.


STATE ENGINEER

Application No. Y2 R. 30,000
Reservoir Permit No. 1123

PERMIT

To construct reservoir and store for beneficial
use; herein appropriated waters of this
State of Oregon.

This instrument was first received at the
Office of the State Engineer at Salem, Oregon, on
the 1st day of April A.D. 1907,
by L. C. Shadlock, A.M.I.

Approved:

Match 11, 1907;
Recorded by No. 111 of
Reservoir Permit 1123.

CHAS. E. STEPHENSON,
STATE ENGINEER

RECORDED

March 11, 1907
P. C. P. M. P. M.