

STATE OF OREGON
SALEM, OREGON

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

Dolph Tolman

Dolph Tolman Ray Stark Newhang

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is

2. The name of the stream from which the reservoir is to be filled and the appropriation made is
Unnamed Branch

tributary of Chenailam Creek

3. The amount of water to be stored is 0 and 4/10 acre feet.

4. The use to be made of the impounded water is Irrigation (irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. (Give sections or townships to be submerged)

To: Twp. R. 12 M. 1, W. M. in the county of Yamhill.

(a) State whether situated in channel of running stream and give character of material at outlet

Outlet constructed of asphalt dipped corrugated iron pipe
with gate at inlet. Stream discontinued running about June 20.

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in W.M. of the S.E. 1/4, Sec. 12,

To: R. 12, P. SW, W. M. The maximum height will be 9 feet above stream bed or ground surface on center line of dam. The length on top will be 600 feet; length on

bottom 67 feet; width on top 10 feet; slope of front 3:1

or water side 35 feet (Feet horizontal to 1 vertical); slope on back 25 feet (Feet horizontal to 1 vertical); height of dam above water line when full 1 feet.

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

7. The construction of dome, the material of which it is to be built, and method of protection from
explosives are as follows: IRON WALLS CLAD. INSULATION OF IRON NOT SUFFICIENT TO PROTECT IRON

8. The location of wastewater with dimensions are as follows:

(State whether over or around the dam)

east side of the dam is solid gravel. On the south and west sides there
is fine sand.

卷之三

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Outlet pipe is to be made of iron and has a diameter of 12" in length and 12" in width through which it will be erected the proposed dam.

diameter (4.5 inches) and

alive at the middle.

10. The area submerged by the proposed reservoir when full will be 2.12 acres,
a maximum depth of water of 9 feet; and approximate mean depth of water
4 feet.

11. The estimated cost of the proposed work is \$.....

17. I WOULD LIKE TO TALK WITH SOMEONE OR SOMETHING.

12. Construction work will begin on or before

13. Construction work will be completed on or

11 *12*

Applicant
(Name of applicant)

WATER IS A UNIVERSAL SOLVENT

STATE OF OREGON.

County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion as follows:

In order to retain its priority, this application must be returned to the State Engineer with corrections on or before 19.....

....., 19.....

WITNESS my hand this day of July 1919

WITNESS my hand this 1st day of November, A.D. 1850.

STATE ENGINEER

STATE OF OREGON

STATE OF OREGON.

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of a reservoir and the storage of water from an unnamed stream to be appropriated under Application No. 26746, Permit No. ²⁰⁹²⁰ for irrigation.

The right hereunder shall be limited to the storage of 0.1 acre feet.


The priority date of this permit is December 27, 1951

Actual construction work shall begin on or before March 31, 1953

and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1954

WITNESS my hand this 21st day of March, 1952



Application No. 142-2451
Reverdin Vermin M. V. 12.22.1

EXCELSIOR

To construct a reservoir and store for future
fertiliser; then appropriate the signs of life;
Sister of Creation.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of October, 1957, at 12:45 P.M.

Improved; 1 :

Recordered in Book No. 1
Reservoir, on page 1. 29

CHAS. E. STRICKLITI
17. DECEMBER

Druidage à Eas-sin (No. 12). — Page 12.

L'effacement

HISTORICAL PERSPECTIVE