

STATE OF OREGON
 DEPARTMENT OF AGRICULTURE
 DIVISION OF WATER RESOURCES
**FOR THE STORAGE OF UNAPPROPRIATED
 WATERS OF THE STATE OF OREGON**

I, W. P. Graham
(NAME OF APPLICANT)

of Wanta #1, Box #318, Connelton
(ADDRESS)

do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is unnamed

2. The name of the stream from which the reservoir is to be filled and the appropriation made is unnamed

tributary of East Dairy Creek

3. The amount of water to be stored is 50 acre foot

4. The use to be made of the impounded water is irrigation

5. The location of the proposed reservoir will be in Sec. 26

T. 2N R. 3W W. M. in the county of HAMILKTON

(a) State whether situated in channel of running stream and give character of material at outlet
Will be situated in channel of running stream. Character of material at outlet - clay.

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in S43E4 Sec 26

T. 2N R. 3W W. M. The maximum height will be 17 feet above stream bed on ground surface on center line of dam. The length on top will be 417 feet, length on bottom 250 feet; width on top 12 feet; slope of front 3:1 (Feet horizontal to 1 vertical); slope on back 2:1 (Feet horizontal to 1 vertical); height of dam above water line when full 3 feet.

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

... of dam, and method of protection from
... Protection from waves
... will be with rock blanket.

5. The location of wasteway with dimensions are as follows. Spillway will be around
one end of dam. Spillway will be 8' wide, 5' deep and 37' long.

6. The location of outlet from the proposed reservoir, with character of construction and dimensions,
are as follows. Outlet from proposed reservoir will be a 12" corrugated
tin dipped metal culvert pipe located at the base of the dam and will be
through the base of the dam.

10. The area submerged by the proposed reservoir, when full, will be 5.4 acres,
with a maximum depth of water of 14 feet; and approximate mean depth of water
5 feet.

11. The estimated cost of the proposed work is \$ 5557.00

12. Construction work will begin on or before October 1, 1951

13. Construction work will be completed on or before October 31, 1951

W. P. Grossen
(Name of applicant)

STATE OF OREGON
County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for correction or completion as follows.

In order to retain its priority, this application must be returned to the State Engineer, with cor-
rections, on or before 15
WITNESS my hand this day of 19

STATE ENGINEER

REMARKS:

Remarks:

[Lined area for handwritten notes]

STATE OF OREGON

STATE OF OREGON

County of Marion

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

CONSTRUCTION OF A RESERVOIR AND STORAGE OF WATER FROM AN UNNAMED STREAM TO BE APPROPRIATED UNDER APPLICATION NO. 27027, PERMIT NO. 21023 FOR IRRIGATION.

The right hereunder shall be limited to the storage of 35.0 acre feet.

The priority date of this permit is August 25, 1951

Actual construction work shall begin on or before June 30, 1953

and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1951.

WITNESS my hand this 20th day of June, 1951

[Handwritten signature and stamp]

Application No. 52524
Reservoir Permit No. OP 1314

PERMIT

To construct a reservoir and abutment for outlet
to utilize the unappropriated waters of the
State of Oregon.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 22 day of October
1951 at 10:00 o'clock A.M.

Approved:

June 30, 1952

Recorded in Book No. 5 of
Reservoirs on Page 231

CHAS. W. STUCKLEBY
STATE ENGINEER

Drainage Basin No. 1 page 682

Filed 11/2/51