

APPROPRIATION
TO CONSTRUCT A RESERVOIR AND TO STORE FOR
USE THE UNAPPROPRIATED WATERS
OF THE STATE OF OREGON

Applicant Name, Inc., Co.

(Name of Applicant)

THE THOMPSON MACHINE COMPANY

(Mailing Address)

State of Oregon

, do hereby make application for a permit to construct the
following specified reservoir and to store the unappropriated waters of the State of Oregon, subject to
water rights and other existing rights.

If the applicant is a corporation, give date and place of incorporation.

1. The name of the proposed reservoir is Thompson Ditch Mill Pond

2. The name of the stream from which the reservoir is to be filled and the appropriation made is

Tuttle Creek

tributary of Chetco River

3. The amount of water to be stored is APPROXIMATELY THREE (3) acre feet.

4. The use to be made of the impounded water is LOG STORAGE POND

5. The location of the proposed reservoir will be in Sec. 8 (Give sections or townships to be submerged)

To. 41 S. R. 13 T. W. M. in the county of Curry

(a) State whether situated in channel of running stream and give character of material at outlet

THE STREAM runs through the area to be excavated for the pond.
Stream will flow directly into pond and outfall over spillway
at dam.

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give
name and dimensions

6. The dam will be located in Sec 1 of the NW 1/4

(Smallest legal subdivision)

Sec 8

Tp 41 S. R. 13 T. W. M. The maximum height will be 5 feet above stream bed or ground

surface on center line of dam. The length on top will be 175 feet, length on

bottom 160 feet; width on top 10 feet; slope of front

or water side 1:1; slope on back 2:1; height of dam above water line
(Feet horizontal to 1 vertical)

when full 12 feet. Excavation will be made to maintain 4 ft.
of water in pond.

A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured
without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

the proposed dam, with dimensions and method of protection from
floods, and the location of outlet, dam, and core. This site
is to be located as far upstream and down stream as possible.

The width of roadway will be at South
.....
and at the dam there will be a natural hillside embankment.
The base of embankment approximately 4 feet wide and three feet deep.

2. The location of outlet from the proposed reservoir, with character of construction and dimensions
are as follows: See fig. (a).

10. The area submerged by the proposed reservoir, when full, will be 1.5 ACRES acres,
with a maximum depth of water of 4 feet, and approximate mean depth of water
4 feet.

11. The estimated cost of the proposed work is \$6000.00.

12. Construction work will begin on or before January 1, 1953

13. Construction work will be completed on or before January 1, 1953

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for correction or completion as follows:

In order to retain its priority, this application must be returned to the State Engineer, with cor-
rections, on or before 19

WITNESS my hand this

day of

19

STATE ENGINEER

STATE OF OREGON

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of Thompson Brothers Mill Pond and storage of water from Niffle Creek to be appropriated under Application No. 26734, Permit No. 21035 for bog storage; provided that an outlet suitable to pass the normal flow of the stream be constructed through the base of the dam.


The right hereunder shall be limited to the storage of 3.0 acre feet.

The priority date of this permit is January 1, 1952

Actual construction work shall begin on or before June 30, 1952

and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954.

WITNESS my hand this 30th day of June 1952.


STATE ENGINEER

Application No. U.S. 2,626,511
Revisor's Report No. 715,221

ITEM

To construct a reservoir and timber for barrier
to utilize the unappropriated lands of the
State of Oregon.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 4th day of September
1952, at 1 A.M.

Approved:

June 30, 1952

Entered in Book No. 5
of
Registers on Page R-1320

CHARLES STRICKLIN

IT IS AGREED

STATE MARY ANN CLEET

15-25

Case No. 11540