

STATE OF OREGON

COUNTY OF UNION

PERMIT TO CONSTRUCT A RESERVOIR AND STORE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

BOB CORREA & MARK A. TSIATSOS
4139 SW QUINNEY AVENUE
PENLETON, OREGON 97801

(541) 276-0423

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: R-85100

SOURCE OF WATER: RUNOFF, A TRIBUTARY OF MEADOW CREEK

STORAGE FACILITY: NORTH HOUSE POND (056) RESERVOIR

PURPOSE OR USE OF THE STORED WATER: LIVESTOCK AND WILDLIFE

MAXIMUM STORAGE VOLUME: 2.0 ACRE-FEET EACH YEAR

WATER MAY BE APPROPRIATED FOR STORAGE DURING THE PERIOD: OCTOBER 1 THROUGH OCTOBER 31 AND DECEMBER 1 THROUGH APRIL 15 OF EACH YEAR

DATE OF PRIORITY: MARCH 22, 2002

THE MAXIMUM HEIGHT OF THE DAM SHALL NOT EXCEED 9.9 FEET.

DAM LOCATION: NE 1/4 NE 1/4, SECTION 16, T4S, R35E, W.M.; 4150 FEET NORTH & 4700 FEET EAST FROM SW CORNER, SECTION 16

THE AREA TO BE SUBMERGED BY THE RESERVOIR IS LOCATED AS FOLLOWS:

NE 1/4 NW 1/4
SECTION 16

TOWNSHIP 4 SOUTH, RANGE 35 EAST, W.M.

Measurement, recording and reporting conditions

- A. The Director may require the permittee to install a meter or other suitable measuring device as approved by the Director. If the Director notifies the permittee to install a meter or other measuring device, the permittee shall install such device within the period stated in the notice. Such installation period shall not be less than 90 days unless

Application R-85100 Water Resources Department

PERMIT R-13424

special circumstances warrant a shorter installation period. The type and plans of the headgate and measuring device must be approved by the Department prior to beginning of construction and shall be installed under the general supervision of the Department. Once installed, the permittee shall maintain the meter or measuring device in good working order and shall allow the watermaster access to the meter or measuring device. The Director may provide an opportunity for the permittee to submit alternative measuring procedures for review and approval.

- B. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

The Director may require the water user to install evacuation works through the structure or other means to evacuate the reservoir at the discretion of the Director for the purpose of passing water outside the storage season or in the event of injury to other water rights.

The permittee may be required in the future to install, maintain, and operate fish screening as required by the Oregon Department of Fish and Wildlife to prevent fish from entering the proposed diversion.

The permittee may be required in the future to install, maintain, and operate by-pass devices as required by the Oregon Department of Fish and Wildlife to provide adequate upstream and downstream passage for fish. The permittee may contact an Oregon Department of Fish and Wildlife Fish Passage Coordinator to determine construction plans which would allow fish passage to be easily installed at a future date if required.

This permit does not provide for the appropriation of water for any out of reservoir uses, the maintenance of the water level or maintaining a suitable fresh water condition. If any water is used for out of reservoir uses, or any live flow is appropriated to maintain either the water level or a suitable freshwater condition, a secondary water right is required.

The permittee shall pass all live flow outside the storage season described above.

This permit does not provide for the appropriation of water for any out of reservoir uses, the maintenance of the water level or maintaining a suitable fresh water condition. If any water is used for out of reservoir uses, or any live flow is appropriated to maintain either the water level or a suitable freshwater condition, a secondary water right is required.

STANDARD CONDITIONS

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

This permit does not authorize the permit holder to pursue this right in such a way as to interfere with or affect adjacent property not under the ownership of the permit holder.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction work shall begin within one year from permit issuance. The reservoir shall be filled and complete application of the stored water to the use shall be made on or before October 1, 2007.

Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use to the Oregon Water Resources Department.

The claim of beneficial use shall be prepared by a Certified Water Right Examiner in conformance with the requirements of OAR 690-014 if an associated secondary permit exists for the use of stored water under this permit, or if the reservoir stores 9.2 or more acre-feet of water.