

1941

~~to Construct a Reservoir and to
Divert and Use the Unappropriated
Waters of the State of Oregon~~

~~Form No. 1 - Application~~

~~(Name of Applicant)~~

of Toncallie

~~(Mailing Address)~~

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation April 10, 1946

Roseburg, Douglas County, Oregon

1. The name of the proposed reservoir is Vancelle Lumber Co., Log Pond

2. The name of the stream from which the reservoir is to be filled and the appropriation made is

Toncallie Creek

tributary of Fir Creek

3. The amount of water to be stored is 77 acre feet.

4. The use to be made of the impounded water is Log Pond

(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 5 Twp. 23 R. 5 W. Sec. 5

(Give sections or townships to be submerged)

Tp. 23 S., R. 5 W., W. M., in the county of Douglas

(The State whether situated in channel of running stream and give character of material at outlet)

(a) State whether situated in channel of running stream and give character of material at outlet

No from 100 to 200 from running stream.

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give

name and dimensions By Pump and Pipe.

6. The dam will be located in Sec. 5 Twp. 23 R. 5 W. Sec. 5

Tp. 23 S., R. 5 W., W. M. The maximum height will be feet above stream bed or ground

surface on center line of dam. The length on top will be feet; length on bottom feet; width on top feet; slope of front feet; slope of back feet.

or water side feet; slope on back feet; height of dam above water line feet.

when full feet.

A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge together with instructions by addressing the State Engineer, Salem, Oregon.

the proposed dam, its height, width, location, method of protection from

8. The location of wastewater with dimensions are as follows:

(State whether over or around the dam)

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows:

(State whether over or around the proposed dam)

10. The area submerged by the proposed reservoir, when full, will be 16.3 acres, with a maximum depth of water of 9 feet; and approximate mean depth of water 6 feet.

11. The estimated cost of the proposed work is \$ 3,800.00


12. Construction work will begin on or before May 1, 1952.

13. Construction work will begin on or before May 1, 1952.

14. Construction work will be completed on or before June 10, 1952.

Yoncalla Lumber Company

(Name of applicant)



By Vice-President

STATE OF OREGON
STATE OF OREGON

County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion as follows:

Approved and forwarded

In order to retain its priority, this application must be returned to the State Engineer, with cor-

rections, on or before June 22, 1952.

WITNESS my hand this 22nd day of May, 1952.

CHAS. W. STRICKLIN

STATE ENGINEER

W. K. Humphrey, Assistant

A. D. MARSH, SUBJECT TO THE APPROVAL OF THE STATE
 DEPARTMENT OF NATURAL RESOURCES, OREGON TO BUILD THE LEVEE FOR THE
 CONSTRUCTION OF LOG POND AND STORAGE OF WATER FROM RONCALLIA
 CREEK AT AVERAGE 100' AT BASE AND 120' AT TOP. Base of
 levee is to be cleared of all removable matter and in the center of the
 base there is to be made a gully to the depth below grass root before
 any filling material is delivered on base. The Southeast corner of the
 levee or the stream end of pond will be 200' from Poodle Creek run and
 the Northeast corner or down creek corner will be over 100' from the
 Creek run. An incline will be built at the Southeast corner on the
 outside of the levee up and onto the top and a decline will be built
 at the Northeast corner in order that Logging Trucks may go over said
 levee which will be the East or creek side of the levee.

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions: The right herein granted is limited to the construction of the Yoncalla Lumber Company Log Pond and storage of water from Roncallia Creek to be appropriated under Application No. 27205, Permit No. 21322, for log pond.

The right hereunder shall be limited to the storage of 77.0 acre feet.

The priority date of this permit is May 14, 1952

Actual construction work shall begin on or before August 29, 1953

and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1954

WITNESS my hand this

29th

day of

August

19, 52

J. T. F. - J. T. F. - J. T. F.
JOHN THOMAS FISHER
STATE ENGINEER

Application No. 1,572,234.
Rishmoor Permit No. R. 361.

PERMIT

To construct reservoir and tube for bore 1
in hillock the unauthorized water of the
State of Orissa.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 22nd day of August, 1924,
is issued at Portland, Oregon.

Approved:

August 22, 1924.
Recorded in Book No. 1
Revolving Fund
Reservoir Project.

RISHMOOR PERMIT
STATE ENGINEER

Damage Bond No 16 (page 26).
Fee Paid 15.00

In the Public Dept. (1924)