

STATE OF OREGON

COUNTY OF JOSEPHINE

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO:

HAROLD BAIMA
PO BOX 1198
MERLIN OR 97532

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: R-86564

SOURCE OF WATER: UNNAMED STREAM, tributary to AVERY GULCH

STORAGE FACILITY: SUNDOWN-JINK

PURPOSE OR USE: MULTIPLE PURPOSE

MAXIMUM VOLUME: 1.0 ACRE FOOT

DATE OF PRIORITY: MARCH 20, 2006

WATER MAY BE APPROPRIATED DURING THE PERIOD: December 1 – April 30

Dam Location/Authorized Point of Diversion:

Twp	Rng	Mer	Sec	Q-Q	Survey Coordinates
35 S	7 W	WM	13	SW NW	2530 FEET SOUTH AND 1000 FEET EAST FROM NW CORNER, SECTION 13

The Area To Be Submerged:

Twp	Rng	Mer	Sec	Q-Q
35 S	7 W	WM	13	SW NW

Measurement, recording and reporting conditions:

- A. The Director may require the permittee to install a meter or other suitable measuring device at each point of diversion as approved by the Director. If the Director notifies the permittee to install a meter or other measuring device, the permittee shall install such device within the period stated in the notice. Such installation period shall not be less than 90 days unless special circumstances warrant a shorter installation period. Once installed, the permittee shall maintain the meter or measuring device in good working order, and shall allow the watermaster access to the meter or measuring device. The Director may provide an opportunity for the permittee to submit alternative measuring procedures for review and approval.
- B. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used, and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water-use information, the periods of water use, and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.


The permittee shall pass all live flow outside the storage season described above.

This permit does not provide for the appropriation of water for out-of-reservoir uses, the maintenance of the water level or maintaining a suitable freshwater condition. If any water is used for out-of-reservoir purposes, or any live flow is appropriated to maintain either the water level or a suitable freshwater condition, a secondary water right is required.

STANDARD CONDITIONS

1. Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.
2. This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.
3. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.
4. The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.
5. This permit does not authorize the permit holder to pursue this right in such a way as to interfere with or affect adjacent property not under the ownership of the permit holder.
6. The reservoir shall be filled and complete application of the stored water to the use shall be made on or before October 1, 2010.
7. Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use to the Oregon Water Resources Department.
8. The claim of beneficial use shall be prepared by a Certified Water Right Examiner in conformance with the requirements of OAR 690-014 if an associated secondary permit exists for the use of stored water under this permit, or if the reservoir stores 9.2 or more acre-feet of water.
9. If no secondary permit exists and the reservoir stores less than 9.2 acre-feet of water, the claim of beneficial use need not be prepared by a Certified Water Right Examiner. The information submitted to the Oregon Water Resources Department shall include:
 - a. the dimensions of the reservoir;
 - b. the maximum capacity of the reservoir in acre-feet; and
 - c. a map identifying the location of the reservoir prepared in compliance with Water Resource Department standards.

Issued SEPTEMBER 28 2006.


Phillip C. Ward, Director