

STATE OF OREGON

COUNTY OF CROOK

PERMIT TO STORE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

GARY YOUNG  
BLUE MOUNTAIN RANCH  
14005 SE PAULINA VALLEY RD  
PAULINA, OR 97751

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: R-86934

SOURCE OF WATER: BEAVER CREEK, A TRIBUTARY OF CROOKED RIVER

STORAGE FACILITY: BEAVER CREEK EAST RESERVOIR

PURPOSE OR USE OF THE STORED WATER: IRRIGATION, LIVESTOCK, AND WILDLIFE

MAXIMUM VOLUME: 72.11 ACRE FEET


WATER MAY BE APPROPRIATED FOR STORAGE DURING THE PERIOD: MARCH 1 THROUGH  
APRIL 14

DATE OF PRIORITY: JUNE 29, 2007

THE AREA SUBMERGED BY THE RESERVOIR, WHEN FULL, WILL BE 7.37 ACRES AND  
THE MAXIMUM HEIGHT OF THE DAM SHALL NOT EXCEED 13.0 FEET.

POINT OF DIVERSION: SE  $\frac{1}{4}$  NE  $\frac{1}{4}$ , SECTION 26, T16S, R23E, W.M.; 2640 FEET  
SOUTH AND 726 FEET WEST FROM NE CORNER, SECTION 26

THE AREA TO BE SUBMERGED BY THE RESERVOIR IS LOCATED AS FOLLOWS:



NE  $\frac{1}{4}$  SE  $\frac{1}{4}$   
SE  $\frac{1}{4}$  SE  $\frac{1}{4}$   
SECTION 26

TOWNSHIP 16 SOUTH, RANGE 23 EAST, W.M.

Measurement, recording and reporting conditions:

1. A. Before water may be diverted for storage under this permit, the permittee shall install a totalizing flow meter or other suitable measuring device as approved by the Director at each point of diversion.

- B. The permittee shall keep a complete record of the amount of water diverted each month, and shall submit a report which includes the recorded measurements to the Department annually or more frequently as may be required by the Director.
2. A. Before water may be diverted for storage under this permit, a staff gage that measures the entire range between full reservoir level and dead pool storage must be installed in the reservoir. The staff gage shall be United States Geological Survey style porcelain enamel iron staff gage style A, C, E or I.  
B. The Director may require the permittee to keep and maintain a record of the water level measurements on a periodic schedule as established by the Director.
3. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
4. The Director may provide an opportunity for the permittee to submit alternative measuring procedures for review and approval.
5. The permittee shall maintain all required devices in good working order.

The storage of water allowed herein is subject to the installation and maintenance of an outlet pipe (with a minimum diameter of 8" for any in-channel reservoir). This requirement may be waived if the Department determines other means have been provided to evacuate water when necessary.

The permittee shall pass all live flow outside the storage season described above.

This permit allows an annual appropriation (not to exceed the specified volume). This permit does not provide for the appropriation of water for out-of-reservoir uses, the maintenance of the water level or maintaining a suitable freshwater condition. If any water is to be used for out-of-reservoir purposes, a secondary water right is required. If any additional live flow is to be appropriated to maintain either the water level or a suitable freshwater condition, an additional water right is required.

The permittee shall not construct, operate or maintain any dam or artificial obstruction to fish passage in the channel of the subject stream without providing a fishway to ensure adequate upstream and downstream passage for fish, unless the permittee has requested and been

granted a fish passage waiver by the Oregon Fish and Wildlife Commission. The permittee is hereby directed to contact an Oregon Department of Fish and Wildlife Fish Passage Coordinator, before beginning construction of any in-channel obstruction.

The permittee shall install, maintain, and operate fish screening and by-pass devices consistent with current Oregon Department of Fish and Wildlife (ODFW) standards. Fish screening is to prevent fish from entering the proposed diversion while by-pass devices provide adequate upstream and downstream passage for fish. The required screen and by-pass devices are to be in place and functional, and approved in writing by ODFW prior to diversion of any water. The permittee may submit evidence in writing that ODFW has determined screens and/or by-pass devices are not necessary.

Diversion of water under this permit is contingent on designated scenic waterway flows being met downstream. The user is required to monitor streamflow at USGS gage 14103000, Deschutes River at Moody, near Biggs, OR, and discontinue diversion when the flows specified below are unmet at the gage. At the discretion of the Director, the location and nature of streamflow monitoring required to protect scenic waterway flows is subject to change. In addition, the watermaster may regulate diversion under this right if it is determined by the Department that the flows listed below are unmet at the gage.

Deschutes River Scenic Waterway	
<i>Month</i>	<i>Minimum Flow (cfs)</i>
March 1-15	4500
March 16-31	4000
April 1-14	4000

**DAM CONDITIONS**

To be added upon approval by the Department's dam-safety engineer.

**STANDARD CONDITIONS**

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

If the riparian area is disturbed in the process of developing a point of diversion, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with ODFW's Fish and

Wildlife Habitat Mitigation Policy OAR 635-415. For purposes of mitigation, the ODFW Fish and Wildlife Habitat Mitigation Goals and Standards, OAR 635-415, shall be followed.

The use may be restricted if the quality of the source stream or downstream waters decreases to the point that those waters no longer meet existing state or federal water quality standards due to reduced flows.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

Construction shall be completed and the permitted volume of water shall be stored within five years of the date of permit issuance. If additional time is needed, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after storage of water, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner.

Issued April 11, 2018



Dwight French, Water Right Services Division Administrator  
for Thomas M. Byler, Director