

**Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon**

Community Name

Coquille Plywood Inc.

(Name of Applicator)

Community Name

Coquille, Oregon

(Residing Address)

**State of Oregon**, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation **May 1951**

Coquille, Oregon

1. The name of the proposed reservoir is **Coquille Plywood Inc. Log Pond**

2. The name of the stream from which the reservoir is to be filled and the appropriation made is

Coquille River

tributary of **Pacific Ocean**3. The amount of water to be stored is **211.2** acre feet.4. The use to be made of the impounded water is **Storage of logs** (Irrigation, power, domestic supply, etc.)5. The location of the proposed reservoir will be in **Sec. 25, Twp. 27 N., R. 13 W.M.** (Give section or townships to be submerged)Tp. **27**, R. **13** W.M. in the county of **Cook**

(a). State whether situated in channel of running stream and give character of material at outlet

Situated on bottom land. Material sandy loam

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

Natural drainage from supplemented by pumping from

size as needed.

6. The dam will be located in **Sec. 25, Twp. 27 N., R. 13 W.M.** Lots 6 & 7, Sec. 2,Tp. **27**, R. **13** W.M. The maximum height will be **11** feet above stream bed or ground surface on center line of dam. The length on top will be **26.25** feet; length onbottom **26.25** feet; width on top **25** feet; slope of frontor water side **1:1**; slope on back **1:1**, height of dam above water line when full **5** feet.

\* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Consolidated sandy clay protected by piling and earth boulders.

8. The location of wastewater with dimensions are as follows: Wasteway for agriculture (State whether over or around the dam) and discharge of flood waters of Coquille River over day 100 feet wide, protected by planked facing and rock top of dike. Also a six inch pipe provided for pond drainage.

9. The location of outlet from the proposed reservoir, with character of construction and dimensions are as follows: None (State whether through or around the proposed dam)

10. The area submerged by the proposed reservoir, when full, will be 26.4 acres, with a maximum depth of water of 8 feet; and approximate mean depth of water 6 feet.

11. The estimated cost of the proposed work is \$50,000.00

12. Construction work will begin on or before July 1, 1951.

13. Construction work will be completed on or before

August 15, 1951.

County Engineer  
Name of applicant  
Signature

STATE OF OREGON,  
COUNTY OF MARION, ss.

County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion as follows.

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before 19

WITNESS my hand this day of , 19

STATE ENGINEER

This application is supplementary to the application  
received by the State Engineer on July 26, 1951

STATE OF OREGON,  
STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions. The right herein granted is limited to the construction of Coquille Plywood Inc. Log Pond and the storage of water from the Coquille River to be appropriated under Application No. 26535, Permit No. 22778 for the storage of logs.

The right hereunder shall be limited to the storage of 211.2 acre feet.

The priority date of this permit is October 2, 1951.

Actual construction work shall begin on or before December 24, 1954.

and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1955.

WITNESS my hand this 24th day of December, 1953.

W. J. Gandy, State Engineer  
C. L. Burchett, Clerk  
STATE ENGINEER

Application No. 162  
Fees Court Permit No. 1553

**PERMIT**

To construct a reservoir and dam for storage of oil waste & inappropriate material on the State of Oregon.

This instrument was first recorded in the office of the State Engineer at Salem, Oregon, on the 22nd day of October 1953, 10 AM.

Approved:

Dated 24.11.1953  
Recorded in Book No. 5 of  
Registers on, Page 1

CLIFFE E. JACKIN, L.L.C.  
RECORDKEEPER

Ordinance Book No. 17 page 17  
Rec'd Paid 1/2  
State Engineer Oregon 1953