

**To Construct a Reservoir and to
Appropriated Use the Unappropriated
Waters of the State of Oregon**

Jack De Jong

(Name of Applicant)

DeLong Co. Irrigation**Ronja I, Sheridan**

(Mailing Address)

Oregon

I, the undersigned, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is **The DeJong Reservoir**

1. The name of the proposed reservoir is **The DeJong Reservoir**

2. The name of the stream from which the reservoir is to be filled and the appropriation made is **Winged Creek**.

moutary of Salt Creek, a tributary of the Yamhill River

3. The amount of water to be stored is **39** acre feet.

4. The use to be made of the impounded water is **Irrigation** (Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec **7 and 18** Twp **6 South, R 5 West, W.M.**, in the county of **Polk** (Give section or townships to be numbered.)

(a) State whether situated in channel of running stream and give character of material at outlet in channel of small creek with hard clay bottom at outlet

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in **Sec 7 of Twp 6 Section 18, R 5 West, Sec 12**

Twp **6 South, R 5 West, W.M.**. The maximum height will be **120** feet above stream bed or ground surface on center line of dam

bottom **20** feet; width on top **12** feet; slope of front

or water side **1:1**; slope on back **1:1**; height of dam above water line

when full **3** feet.

* A different form of application should be used for the appropriation of stored water to beneficial use without charge, together with instructions by addressing the State Engineer, Salem, Oregon.

7. The construction of dam, the material of which is to be built, and method of protection from waves are as follows: Rolled fill earth dam with rock riprap protection

8. The location of spillway with dimensions are as follows: A spillway around bank (State whether over or around the dam) of dam is to be excavated with 12:1 bottom and 2:1 slope on sides

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: 12" drain pipe or double-strength concrete culvert, if possible, will be located downstream of the proposed dam across stream channel provided with a outlet conduit of such capacity and location to pass the bottom of present channel excavated to fit bottom A of nine and over square feet in area. (State normal flow of the stream at any time.)

10. The area submerged by the proposed reservoir, when full, will be 2.5 acres, with a maximum depth of water of 25 feet; and approximate mean depth of water 7.5 feet.

11. The estimated cost of the proposed work is \$2,600 to \$3,200.

12. Construction work will begin on or before July 1, 1953.

13. Construction work will be completed on or before September 1, 1953.

*Frank J. Tracy
County Engineer*

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before

WITNESS my hand this day of, 19.....

STATE ENGINEER
STATE ENGINEER

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of the DeJong Reservoir and the storage of water from farm land which may be appropriated under Application No. 20435, Permit No. 22409, for irrigation

The right hereunder shall be limited to the storage of 22 acre feet.

The priority date of this permit is May 20, 1953.

Actual construction work shall begin on or before December 24, 1951, and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955.

WITNESS my hand this 21st day of December 1953.

STATE ENGINEER

Application No. 147-22747
Permit No. 162-M-1

PERMIT

To Construct a reservoir and raise your boundary
Sufficiently the water propagation activities by the
State of Oregon.

If it is instrumental you first received and then
offices of the State Engineer at Salem, Oregon,
on the 22nd day of May
1943 at 12 o'clock P.M. M.

Furthermore applicants:

Appointed:

Dates of birth: (24, 11, 53)
Residence Book No. 15
Resorters, Inc. Oregon 35

CHARLES STRICKLIN

STATE ENGINEER

Draining Basin No. 17, Page Six

State of Oregon