STATE OF OREGON

COUNTY OF POLK

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

FRANCES T. ANDERSON PO BOX 965 DALLAS OR 97338

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: R-89354

SOURCE OF WATER: UNNAMED STREAM, TRIBUTARY TO WEST FORK SALT CREEK

STORAGE FACILITY: TURNER DAM RESERVOIR

MAXIMUM DAM HEIGHT: 19.0 FEET

PURPOSE OR USE OF THE STORED WATER: FISH LIFE AND WILDLIFE USE

MAXIMUM VOLUME: 110.0 ACRE-FEET

WATER MAY BE APPROPRIATED FOR STORAGE DURING THE PERIOD: DECEMBER 1 THROUGH APRIL 30

DATE OF PRIORITY: APRIL 10, 2023

DAM LOCATION:

Twp	Rng	Mer WM	Sec	Q-Q NW NW	Measured Distances	Dam Height (feet) 19.0	Area (acres) 17.0
7 S	5 W		22		1125 FEET SOUTH AND 965 FEET EAST FROM NW CORNER, SECTION 22		

THE AREA TO BE SUBMERGED BY THE RESERVOIR:

Twp	Rng	Mer	Sec	Q-Q
75	5 W	WM	22	NWNW
75	5 W	WM	22	SW NW
75	5 W	WM	22	NW SW

Water Resources Department Page 1 of 5

PERMIT SPECIFIC CONDITIONS

- 1. Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.
- 2. Water Use Measurement, Recording, and Reporting:
 - A. The Director may require the permittee to install a staff gage that measures the entire range and stage between full reservoir level and dead-pool level in the reservoir. If no dead-pool, the gage must measure the full depth of the reservoir. The watermaster may determine an alternate measuring device is suitable. If the Director notifies the permittee to install a measuring device, the permittee shall install such device within the period stated in the notice. Once installed, the permittee shall maintain the device in good working order and shall allow the watermaster access to the device.
 - B. The Director may require the permittee to keep and maintain a record of the volume of water stored, and may require the permittee to report water-storage on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water-use information, the periods of water use and the place and nature of use of water under the permit.
 - C. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.

3. Fish Passage:

The permittee shall not construct, operate, or maintain any dam or artificial obstruction to fish passage across any waters of the state that are inhabited, or were historically inhabited, by native migratory fish (ORS 509.585) without obtaining approval for the artificial obstruction from the Oregon Department of Fish and Wildlife (ODFW).

The permittee shall submit a proposal for fish passage to ODFW or apply for a fish passage waiver or exemption. Approval of the proposed fish passage facility, waiver, or exemption shall be obtained **prior to construction** of any in-channel obstruction or **prior to diversion of water** that may create an artificial obstruction due to low flow. The permittee shall submit proof to ODFW that fish passage has been implemented per the plan, waiver, or exemption **prior to diversion of water**.

The permittee shall maintain adequate passage of native migratory fish at all times (ORS 509.610) as per the approved plan, waiver, or exemption. The permittee is hereby directed to schedule a consultation with an ODFW Fish Passage Coordinator.

4. Fish Screen:

The permittee shall install, maintain, and operate fish screening consistent with current Oregon Department of Fish and Wildlife (ODFW) standards or submit documentation that ODFW has determined fish screening is not necessary or is exempted. Fish screening is to prevent fish from entering the proposed diversion. The required screen is to be in place and functional, and approved

Application R-89354 Basin #2 Water Resources Department Page 2 of 5

in writing by ODFW **prior to diversion of any water**. The permittee shall operate and maintain the fish screen consistent with ODFW's operation and maintenance standards. The permittee is hereby directed to schedule a consultation with an ODFW Fish Screen Coordinator.

5. Riparian Area Restoration:

If the riparian area is disturbed in the process of developing a point of diversion, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with ODFW's Fish and Wildlife Habitat Mitigation Policy OAR 635-415. For purposes of mitigation, the ODFW Fish and Wildlife Habitat Mitigation Goals and Standards, OAR 635-415, shall be followed.

6. In-Water Work:

Any in-water work related to construction, development, or maintenance of the proposed use shall be conducted during the preferred work period of July 15 through September 30, unless an alternate time period is approved by Oregon Department of Fish and Wildlife.

7. Water Quality:

All water use under this permit shall comply with state and federal water quality laws. The permittee shall not violate any state and federal water quality standards, shall not cause pollution of any waters of the state, and shall not place or cause to be placed any wastes in a location where such wastes are likely to escape or be carried into the waters of the state by any means. The use may be restricted if the quality of source stream or downstream waters decrease to the point that those waters no longer meet existing state or federal water quality standards. Permittee is responsible for obtaining any necessary state and federal permits.

8. Fish Stocking:

Per ORS 498.222 and OAR 635-007-0600, all persons transporting live fish in Oregon shall have a Fish Transport Permit (FTP) issued by the Oregon Department of Fish and Wildlife (ODFW). The permittee shall not stock fish in the reservoir without an FTP approved by ODFW. As part of the FTP permitting process, the permittee may be required to screen the inlet and outlet of the reservoir to ensure that fish cannot escape into public waters and/or to keep wild fish from entering the reservoir.

9. On-Channel Reservoir:

The permittee shall design and operate the water storage facility such that all waters within and below the reservoir meet water quality criteria.

Application R-89354 Basin #2 Water Resources Department Page 3 of 5

DAM CONDITIONS

- Routine maintenance or repair of the dam, its spillway, and all appurtenant structures shall be performed to include, but not be limited to, removal of woody or high vegetation from the embankment, abutments and spillway; removal of debris from the reservoir, and annual or more frequent cycling of the valve or gate for the low level conduit.
- 2. Repair or replacement of defective or worn out equipment (including but not limited to gates, valves, and conduits) shall be completed as needed to keep the dam safe. If the dam is enlarged, modified, or otherwise altered, this work must be based on design plans and specifications prepared by a Registered Professional Engineer licensed in Oregon. These plans must be submitted to and approved by the State Engineer prior to such alterations of the dam, its spillway, or any appurtenant structure(s). No water shall be stored until the Department receives written certification from the engineer of record that construction has been completed in accordance with the approval plans and specifications.
- 3. No valve shall be installed at the downstream end of the low level conduit, and the low level conduit shall not be operated in a pressurized condition unless the dam has been designed for pressurized operation by the design engineer. There must be an operations manual for the dam that describes pressurized operation, and necessary inspections of pressurized conduits for the dam.
- If used, flashboards shall be maintained in good condition, replaced as needed, and removed as necessary prior to potential winter storms, or unusual rainfall or snowmelt events at any time of the year.
- Failure to comply with any portion of Oregon Revised Statue 540.443 through 540.491 and Oregon Administrative Rules Chapter 690 Division 20 may result in action including, but not limited to, restrictions on use, civil penalties, or cancellation of the permit.

RESERVOIR CONDITIONS

- 1. The permittee shall pass all live flow outside the storage season described above.
- The Director may require the user to measure inflow and outflow, above and below the reservoir respectively, to ensure that live flow is not impeded outside the storage season. Measurement devices and their implementation must be acceptable to the Director, and the Director may require that data be recorded on a specified periodic basis and reported to the Department annually or more frequently.
- 3. This permit allows an annual appropriation (not to exceed the specified volume). This permit does not provide for the appropriation of water for out-of-reservoir uses, the maintenance of the water level or maintaining a suitable freshwater condition. If any water is to be used for out-of-reservoir purposes, a secondary water right is required. If any additional live flow is to be appropriated to maintain either the water level or a suitable freshwater condition, an additional water right is required.

Application R-89354 Basin #2 Water Resources Department Page 4 of 5

STANDARD CONDITIONS

- 1. This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.
- 2. By law, the land use associated with this water use must be in compliance with statewide landuse goals and any local acknowledged land-use plan.
- 3. The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

DEVELOPMENT AND COMPLETION TIMELINE REQUIREMENTS

- 1. Construction work must be supervised by the Engineer of Record for the project. Construction of the water system shall begin within five years of the date of permit issuance. The deadline to begin construction may not be extended. This permit is subject to cancellation proceedings if the begin construction deadline is missed.
- 2. The permitted volume of water shall be stored within five years of the date of permit issuance. If additional time is needed, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.
- 3. Within one year after storage of water, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner.

ISSUED _____ JAN 2 6 2024

Katherine Rotelije Katherine Ratcliffe Water Rights Section Manager, for Douglas E. Woodcock, Acting Director **Oregon Water Resources Department**

Application R-89354 Basin #2

Water Resources Department Page 5 of 5