< 445-4

* Manage Person No. 1618

Application for a Possett to Construct a Reservoir and to Store for Benedicial Use the Unappropriated Waters of the State of Oregon

of	
.,	(Mathe Address)
State of	Oregon do hereby make application for a permit to construct the
	g described reservoir and to store the unappropriated waters of the State of Oregon, subject to
existing	
If	the applicant is a corporation, give date and place of incorporation
1.	The name of the proposed reservoir isDevilts Lake
2.	The name of the stream from which the reservoir is to be filled and the appropriation made is
No.	stream. All runoff waters from mountain side, which is
	of Fishhole Creek
	The amount of water to be stored is 200 acre feet.
	The use to be made of the impounded water isI. rright.on
5.	(Irrigation, power, domestic supply, etc.) The location of the proposed reservoir will be in Sec. 2 and 32 (Give sections or townships to be submerged)
	(Give sections or townships to be submerged) S, R. 15 E, W. M., in the county of
) State whether situated in channel of running stream and give character of material at outlet
······································	No.
(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give
name and	d dimensions Levil's Lake diversion. Six feet wide in buttom. Steep grade
6 .	The dam will be located in Signiful , Sec. 32 , Sec. 32 ,
Tp. 37 5	•, R. 15 F, W. M. The maximum height will be 6 feet above stream bed or ground
surface o	on center line of dam. The length on top will be . 420 feet; length on
bottom .	feet; width on top feet; slope of front
	side 3 to 1 ; slope on back 2 to 1 ; height of dam above water line (Feet horizontal to 1 vertical)
	(Feet horizontal to 1 vertical) (Feet horizontal to 1 vertical)
• A d	ifferent form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured arge, together with instructions, by addressing the State Engineer, Salem, Oregon

8. The location of wasteway with dimensions are as follows: 9. The location of wasteway. 9. The location of outlet from the proposed reservoir, with our as follows: Cut in natural ground at about center (State whether through or around inch pipe in outlet and good sate.) 10. The area submerged by the proposed reservoir, when with a maximum depth of water of 10 feet. 11. The estimated cost of the proposed work is \$.500 to 12. Construction work will begin on or before June 1.3. Construction work will be completed on or before It.	construction and dimensions, the proposed dam) full, will be 102 acres et; and approximate mean depth of water
9. The location of wasteway. 9. The location of outlet from the proposed reservoir, with ore as follows: Cut in natural ground at about center (State whether through or around inch pipe in outlet and good gate. 10. The area submerged by the proposed reservoir, when with a maximum depth of water of 26 feet. 11. The estimated cost of the proposed work is \$.500 to 12. Construction work will begin on or before June 1.	haracter of construction and dimensions of dam feet deer, the proposed dam) full, will be 102 acres et; and approximate mean depth of water
9. The location of outlet from the proposed reservoir, with one as follows: Cut in natural ground at about center (state whether through or around inch pipe in outlet and good gate. 10. The area submerged by the proposed reservoir, when with a maximum depth of water of 26 feet. 11. The estimated cost of the proposed work is \$.500 to 12. Construction work will begin on or before June 1,	haracter of construction and dimensions of dam feet deep, the proposed dam) full, will be 102 acres et; and approximate mean depth of wate
9. The location of outlet from the proposed reservoir, with one as follows: Cut in natural ground at about center (State whether through or around inch pipe in outlet and good gate). 10. The area submerged by the proposed reservoir, when with a maximum depth of water of \$\frac{26}{10}\$ feet. 11. The estimated cost of the proposed work is \$\frac{500}{10}\$ to 12. Construction work will begin on or before \$\frac{10}{10}\$.	haracter of construction and dimensions of dam feet deep a the proposed dam) full, will be 102 acres et; and approximate mean depth of wate
inch pipe in outlet and good sate. 10. The area submerged by the proposed reservoir, when with a maximum depth of water of 26 feet. 11. The estimated cost of the proposed work is \$ 500 to 12. Construction work will begin on or before June 1,	the proposed dam) full, will be 102 acres et; and approximate mean depth of water
inch pipe in outlet and good sate, 10. The area submerged by the proposed reservoir, when with a maximum depth of water of	full, will belozacres
inch pipe in outlet and good sate. 10. The area submerged by the proposed reservoir, when with a maximum depth of water of	full, will belozacreset; and approximate mean depth of wate
with a maximum depth of water of	et; and approximate mean depth of water
10 feet. 11. The estimated cost of the proposed work is \$ 500 to 12. Construction work will begin on or before June 1,	
11. The estimated cost of the proposed work is \$.500 to 12. Construction work will begin on or beforeJune l,	a ampliat a
12. Construction work will begin on or before June 1,	a amplete
	195%, for completing
()	
	Willen (Name of applicant)
Han	n Diffier
STATE OF OREGON, Ss	2 d - 2 - 1 - 1 / 4 d - 6 - 6 -
This is to certify that I have examined the foregoing app	ication, together with the accompanying
maps and data, and return the same for correction or completion	as follows:
·	
In order to retain its priority, this application must be	returned to the State Engineer, with c
rections, on or before	•
WITNESS my hand this	

with a death with the training to	t high. He	also improv	red.
the diversion chareel leading mater to the lake, ?	his is act	mlly an	
application to reconstruct the Devil's Lake Reserv	oir, which	has mostly	
been done. There is attached hereto and agreement	between Jax	pes O Watts,	,
Frank Griffith and asil Hall as to the reconstruc	tion of sai	ld Reservoir	
1 0000000 00000000000000000000000000000		***************************************	••••••
	***************************************	•••••	
······································			•••••••
			•••••
	••••••		
	•••••	•••••	
	·····		
	•		
STATE OF OREGON. Sss.			
County of Marion.			
This is to certify that I have examined the foregoing ap			
ubject to the following limitations and conditions: the right	herein gran	nted is limi	ted to the
construction of Devil's Lake Reservoir and the stor to be appropriated under Application No. 22070, Per Permit No. 22899 and Application No. 28766, Permit	age of wate mit No. 228 No. 22900	er from 2 1 384; Application for irri	nnamed streation No. 28 gation.
The right hereunder shall be limited to the storage of		230.0	acre feet.
The priority date of this permit is July 7, 1952	****		
Actual construction work shall begin on or before Jul			
and shall thereafter be prosecuted with reasonable diligence and			
October 1, 1956	• ,	·	
	July	, 19 54	

Application No. R. 22422... Reservoir Permit No. (R.14.13...

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of UUIY
1952, at 3.22 o'clock A. M.

Approved:

July 20, 1954

Recorded in Book No. 6
Reservoirs, on Page 1613.

CHAS, E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 14... page .. 20...

Fees Paid 16 30

State Printing Dept 47156