

* Reservoir Permit No. 10778

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, WARNER VALLEY STOCK COMPANY
(Name of Applicant)

of Adel, Lake County
(Mailing Address)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation Oregon, 1891.

1. The name of the proposed reservoir is Greaser Lake Reservoir

2. The name of the stream from which the reservoir is to be filled and the appropriation made is Twenty Mile Creek and drainage water from lands of the Applicant.
 tributary of Warner Lakes

3. The amount of water to be stored is 10,000 Acre Feet acre feet.

4. The use to be made of the impounded water is irrigation
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. R. 25 E., W. M., Sec. 36, T. 39 S., R. 24 E. W. M., Secs. 1 & 2, T. 40 S., R. 24 E., W. M., Secs. 4, 5, 6, 8, & 9,
(Give section or townships to be submerged)
 Tp. 40 S., R. 25 E., W. M., in the county of Lake

(a) State whether situated in channel of running stream and give character of material at outlet not on original channel of stream, but on Twenty Mile Creek Bypass.
heavy Clay and hard Pan.

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions through a feed canal which is Warner Valley Stock Co.'s
Twenty Mile Creek Bypass Borrow-Pit.

6. The dam will be located in the SW $\frac{1}{4}$ Sec. 17,
(Smallest legal subdivision)
 Tp. 39 S., R. 25 E., W. M. The maximum height will be 10 feet above stream bed or ground surface on center line of dam. The length on top will be 505 feet; length on bottom 30 feet; width on top 12 feet; slope of front or water side 2:1; slope on back 1 $\frac{1}{2}$:1; height of dam above water line when full 4 feet.
(Feet horizontal to 1 vertical) (Feet horizontal to 1 vertical)

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

A- 1678

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: earthen dam with rock rip-rap

8. The location of wasteway with dimensions are as follows: around East end, 200 feet
(State whether over or around the dam)
wide.

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: through corrugated culverts with C.I. slide gates through
(State whether through or around the proposed dam)
Twenty Mile Creek Bypass Levee.

(Continued under Remarks)

10. The area submerged by the proposed reservoir, when full, will be 4000 acres, with a maximum depth of water of 5.0 feet; and approximate mean depth of water 2.5 feet.

11. The estimated cost of the proposed work is \$ 5000.00

12. Construction work will begin on or before Oct. 1, 1951

13. Construction work will be completed on or before Oct. 1, 1953

WARNER VALLEY STOCK CO. INC.
(Name of applicant)

By Oscar Kittredge

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion as follows: completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before February 7, 1955

WITNESS my hand this 6th day of January, 1955

LEWIS A. STANLEY

STATE ENGINEER

By Chris L. Wheeler
Chris L. Wheeler, Assistant
eh

Remarks: This reservoir will be used to hold the excess flow of Twenty Mile Creek and the drainage water to be pumped from the lands of the applicant in T. 40 S., R. 24 E., W. M., for use in the later part of the irrigation season.

(Continued from item 9)

Outlets located as follows:

T. 39 S., R. 25 E., W. M.

Sec. 20 - NE 1/4 - SW 1/4 36"
" 30 - NE 1/4 - NE 1/4 24"
SE 1/4 - SW 1/4 15"
SE 1/4 - SE 1/4 15"

T. 39 S., R. 24 E., W. M.

Sec. 35 - SE 1/4 - SW 1/4 36"

T. 40 S., R. 24 E., W. M.

Sec. 11 - NW 1/4 - SW 1/4 36"
" 10 - SE 1/4 - SW 1/4 24"

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of Greaser Lake Reservoir and the storage of water from Twenty Mile Creek and drainage to be appropriated under Application No. 25396, Permit No. 23218 for irrigation and the dam shall be constructed under supervision of a registered professional engineer.

The right hereunder shall be limited to the storage of 10,000 acre feet.

The priority date of this permit is October 27, 1950

Actual construction work shall begin on or before March 21, 1956

and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1956

WITNESS my hand this 21st day of March, 1955

Lewis A. Stanley
STATE ENGINEER

Application No. *R-25395*
Reservoir Permit No. *R-1678*

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the *27th* day of *October*, 19*50*, at *8:00* o'clock *A.* M.

Approved:

March 21, 1955
Recorded in Book No. *6* of
Reservoirs, on Page *R-1678*

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. *13* page *50*

Fees Paid *\$69.00*

State Printing Dept. 31271

Assigned, See Misc. Rec. Vol 6 Page 914

Vol 6 Page 1565

Vol. 8 Page 735