Cancelled

*Reservoir Permit No. 176

APPLICATION FOR A PERMIT TO CONSTRUCT A RESERVOIR AND TO STORE FOR BENEFICIAL USE THE UNAPPROPRIATED WATERS OF THE STATE OF OREGON

<i>I</i>	Geo E Scott			
ŕ	Hood River		(Name of Applicant) County of	Hood River
	,			cation for a permit to construct
		na to store the	e unappropriatea wati	ers of the State of Oregon, sub
	g rights.			
1† tne	applicant is a corpor	ation, give aa	te and place of incor	poration
1. T)	he name of the propos	ed reservoir is.		
	Scotts F	leservoir		
2. T	he name of the strea	m from which	the reservoir is to b	e filled and the appropriation mad
8.	creek running thro	ugh Section	31, Township 2 N F	ange 10 East
3. T)	he amount of water to	be stored is	8,235,000 gall	ons, or acre feet 25.21 ac
4. Ti	he use to be made of th	e impounded w	ater is Irrigation	n (under Permit 116
	he location of the pro	posed reservoir	r will be in Sec. SE	(Irrigation, power, domestic supply,
5. T				(Give sections or townships to be submer
	ı) State whether situa	uted in channel	of running stream an	ad give character of material at or
	ı) State whether situa	uted in channel	of running stream an	nd give character of material at or
	ı) State whether situa	uted in channel	of running stream an	nd give character of material at or
(0	i) State whether situating the channel of runn	ing stream r	of running stream an	nd give character of material at or
(1	In channel of runn In channel of runn O) If not in channel	ing stream r	of running stream ar	nd give character of material at or
(1	n) State whether situate in channel of runn o) If not in channel e and dimensions	ing stream r	of running stream and ock and earth at o	nd give character of material at or utlet to be filled. If through a feed ca
(lange name	n) State whether situate in channel of runn o) If not in channel e and dimensions	ing stream r	of running stream and cock and earth at cock at cock and earth at cock and earth at cock at cock at cock and earth at cock at co	nd give character of material at or utlet to be filled. If through a feed ca
(t	n) State whether situate in channel of runn o) If not in channel e and dimensions	ing stream r	of running stream and ock and earth at o	ad give character of material at or utlet to be filled. If through a feed ca
(t	n) State whether situate in channel of runn o) If not in channel e and dimensions	ing stream r	of running stream and ock and earth at o	ad give character of material at or utlet to be filled. If through a feed ca
(t	In channel of runn O) If not in channel e and dimensions	ing stream r	of running stream and ock and earth at o	ad give character of material at or utlet to be filled. If through a feed ca
(t	In channel of runn O) If not in channel e and dimensions	ing stream r	of running stream and ock and earth at o	ad give character of material at or utlet to be filled. If through a feed ca
(lange name	n) State whether situate in channel of runn o) If not in channel e and dimensions	ing stream r	of running stream and ock and earth at o	ad give character of material at or utlet to be filled. If through a feed ca

p_{\dots}	S) (No E or W)		
n top of	216 feet; len	igth on bottom	98 feet; width on top 10 feet;
lope of from	it or water side	2 to 1	(Feet horizontal to 1 vertical)
lope on bac	k (Feet horizo	vertical ntal to 1 vertical)	(Feet horizontal to 1 vertical) ; height of dam above water
ne when f	ullOC		
7. The	construction of dam,	the material of wh	nich it is to be built, and method of protection from
vaves are o	s follows: Log o	orib, filled with	h earth and brush
	,		
	`	,	
			·
		•	
••••••		······································	

8. The			(State whether over or around the dam)
	The wasteway	over dam to be	25 feet in length
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
. *			
• •			
<u></u>			
9. The	location of outlet are as follows:	from the proposed	d reservoir, with character of construction and an 8" pipe with valves will be used (State whether through or around the proposed dam)
9. The	location of outlet are as follows:	from the proposed	d reservoir, with character of construction and an 8" pipe with valves will be used (State whether through or around the proposed dam)
9. The limensions,	location of outlet are as follows:	from the proposed Outlet under dam	d reservoir, with character of construction and an 8th pipe with valves will be used (State whether through or around the proposed dam) duit.
9. The limensions,	location of outlet are as follows:	from the proposed Outlet under dam as an outlet con he proposed reserve	d reservoir, with character of construction and an 8" pipe with valves will be used (State whether through or around the proposed dam) duit. oir, when full, will be 2.6 acres,
9. The limensions, 10. The with a maximum.	location of outlet are as follows: area submerged by the finum depth of water of	from the proposed Outlet under dam as an outlet con he proposed reserve f	d reservoir, with character of construction and an 8" pipe with valves will be used (State whether through or around the proposed dam) duit. oir, when full, will be 2.6 acres,
9. The timensions, 10. The with a maximal vater	location of outlet are as follows:	from the proposed Outlet under dam as an outlet con the proposed reserve ffeet.	d reservoir, with character of construction and an 8" pipe with valves will be used (State whether through or around the proposed dam) duit. oir, when full, will be
9. The limensions, 10. The vith a maxwater	location of outlet are as follows: area submerged by the imum depth of water of estimated cost of the	from the proposed Outlet under dam as an outlet con he proposed reserve ffeet. proposed work is \$.	d reservoir, with character of construction and an 8th pipe with valves will be used (State whether through or around the proposed dam) duit. oir, when full, will be
9. The limensions, 10. The vith a maximater	location of outlet are as follows: area submerged by the imum depth of water of the struction work will be	from the proposed Outlet under dam as an outlet con he proposed reserve 30 ffeet. proposed work is \$	d reservoir, with character of construction and an 8th pipe with valves will be used (State whether through or around the proposed dam) duit. oir, when full, will be
9. The limensions, 10. The vith a maximater	location of outlet are as follows: area submerged by the imum depth of water of the struction work will be	from the proposed Outlet under dam as an outlet con he proposed reserve 30 ffeet. proposed work is \$	d reservoir, with character of construction and an 8th pipe with valves will be used (State whether through or around the proposed dam) duit. oir, when full, will be
9. The limensions, 10. The vith a maximater	location of outlet are as follows: area submerged by the imum depth of water of the estruction work will be struction work will be	from the proposed Outlet under dam as an outlet con he proposed reserve ffeet. proposed work is \$ egin on or before c completed on or be	d reservoir, with character of construction and an 8" pipe with valves will be used (State whether through or around the proposed dam) duit. oir, when full, will be
9. The imensions, 10. The vith a maxivater	are as follows:	from the proposed Outlet under dam as an outlet con he proposed reserve 30 ffeet. proposed work is \$ egin on or before c completed on or be ed reservoir and s	d reservoir, with character of construction and an 8th pipe with valves will be used (State whether through or around the proposed dam) duit. oir, when full, will be
9. The limensions, 10. The vith a maximater	location of outlet are as follows: area submerged by the imum depth of water of the estruction work will be struction work will be	from the proposed Outlet under dam as an outlet con he proposed reserve ffeet. proposed work is \$ egin on or before. c completed on or bed reservoir and sent this application.	d reservoir, with character of construction and an 8th pipe with valves will be used (State whether through or around the proposed dam) duit. oir, when full, will be
9. The limensions, 10. The vith a maximater	are as follows:	from the proposed Outlet under dam as an outlet con he proposed reserve ffeet. proposed work is \$ egin on or before. c completed on or bed reservoir and sent this application.	d reservoir, with character of construction and an 8th pipe with valves will be used (State whether through or around the proposed dam) duit. oir, when full, will be
9. The limensions, 10. The vith a maximater	are as follows:	from the proposed Outlet under dam as an outlet con he proposed reserve f	d reservoir, with character of construction and an 8" pipe with valves will be used (State whether through or around the proposed dam) duit. oir, when full, will be
9. The limensions, 10. The vith a maximater	location of outlet are as follows: area submerged by the simum depth of water of the struction work will be maps of the proposed of Control, accompany	from the proposed Outlet under dam as an outlet con he proposed reserve ffeet. proposed work is \$ egin on or before c completed on or bed reservoir and sent this application.	d reservoir, with character of construction and an 8" pipe with valves will be used (State whether through or around the proposed dam) duit. oir, when full, will be
9. The limensions, 10. The vith a maximater	location of outlet are as follows: area submerged by the struction work will be maps of the proposed of Control, accompanion the presence of us	from the proposed Outlet under dam as an outlet con he proposed reserve f	d reservoir, with character of construction and an 8" pipe with valves will be used (State whether through or around the proposed dam) duit. oir, when full, will be
9. The limensions, 10. The with a maximater	location of outlet are as follows: area submerged by the struction work will be maps of the proposed of Control, accompanion the presence of us	from the proposed Outlet under dam as an outlet con he proposed reserve f	d reservoir, with character of construction and an 8" pipe with valves will be used (State whether through or around the proposed dam) duit. oir, when full, will be
9. The dimensions, 10. The with a maximater	location of outlet are as follows: area submerged by the imum depth of water of the estruction work will be maps of the proposed of Control, accompating the presence of us	from the proposed Outlet under dam as an outlet con he proposed reserve ffeet. proposed work is \$ egin on or before e completed on or be any this application.	d reservoir, with character of construction and an 8" pipe with valves will be used (State whether through or around the proposed dam) duit. oir, when full, will be

Remarks:			
			<i>√</i>
	,,	·····	·

		·	
·····			
		<i>;</i>	
,		•	
,			
•••••••••••••••••••••••••••••••••••••••			
		•••••••••••••••••••••••••••••••••••••••	
			-
TATE OF OREGON,)		
County of Marion	ss.		
In order to retain its price		m must be returned to t	* `
orrections, on or before			·
WITNESS my hand this		,	10
WIINESS My nana inis	······································	auy 0/	
•			State Engineer.
TATE OF OREGON,)		
County of Marion	ss.		
This is to certify that I ha	ve examined the for	regoing application and do	hereby grant the same,
ubject to the following limita	tions and conditions	s:	
The amount of water whi			
25.21 acre feet.			
The priority date of th		ch 1, 1912	:
***************************************	·····	e March 16, 1913	
• • • • • • • • • • • • • • • • • • • •	an ocym on or octor		
		March 16, 1914	on or before
nd shall thereafter be prosect	uted with reasonable	March 16, 1914	on or before
	uted with reasonable	March 16, 1914 day of March	on or before
nd shall thereafter be prosect	uted with reasonable	March 16, 1914	on or before, 19.12

	Арр	lication No	o. 2111		
Reservoir Pe	rmit No	. 176	<u> </u>		
PERMIT					
To construct a reservoir and store for bene- ficial use the unappropriated waters of the State of Oregon					
Division No.	2	District	No		
			received in the		
on the 1	day	of1	larch		
19_ 12 , at2	:00 _o	clock_P	М.		
		olicant for c			
Corrected	l applic	ation recei	ved		
Approve	d				
Mar 16	1912				
		ok No. 1 of	Reservoirs on		
176 Page	•				
	hn H L	ewis			
DFM l map	нсв		State Engineer		