

RECEIVED
SEP 7 1955

STATE ENGINEER
SALEM, OREGON

Reservoir Permit No. 1797

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Linn-Benton Memorial Park Assoc., c/o Walter A. Kropp
(Name of Applicant)

of 306 S. Washington St., Albany, Oregon (P. O. Box 425)
(Mailing Address)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation 1935, Linn County, Albany, Oregon

1. The name of the proposed reservoir is Willamette Memorial Park Reservoir No. 2

2. The name of the stream from which the reservoir is to be filled and the appropriation made is Willamette River tributary of Columbia River

3. The amount of water to be stored is 17.52 acre feet.

4. The use to be made of the impounded water is Irrigation
(Irrigation power domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of S. 29 & SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of S. 28
(Give sections or townships to be subdivided.)
Tp. 10S., R. 3W., W. M., in the county of Linn

(a) State whether situated in channel of running stream and give character of material at outlet

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions to be filled by 6" pipe line from Western Kraft Corp's pipe line.

6. The dam will be located in SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of S. 29 & SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of S. 28, Sec. 28
(Smallest legal subdivision)
Tp. 10S., R. 3W., W. M. The maximum height will be 9 $\frac{1}{2}$ feet above stream bed or ground surface on center line of dam. The length on top will be 800 feet; length on bottom 750 feet; width on top 8 feet; slope of front or water side 3 to 1; slope on back 2 to 1; height of dam above water line when full 2 feet.
(Feet horizontal to 1 vertical) (Feet horizontal to 1 vertical)

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge together with instructions, by addressing the State Engineer, Salem, Oregon

1797

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Earth filled dam constructed by bulldozer and carryall.
No wave problem.

8. The location of wasteway with dimensions are as follows: 8 inch steel pipe will
(State whether over or around the dam)
be located at Northwest corner of dam.

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: The reservoir will actually be dug 8 to 10 feet below the
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)
surface of the surrounding ground so an underground outlet isn't practical.

10. The area submerged by the proposed reservoir, when full, will be 1.46 acres,
with a maximum depth of water of 15 to 17 feet; and approximate mean depth of water
12 feet.

11. The estimated cost of the proposed work is \$ 2400.00

12. Construction work will begin on or before August 30, 1955

13. Construction work will be completed on or before October 1, 1958

Linn-Benton Memorial Park
Assoc., By Walter A. Kropp, Secy
Walter A. Kropp

STATE OF OREGON, |
County of Marion, | ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before

WITNESS my hand this day of , 19

STATE ENGINEER

Remarks:

Lined area for handwritten notes.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of one reservoir and the storage of water from Willamette River to be appropriated under Application No. 30280, Permit No. 23848, for irrigation.

The right hereunder shall be limited to the storage of 17.52 acre feet.
The priority date of this permit is September 7, 1955.
Actual construction work shall begin on or before February 15, 1957 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1957.
WITNESS my hand this 15th day of February, 1956.

Lewis J. Stanley

STATE ENGINEER

Application No. *R. 30279*
Reservoir Permit No. *1797*

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the *7th* day of *September*, 19*55*, at *8:00* o'clock *A.* M.

Returned to applicant:

Approved:

February 15, 1956
Recorded in Book No. 6 of
Reservoirs, on Page **1797**

LEWIS A. STALEY
STATE ENGINEER

Drainage Basin No. *2* page *64-F*
15.00