

RECEIVED  
MAR 5 1956

STATE ENGINEER  
SALEM, OREGON

Reservoir Permit No. 1855

### Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Lester E. James  
(Name of Applicant)

of Rt. 2, Box 540, Central Point  
(Mailing Address)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is James Reservoir

2. The name of the stream from which the reservoir is to be filled and the appropriation made is unnamed stream tributary of Snyder Creek

3. The amount of water to be stored is 20 acre feet.

4. The use to be made of the impounded water is irrigation (Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 35, Tp. 35 S., R. 2 W. M., in the county of Jackson (Give sections or townships to be submerged)

(a) State whether situated in channel of running stream and give character of material at outlet  
Reservoir to be constructed in channel of un-named stream with gravelly clay loam at outlet

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in NE 1/4 of NW 1/4, Sec. 35, Tp. 35 S., R. 2 W. M. The maximum height will be 13 feet above stream bed or ground surface on center line of dam. The length on top will be 700 feet; length on bottom 700 feet; width on top 10 feet; slope of front or water side 3:1; slope on back 2:1; height of dam above water line when full 2:1 feet.

\* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be obtained without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Earth Fill, rock and soil on front of dam.

8. The location of wasteway with dimensions are as follows: Around north west end. (State whether over or around the dam) bottom width--30', side slopes 2:1, slope 1.05

9. The location of outlet from the proposed reservoir, with character of construction and dimensions are as follows: 6"---bonded Helcar pipe, R.C. encased, invert at center. (All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time.)

10. The area submerged by the proposed resevoir, when full, will be ... acres, with a maximum depth of water of 11.0 feet; and approximate mean depth of water 5.7 feet.

11. The estimated cost of the proposed work is \$ 2,043.00

12. Construction work will begin on or before one year from date of issuance

13. Construction work will be completed on or before October 1, 1911

J. C. ... (Signature of applicant)

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before ... 19

WITNESS my hand this ... day of ... 19

STATE ENGINEER



Application No. *R-30574*  
Reservoir Permit No. *1855*

## PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the *5* day of *June*, 19*55*, at *11* o'clock *A*.M.

Returned to applicant:

Approved:

*June 25, 1955*  
Recorded in Book No. *7* of  
Reservoirs, on Page *1855*

*LESTER A. STANLEY*  
STATE ENGINEER

Drainage Basin No. *5* page *18 P*