

* Reservoir Permit No. 1938

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Iwasaki Bros., Inc. (Name of Applicant)

of Route 4, Box 133, Hillsboro (Mailing Address)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation March 1, 1954, Hillsboro, Oregon

1. The name of the proposed reservoir is

2. The name of the stream from which the reservoir is to be filled and the appropriation made is Unnamed branch and reservoir.

tributary of Tualatin River

3. The amount of water to be stored is 1.5 acre feet.

4. The use to be made of the impounded water is irrigation (Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 8 Tp. 1S, R. 2W, W. M., in the county of Washington (Give sections or townships to be submerged)

(a) State whether situated in channel of running stream and give character of material at outlet It is situated in an open drainage ditch and the character of material at the outlet is silt clay.

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in (See Plans and Specs.) NW of NW Sec. 8 Tp. 1S, R. 2W, W. M. The maximum height will be level with feet above stream bed or ground surface on center line of dam. The length on top will be 650 feet; length on bottom 636 feet; width on top 18 feet; slope of front or water side ; slope on back ; height of dam above water line when full feet.

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Pond to be excavated by a dragline, and will be protected from waves by a grass sod.

8. The location of wasteway with dimensions are as follows: (See Plans and Specs.) (State whether over or around the dam) Lower side--using original channel for wasteway. Dimensions of channel are: depth--2 feet; bottom width--2 feet; top width--5 feet. (See Plans)

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: 4" Tile drain, 700 ft in length to by-pass normal flow of stream. (All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time.) Tile line by-pass located on south side of irrigation reservoir.

10. The area submerged by the proposed resevoir, when full, will be 0.35 acres, with a maximum depth of water of 5.5 feet; and approximate mean depth of water 4.0 feet.

11. The estimated cost of the proposed work is \$ 500.00

12. Construction work will begin on or before October 1, 1956

13. Construction work will be completed on or before September 1, 1957

Handwritten signature: J. A. ... (Signature of applicant)

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before December 25, 1956

WITNESS my hand this ... day of ... 1956

STATE ENGINEER

1958

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of a reservoir and the storage of water from an unnamed stream to be appropriated under Application No. 30980, Permit No. 24505, for irrigation.

The right hereunder shall be limited to the storage of 1.5 acre feet.

The priority date of this permit is July 30, 1956

Actual construction work shall begin on or before December 20, 1957 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1958.

WITNESS my hand this 20th day of December, 1956.

Levie A. Stanley
STATE ENGINEER

Application No. ^{pc} R-3072
Reservoir Permit No. R-1938

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 30 day of July, 1956, at 8:20 o'clock A.M.

Returned to applicant:

Approved:

December 20, 1956
Recorded in Book No. 1937 of
Reservoirs, on Page

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 2 page 62A II

\$ 500.