Reservoir Permit No. 1975

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I,	Fields - St	tone by Lynn Stone (Name of Applicant)	 .	
of	Williams	·		
		(Mailing Address)		
State of	Oregon	, do hereby make	e application for a	permit to construct the
following desc	ribed reservoir and to	store the unappropriated	waters of the Sta	te of Oregon, subject to
existing rights	t.			
If the a	pplicant is a corporatio	on, give date and place of in	corporation	
	December 17th,	1952. Provolt, Ore	gon	
1. The	name of the proposed 1	reservoir is F-S Re	servoir #1	
	Resrvoir #2			
2. The	name of the stream fr	om which the reservoir is t	o be filled and th	e appropriation made is
both,	Unnamed Gulo		•	
tributary of	Thompson Cre	eek to Applegate Ri	.ver	
•		stored is 1 acre feet		ere feet #2cre feet
				i. dere jiee.
		impounded water is 11		omestic supply, etc.)
		ed reservoir ^s will be in Sec. in the county of Joseph		
(a) Sta	te whether situated in	n channel of running strear	n and give charac	ter of material at outlet
	In channel.	Heavy loam material	and rock	
		· · · · · · · · · · · · · · · · · · ·		
(b) If 1	not in channel of runn	ing stream, state how it is	to be filled. If th	rough a feed canal, give
name and dir	nensions			
		4 0.		
			_	
6. The	Reser dam will be located in	voir #1 in SE 1/4 1 n #2 NW 1/4 S (Smallest egal sub		both , _{Sec.} 36
Tp. 39 S	5, _R . 5 ₩ , w. M	. The maximum height wil	be 10 feet abo	ve stream bed or ground
surjace on cer	nter line of dam. The l	length on top will be	#2 80	feet; length on
bottom	each 60	feet; width on top	12	feet; slope of fron:
or water side		slope on back 2 to Feet borrental to	height ; height	of dam above water line
when full	2	feet.		
* A differer without charge,	nt form of application should together with instructions. b	be used for the appropriation of sto y addressing the State influeer. Sa	r d water to beneficial dem, Oregon.	use. Such forms can be recured

7. The construction of dam, the material of which it is to be built, and method of protection from
vaves are as follows: Earth fill dams 2 feet freeboard
and the second of the second o
· · · · · · · · · · · · · · · · · · ·
n de la composition
8. The location of wasteway with dimensions are as follows:
each, around dame Top width - 12 Ft, Bottom width - 4 Ft, Depth - 2 Ft
<u></u>
and the control of th
9. The location of outlet from the proposed reservoir, with character of construction and dimensions.
are as follows: Each conduit through dam. It was teel pipe conduit. (All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the
with concrete collars at intake and outlet
10. The area submerged by the proposed resevoirs when full, will be acres,
with a maximum depth of water of 8 feet; and approximate mean depth of water
6feet.
11. The estimated cost of the proposed work is \$ 2000.00
12. Construction work will begin on or before Oct. 22nd, 1957
oct 22nd, 1958
13. Construction work will be completed on or bejore. (Stenature of applicant)
Williams, Oregon
STATE OF OREGON, County of Marion,
This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for
In order to retain its priority, this application must be returned to the State Engineer, with con
rections, on or before
WITNESS my hand this day of

Remerks:	
<u></u>	
······································	
••••••••••••••••••••••••••••••••••••••	
en e	
······································	
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application and do hereby grant the same,	
subject to the following limitations and conditions: The right herein granted is limited to the construc- tion of F-S Reservoirs Nos. 1 and 2 and the storage of water from an unnamed stream	
to be appropriated under Application No. 31178, Fermit No. 24568 for supplemental irrigation.	
The might homounder shall be limited to the standard of 3.0	
The right hereunder shall be limited to the storage of . 3.0 acre feet. The priority data of this name is a contained to the storage of . 3.0	
The priority date of this permit is	,
Actual construction work shall begin on or before January 25, 1958 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1958	
WITNESS my hand this 25th day of January 19.57	
the state of the s	
LEWTO COMMENTER	

Reservoir Permit No. R-1956 Application No. 18-31177

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23 day of Catallan 19 5 c, at L s. c. o'clock A M.

Returned to applicant:

Approved:

January 25, 1957

Reservoirs, on Page 1:77. Recorded in Book No.

LEATE A. STANLEY

Drainage Basin No. 15 ... page 161

STATE ENGINEER