

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, COQUILLE PLYWOOD, a DIVISION OF TEXTRON, INC. a Rhode Island Corporation

of P. O. Box 215, Coquille, Oregon

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is Coquille Plywood Log Pond

2. The name of the stream from which the reservoir is to be filled and the appropriation made is Coquille River

tributary of Pacific Ocean

3. The amount of water to be stored is 180 acre feet.

4. The use to be made of the impounded water is For Storing Logs

5. The location of the proposed reservoir will be in Sec. 35, T. 27 S., R. 13 W., W.M. Ore. and in Sec 2, T 28 S R 13 WWM, Ore

Tp. 27, R., W. M., in the county of Coos

(a) State whether situated in channel of running stream and give character of material at outlet

Not in stream- Bottom land adjacent to Coquille River- Water from river by pump, and from natural ground drainage.

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions No channel or stream. Filling to be done entirely by pump

6. The dam will be located in Sec. 2, T. 28 S., R. 13 W., W.M. Ore. Sec.

Tp. R., W. M. The maximum height will be 11 feet above stream bed or ground

surface on center line of dam. The length on top will be 1,550 feet; length on

bottom Same feet; width on top 20 feet; slope of front

or water side 1 1/2 to 1 ; slope on back 1 1/2 to 1 ; height of dam above water line

when full 3 feet.

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be obtained without charge, together with instructions, by addressing the State Engineer, Salem, Oregon

1966

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Earth fill, protected by boom-sticks and piling

8. The location of wasteway with dimensions are as follows: (State whether over or around the dam)

Wasteway at approximately water level protected by driven piling and brow-log. Wastes into dug drain canal parallel to dike. Canal drains to Coquille River through tide gate.

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: described above

(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time.)

10. The area submerged by the proposed resevoir, when full, will be approx 20 a acres, with a maximum depth of water of 9 feet; and approximate mean depth of water 8 feet.

11. The estimated cost of the proposed work is \$ \$15,000

12. Construction work will begin on or before July 10, 1956

13. Construction work will be completed on or before Aug. 10, 1956

COQUILLE PLYWOOD DIVISION OF TEXTRON, INC.

(Signature of applicant)
H. A. Wells President

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before, 19

WITNESS my hand this day of, 19

STATE ENGINEER

Remarks: As will be noted on the accompanying plan drawn by Engineer I. M. Huddleston, the pond described in this application is an extension of an existing pond now in use for the same purpose as intended for this pond. The same conditions of soil and water apply as on two previous applications granted and on file with your office. The purpose for this application is to increase the size and storage capacity of our existing facilities.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of Coquille Plywood Log Pond and the storage of water from Coquille River to be appropriated under Application No. 31236, Permit No. 24614, for log storage, and the pond shall be constructed under the supervision of a registered professional engineer.

The right hereunder shall be limited to the storage of 180.0 acre feet.

The priority date of this permit is July 10, 1956

Actual construction work shall begin on or before February 15, 1956 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1956.

WITNESS my hand this 25th day of February, 1957.

Walter A. Stanley
STATE ENGINEER

OK
FDS

Application No. *R-30926*
Reservoir Permit No. *R-1766*

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the *12th* day of *July* 19*56*, at *1:00* o'clock *P.*M.

Returned to applicant:

Approved:

February *25*, 19*57*
Recorded in Book No. *7* of
Reservoirs, on Page *1385*

LESLIE S. MARLEY
STATE ENGINEER

Drainage Basin No. *17* page *11*

1580