

RECEIVED  
JUN 11 1973  
STATE ENGINEER

Reservoir Permit No. 1973

### Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Edward Gilbert  
(Name of Applicant)

of Rte 1, Banks  
(Mailing Address)

State of OREGON, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation.

1. The name of the proposed reservoir is

2. The name of the stream from which the reservoir is to be filled and the appropriation made is

UN-NAMED BRANCH - WEST DAIRY CREEK  
tributary of West DAIRY Creek

3. The amount of water to be stored is 1.5 acre feet.

4. The use to be made of the impounded water is Irrigation  
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 24  
(Give sections or townships to be submerged)

Tp. 2 N, R. 4 W, W. M., in the county of WALHAMTON

(a) State whether situated in channel of running stream and give character of material at outlet  
No.

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions Will be filled by diverting a 6" pipe from channel to pond.

6. The dam will be located in SE 1/4 of SE 1/4, Sec. 24  
(Smallest legal subdivision)

Tp. 2 N, R. 4 W, W. M. The maximum ~~height~~ <sup>Depth</sup> will be 15 feet ~~above~~ <sup>below</sup> stream bed or ground surface on center line of dam. The length on top will be 80 feet; length on bottom 40 feet; width on top 50 feet; slope of front or water side —; slope on back —; height of dam above water line when full 2 feet.  
(For horizontal to 1 vertical)

\* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

1973

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Excavated earth - seeded to grass.

8. The location of wasteway with dimensions are as follows: around dike  
(State whether over or around the dam)

4' bottom width

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Through dike - 6" diameter.  
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the

normal flow of the stream at any time.)

10. The area submerged by the proposed reservoir, when full, will be 0.10 acres, with a maximum depth of water of 15 feet; and approximate mean depth of water 10 feet.

11. The estimated cost of the proposed work is \$ 700<sup>00</sup>

12. Construction work will begin on or before Dec. 31, 1957

13. Construction work will be completed on or before Sept - 1957

[Signature]  
(Signature of applicant)

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before ..... 19 .....

WITNESS my hand this ..... day of ....., 19 .....

STATE ENGINEER



Application No. R. 31261  
Reservoir Permit No. R. 1978

## PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7<sup>th</sup> day of December, 1956, at 5.00 o'clock A.M.

Returned to applicant:

Approved:

February 25, 1957  
Recorded in Book No. 7 of  
Reservoirs, on Page 1978

LESLIE L. STAMLEY  
STATE ENGINEER

Drainage Basin No. 2 page 62A12

15 00