## Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, (Name of Applicant)
of P. U. Box 458, Prineville (Mailing Address)
State of Oregon, do hereby make application for a permit to construct the
following described reservoir and to store the unappropriated waters of the State of Oregon, subject to
existing rights.
If the applicant is a corporation, give date and place of incorporation
1. The name of the proposed reservoir is Allen Creek Reservoir
2. The name of the stream from which the reservoir is to be filled and the appropriation made is
Allen Creek
tributary of North Fork Crooked River
3. The amount of water to be stored is
4. The use to be made of the impounded water is Irrigation.  (Irrigation, power, domestic supply, etc.)
5. The location of the proposed reservoir will be in Sec
Tp. 14 S., R. 21 E., W. M., in the county of Crook
(a) State whether situated in channel of running stream and give character of material at outlet
Located in Running Stream. Sand and coarse gravel with silt at
outlet.
(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give
name and dimensions
6. The dam will be located in $SE_{2}^{1}SE_{2}^{1}$ , Sec. 1  (Smallest legal subdivision) 78**  Tp. 14 S., R. 21 E., W. M. The maximum height will be feet above stream bed or ground
surface on center line of dam. The length on top will be 900 feet; length on
bottom 250 feet; width on top 19 feet; slope of front
or water side 23/4: 1; slope on back 13/4: 1; height of dam above water line
when full 6 feet.

7. The construction of dam, the material of which it is to be built, and method of protection from
waves are as follows: Earth fill dam with central core of impervious clay-
silt mixture, with very stable pervious rocky zone on both sades of
core. Grading to coarse clean rock at faces for slope protection.
8. The location of wasteway with dimensions are as follows: Spillway over ridge at.  (State whether over or around the dam)
East end of dam or alternate spillway located West of dam through
saddle in ridge as shown on drawings.
9. The location of outlet from the proposed reservoir, with character of construction and dimensions,
are as follows: 21" outlet pipe with gate in bottom of natural channel, and
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the 30" outlet pipe with gate at elev. 80 to supply high ditch. All pipe
normal flow of the stream at any time.)  to be asbestos bonded asphalt coated.
10. The area submerged by the proposed resevoir, when full, will be 7.9 acres, with a maximum depth of water of feet; and approximate mean depth of water
with a maximum depth of water of
11. The estimated cost of the proposed work is \$ 60,000.
12. Construction work will begin on or before May 1, 1956
13. Construction work will be completed on or before Dec 1, 1956
Hudgette (Signature of applicant)
by James & Bucha
by famous Bucha
STATE OF OREGON,
County of Marion,
This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for
In order to retain its priority, this application must be returned to the State Engineer, with cor-
rections, on or before
WITNESS my hand this day of, 19,
STATE ENGINEER

Correction made from personal Knowledge of project as engineer having started
project pries to joining state and state Engineer The De
STATE OF OREGON, ss.
County of Marion,
This is to certify that I have examined the foregoing application and do hereby grant the same,
subject to the following limitations and conditions: The right herein granted is limited to the construc-
tion of Allen Creek Reservoir and storage of water from Allen Creek to be appropriated
under Application No. 3075h, Permit No. 24775 for supplemental irrigation, and the
dam shall be constructed under the supervision of a registered professional engineer.
The right hereunder shall be limited to the storage of
The priority date of this permit is
Actual construction work shall begin on or before April 25, 1958 and
shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.5.8
WITNESS my hand this 25th day of April , 19.57.
WITNESS my hand this 25th day of April , 1957

Application No. A-30753 Reservoir Permit No. 2000.....

## PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the ICM day of Any 19 Te, at LCC o'clock P

Returned to applicant:

Approved:

April 25, 1957

Reservoirs, on Page 2000... Recorded in Book No. 7

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 5 page 14 C

2813