Remarks: Realing points to be lilled as	
after each cleaning period. Water to be	
from 16" supply line thence into the rea	
a 2'-8" x 3' x 70' concrete open drain	ditch back to Rock Creek.
Point of diversion, point of usage	and point of return all
within property leased by the Fish Comm	ission.
• • • • • • • • • • • • • • • • • • • •	
10 rearing punds that are 10 \$ ++ will	tousque kelling was 40 6 40 11
deep. Concrete walls mutt compacted exits a	nd tack better, penas
are Boxt apart with compacted carte til a	etween werk fore.
	· · · · · · · · · · · · · · · · · · ·
· · · · · · · · · · · · · · · · · · ·	
· · · · · · · · · · · · · · · · · · ·	
······································	
· · · · · · · · · · · · · · · · · · ·	
STATE OF OREGON, County of Marion, ss.	
This is to certify that I have examined the foregoing a	pplication and do hereby grant the same,
subject to the following limitations and conditions: The right	herein granted is limited to the construc-
tion of Siletz River Hatchery Ponds and the storage	of water from Rock Creek to be
appropriated under Application No. 25800. Permit No.	2. 24825, for fish culture.
The right hereunder shall be limited to the storage of	0.57 acre feet.
The priority date of this permit is	. 1951
Actual construction work shall begin on or before	June 20, 1958 and
shall thereafter be prosecuted with reasonable diligence and be	completed on or before October 1, 19 59.
WITNESS my hand this 20th day of	June 19 57.
	Liwin of other state engineer

Reservoir Permit No. R-2006 Application NOP25/12

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, 19.1.7. at Sier .. o'clock ... A... M. on the L'A day of Musich

Returned to applicant:

Approved:

June 20. 1357

fo ··· Recorded in Book No. Reservoirs, on Page2006

JAMIS A. STATUM STATE ENGINEER

Drainage Basin No. 18 page 20B

\$ 1500

The second secon

• Reservoir Permit No. 2006

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

	(Name of Applicant)	
of	307 State Office Building Portland 1 (Mailing Address)	
State	of . Oregon	a permit to construct the
follor	ving described reservoir and to store the unappropriated waters of the St	eate of Oregon, subject to
exist	ing rights.	
	If the applicant is a corporation, give date and place of incorporation	· · · · · · · · · · · · · · · · · · ·
	1. The name of the proposed reservoir is Siletz River Hatche	ry Ponds.
	2. The name of the stream from which the reservoir is to be filled and t	he appropriation made is
	Rock Creek	
tribu	tary of Siletz	
	3. The amount of water to be stored is	acre feet.
	4. The use to be made of the impounded water is Fish Culture	ed in the peaks of
	5. The longition of the proposed receiving will be in Sec. 7	entre de la companya del companya de la companya del companya de la companya de l
T_{i} .	10S , R. 8W , W.M., in the country of Lincoln	er fram op it de state gelde
	(a) State whether situated in channel of running stream and give charge	uctor of material at outlet
	$\mathbf{N}\mathbf{o}$	
	(b) If not in channel of running stream, state how it is to be filled. If t	hrough a feed canal, give
nam	and dimensions Filled by 16" continuous wood stave	pape 668' 0 22
	from below described diversion dam.	
	6. The dam will be located in National State (Smoust level mediance)	. Sec.
Τ υ.	405 R. 8W . W.M. The maximum height will be 1 feet al	bove stream hed or ground
	we on center line of dam. The length on top will be 63 '	feet; length on
botte		fect; slope of front
	after side $\frac{3:4}{\text{Total of verteal}}$; slope on back $\frac{3:4}{\text{(Fither 2 infiltred verteal})}$; height	e of with above water line
	* A different form of application should be used for the appropriation of stored water to beneficial	Ture. Such forms can be secured.
witho	ut charge together with instructions, by addressing the State Engineer, Salem, Oregon.	The second secon

8. The location of wasteway with dimensions are as follows: Over the dam the full (State whether over or around the dam) width of channel. 9. The location of outlet from the proposed reservoir, with character of construction and dimensions.	7. The construction of dam, the material of which it is to be built, and method of protection from
8. The location of wasteway with dimensions are as follows: Over the dam the (1); width of channel. 9. The location of outlet from the proposed reservoir, with character of construction and dimensions. are as follows: FLOWS. Dack. Into Rock. Creck. with a .22-8" wide x J' Jove x 7.9' in length concrete open drain ditch. 10. The area submerged by the proposed reservoir, when full, will be	waves are as follows: Rock and timber crib dam with plank face and apron.
8. The location of wasteway with dimensions are as follows: Over the dam the full width of channel. 9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Plows back into Rock Creek with a 2'-8" wide x 3'dext x 77 follows are marked and are provided with an outlet conduct of such expects and location to task the internal flow of the stream at any time. 10. The area submerged by the proposed reservoir, when full, will be	No wave action.
8. The location of wasteway with dimensions are as follows: Width of channel. 9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Flows, back into Rock Creek with a 2'-8" wide x J'devi x 79' in length concepts open drain ditch. 10. The area submerged by the proposed reservoir, when full, will be acres, with a maximum depth of water of feet; and approximate mean depth of water jeet. 11. The estimated cost of the proposed work is \$. 5,000,00. 12. Construction work will begin on or before Complained. 13. Construction work will be completed on or before July 30, 1915. STATE OF OREGON, See County of Marion. This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before 1999.	
9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Flows, back into Rock Creck with a 2'-8" wide x J'dect x 77' (All dans seroes natural tream channels must be provided with an outlet conduit of such expects and booken to part the in length concrete open drain ditch. 10. The area submerged by the proposed reservoir, when full, will be	
9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Flows, back into Rock Creck with a 2'-8" wide x J'dect x 77' (All dans seroes natural tream channels must be provided with an outlet conduit of such expects and booken to part the in length concrete open drain ditch. 10. The area submerged by the proposed reservoir, when full, will be	8. The location of wasteway with dimensions are as follows: Over the dam the full (State whether over or around the dam)
9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Flows, back, into Rock, Creek, with a 2'-8" wide x 3'duct x 77' (All dams scross reliand stress channels must be provided with an outlet conduit, of such expects) and location to past the in length concrete open drain ditch. 10. The area submerged by the proposed reservoir, when full, will be	
9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Flows back into Rock Creck with a 2'-8" wide x J'deer x 77' (All arms serom natural warm channels must be provided with an outlet conduct, of work casacter and location to passible in length concrete open drain ditch. 10. The area submerged by the proposed reservoir, when full, will be	• · · · · · · · · · · · · · · · · · · ·
are as follows: Flows, back into Rock Creck with a 2'-8" wide x J'deck x 7' chi dams serom natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the in length concrete open drain ditch. 10. The area submerged by the proposed reservoir, when full, will be	
in length concrete open drain ditch. 10. The area submerged by the proposed reservoir, when full, will be	9. The location of outlet from the proposed reservoir, with character of construction and dimension
10. The area submerged by the proposed reservoir, when full, will be	are as follows: Flows back into Rock Creek with a 2'-8" wide x 3'deep x (All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass
10. The area submerged by the proposed reservoir, when full, will be acres, with a maximum depth of water of feet; and approximate mean depth of water	
with a maximum depth of water of	
11. The estimated cost of the proposed work is \$. 5,000,00. 12. Construction work will begin on or before Completed. 13. Construction work will be completed on or before July 30, 1945. STATE OF OREGON, County of Marion. This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before	10. The area submerged by the proposed reservoir, when full, will be a constant acres
11. The estimated cost of the proposed work is \$. 5,000,00. 12. Construction work will begin on or before	with a maximum depth of water of
12. Construction work will begin on or before Comilical 13. Construction work will be completed on or before July 30, 1915 State of order of and cont State of order of and cont State of and cont In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before	
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before 19	11. The estimated cost of the proposed work is \$. 5,000,00
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before	12. Construction work will begin on or before Comiletd
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before	13. Construction work will be completed on or before July 39, 1944
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before	(Signature of applicant)
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before	
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before	
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before	
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before	
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before	STATE OF OREGON,
In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before	County of Marion, \(\sigma^{88}. \)
In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before	This is to certify that I have examined the foregoing application, together with the accompany
rections, on or before	maps and data, and return the same for
	In order to retain its priority, this application must be returned to the State Engineer, with o
WITNESS my hand this	rections, on or before, 19,
	WITNESS my hand this