

Reservoir Permit No. 2064

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Oregon Coast Veneer (Name of Applicant)

of Box 246 Brookings, Oregon (Mailing Address)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is Oregon Coast Veneer log pond

2. The name of the stream from which the reservoir is to be filled and the appropriation made is 2 Nameless Creeks

tributary of Harris Creek

3. The amount of water to be stored is 50.2 acre feet acre feet.

4. The use to be made of the impounded water is Log pond (Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 25 (Give sections or townships to be submerged)

Tp. 40 S, R. 14 W, W. M., in the county of Curry

(a) State whether situated in channel of running stream and give character of material at outlet

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in Sec. (Smallest legal subdivision)

Tp. R. W. M. The maximum height will be 7.2 feet above stream bed or ground surface on center line of dam. The length on top will be 40 feet; length on bottom 730 feet; width on top 20 to 30 feet; slope of front or water side 1 to 1; slope on back 1 to 1; height of dam above water line when full 7.2 feet.

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: The dam will be constructed of sandy clay firmly packed by tractor and carr all. The top will be gravelled for a truck road and the outside will have natural rock placed along the water line.

8. The location of wasteway with dimensions are as follows: The wasteway is over the dam. It is made of 2 x 12 plank with cross ties every 4 feet. The dimensions are 4 x 4 by 40 feet.

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: The outlet is in the S.E. of the S.W. of Section 26, T. 4, S. Range 12, E. (All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time.) The outlet is a 12 inch pipe approximately 89 feet long.

10. The area submerged by the proposed reservoir, when full, will be 2.2 acres, with a maximum depth of water of 12 feet; and approximate mean depth of water 7 feet.

11. The estimated cost of the proposed work is \$ To rebuild as shown \$5000.00

12. Construction work will begin on or before October 1, 1966

13. Construction work will be completed on or before July 1, 1967

OCEAN EAST VENDOR
(Signature of applicant)
By John Mackling

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before, 19

WITNESS my hand this day of, 19

STATE ENGINEER

Application No. R-31500
Reservoir Permit No. R.2064

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23rd day of April, 1957, at 2 o'clock A.M.

Returned to applicant:

Approved:

October 25, 1957
Recorded in Book No. 7 of
Reservoirs, on Page 206A

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 15 page 2 F

1500