

• Reservoir Permit No. 2188

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

	(Plane of Applicant)	
P. O. Bo	ox 1032, Hedford	
State of Oragon	, do hereby make application	for a permit to construct the
following described reserve	ir and to store the unappropriated waters of ti	ne State of Oregon, subject to
existing rights.		
If the applicant is a co	orporation, give date and place of incorporation	Reno, Nevada
January 24, 1957	······································	
	roposed reservoir is Log Pond No. 3	
2. The name of the st	tream from which the reservoir is to be filled (and the appropriation made is
tributary of	······································	
3. The amount of wat	ter to be stored is277	acre feet.
4. The use to be mad	e of the impounded water is Log Pond (triention,	
5. The location of the	proposed reservoir will be in Sec. 13, 14,	23, 24
	, W. M., in the county of Jackson	
•	tuated in channel of running stream and give pumping from Rogue River Valley Irriga	
	pumping from Rogue River Valley Ittige	iction District noperns
lateral	•••••••••••••••••••••••••••••••••••••••	
• •	l of running stream, state how it is to be filled.	
name and dimensionsRo	ogue River Valley Irrigation District	ateral
6. The dam will be k	ocated in	Sec. 13, 14, 23, 2
	ocated in	
Tp. 37 S., R. 2 W.	, W. M. The maximum height will be 22.16" f	set above stream bed or ground
Tp37 S, R. 2 W	m. The length on top will be 2,750	set above stream bed or ground feet; length on
Tp. 37 S. , R. 2 W. surface on center line of da bottom 2,650	m. The length on top will be 22,750 feet; width on top	feet; length on feet; slope of front
Tp. 37 S. , R. 2 W. surface on center line of da bottom 2,650	m. The length on top will be 2,750 feet; width on top	feet; length on feet; slope of front

	of which it is to be built, and method of protection from ad, gravel and clay at optimum moisture content
in natural state. Remainder of fill t	topsoil, sand, gravel and clay. No special
wave protection planned.	
•	
narthment and	sions are as follows: 18" diameter overflow at (State whether over or around the dam)
	······································
	ed reservoir, with character of construction and dimensions,
normal flow of the dream of any time.)	
10. The area submerged by the proposed	l reservoir, when full, will be15.9 acres
with a maximum depth of water of20	feet; and approximate mean depth of water
feet.	
11. The estimated cost of the proposed t	pork is \$ 55,000
12. Construction work will begin on or be	efore September 1, 1958
	I on or before September 1, 1959
·	
	(Mignature of applicant)
STATE OF OREGON, County of Marion,	
This is to certify that I have examined	the foregoing application, together with the accompanying
maps and data, and return the same for	
•	•
In order to retain its priority, this appli	cation must be returned to the State Engineer, with correc
tions on or before	, 19
WITNESS my hand this day o	of, 19,
	STATE ENGINEER
	Ву
	AREISTANT

Application No. R. 3.2. 16.14
Reservoir Permit No. R. 2188

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of August 1900, at 2000 of the oregon, at 20th or o'clock at

Returned to applicant:

Approved:

December 30, 1958

Recorded in Book No. 8
Reservoirs, on Page 2188

PARTIE LEGIS A. STANIET STATE ENGINEER

Fees 16 27