PECSIVE DECEIVED OCT 22 1958 DECEIVED

STATE ENGINEER

* Motorook Pernitt No. 2202

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

(Numb of Applicant)
ofP. 0. Box 506, Scappoose, Oregon
Charles Address
State of, do hereby make application for a permit to construct the
following described reservoir and to store the unappropriated waters of the State of Oregon, subject to
existing rights.
If the applicant is a corporation, give date and place of incorporation
1. The name of the proposed reservoir is Miller Hill
2. The name of the stream from which the reservoir is to be filled and the appropriation made is
tributary of Willa, et a Slough
3. The amount of water to be stored is 20,000 gallinus 1/15th acre feet.
4. The use to be made of the impounded water is demestic yard use Irrigation, power, domestic supply etc.)
5. The location of the proposed reservoir will be in Sec
Tp. 3N. R 27h. W. M., in the county of Columbia
(a) State whether situated in channel of running stream and give character of material at outlet
yes, timber overflow & pipe
(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions
N 20°05'E - 696 44' & 5 70°24E-50' 6. The dam will be located in 696 his feet North & 50 feet East Sec 24
6. The dam will be located in 696 left feet. North & 50 feet East, Sec, of T. J. Jackson SW corner Land committees subdivision) in NE 4 7 5 W 1/4 Tp. 3N, R, W. M. The maximum height will be feet above stream bed or ground
surface on center line of dam. The length on top will be 11 feet feet feet; length on
bottom 6 feet feet; width on top 30 inches feet; slope of front
or water side; slope on back 2 to 1; height of dam above water line (Feet horizontal to 1 vertical)
when full feet.
* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

7. The construction of dam, the material of which it is to be built, and method of protection from
paves are as follows:
•
······································
8. The location of wasteway with dimensions are as follows:through pipe & timber over of mound the dam)
24" Wide over Flood gate
(See diagrem Attid.)
9. The location of outlet from the proposed reservoir, with character of construction and dimensions
THE AS FOLLOWS: DADE I" OPENING IS FROM BOHOM OF DAM GISC. (All dame serves natural stream challenge must be provided with an outlet conduit, of such expectly and location to pass the
DVET Top of Flood gate.
<u> </u>
10. The area submerged by the proposed reservoir, when full, will be300. aquarefeetacres
with a maximum depth of water of5 feet feet; and approximate mean depth of water
feet.
11. The estimated cost of the proposed work is \$300a
12. Construction work will begin on or before this winter
13. Construction work will be completed on or beforethis winter
Mulli Hill (Rignature of analogan)
STATE OF OREGON,
County of Marion,
This is to certify that I have examined the foregoing application, together with the accompanyin
maps and data, and return the same for
•
In order to retain its priority, this application must be returned to the State Engineer, with correct
tions on or before Rebruary 5, 19.59
WITNESS my hand this _5th day ofDecember, 19.58
CARINED.
LEWIS A. STANLEY
STATE ENGINEER
By James W. Carus J. ASSISTANT
remos w. Carver, Jr.,/

A conferred on	Carlo Military	Secretary and the	· · · · · · · · · · · · · · · · · · ·		
	No.				2000-00-00-00-00-00-00-00-00-00-00-00-00
•			•		

		**************************************	·	************************	
*************************	***************************************	************************	***************		******************
• •	***********************	*************************			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
-					
	**************************************	naganasa aja asa asa ata ata ata ata ata ata ata at			
		•	4		
	Da 4 445 000 04 4550 0 0 4 0 4 0 4 0 4 0 4 0 4 0 4 0 4 0 4		<u> </u>	Prior G.C. (100 at 100	waa
	*************		*******	90.0000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ma
					•
			***************************************		••••••

		10 00 000000000000000000000000000000000			•••••••••••••••••
				******************	••••••••••
	pa a a a a a a a a a a a a a a a a a a		***************************************	*************	**********************
-		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	***********	***************************************	•••••••••••
***********************	***************************************		***************************************	***************************************	•••••••••••••••••••••••••••••••••••••••
***************************************	****************	}*****************	•••••••••		
TT OF ORTION					
TE OF OREGON,	88.				
County of Marion,	,				
This is to certify	that I have ea	camined the fore	going application	m and do hereb	y grant the s
ect to the following	limitations and	d conditions: Th	e right herein g	ranted is limited	i to the const
of Miller Hill	Reservoir ar	nd storage of	water from a	n unnamed str	eam.to.be
opriated under	dorrow mon			aiorirriga	KLOM
	······································			••••••••••••••••••••••••••••	
		······	•••••••••••••••••••••••••••••••••••••••		
The wight hanger	ier shall be lim	uited to the storag	re of 0.06		acre
The right hereun		•	-		
	of this manual !	ia	Harran	har 24 10KB	
The priority date					
The priority date Actual constructi	on work shall t	begin on or befor	e Janna	ry 15, 1960	······································
The priority date Actual constructi Il thereafter be pros	on work shall l	begin on or befor asonable diligenc	e Janua e and be comple	ry 15, 1960 ted on or before	Octqber 1, 19
The priority date	on work shall l	begin on or befor asonable diligenc	e Janua e and be comple	ry 15, 1960 ted on or before	Octqber 1, 19

Reservoir Permit No. R-2202 Application No. R. 32173....

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the "##" day of INCNERRED. 19.52, at 2.66 o'clock A. M.

Returned to applicant:

Approved:

Jamery 15, 1959

Recorded in Book No. Reservoirs, on Page LEWIS A. STANLEE STATE ENGINEER

Drainage Basin No. Z.... page 22....

Fees 1 25