

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, William H. Sester (Name of Applicant)

of Route # 2, Box 552, Gresham, Oregon. (Mailing Address)

State of OREGON, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is Sester Reservoir No. 2

2. The name of the stream from which the reservoir is to be filled and the appropriation made is Unnamed STREAM, and seepage water from Sester Reservoir, and all seepage arising between the two dams, a tributary of Beaver Creek

3. The amount of water to be stored is approximately one acre feet.

4. The use to be made of the impounded water is Irrigation (Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 16 (Give sections or townships to be situated)

Tp. 1 S., R. 4 E., W. M., in the county of Multnomah

(a) State whether situated in channel of running stream and give character of material at outlet

In channel of running stream. Clay

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in N.W. 1/4 of the S.E. 1/4 of Sec. 16 (Smallest legal subdivision)

Tp. 1 S., R. 4 E., W. M. The maximum height will be 6 feet above stream bed or ground surface on center line of dam. The length on top will be 40 feet; length on bottom 20 feet; width on top 10 feet; slope of front or water side 3:1 (Feet horizontal to 1 vertical); slope on back 2:1 (Feet horizontal to 1 vertical); height of dam above water line when full 3 feet.

\* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Cat and Carryall were used to fill, clay was used as the material, and grass was seeded on banks.

8. The location of wasteway with dimensions are as follows: Spill way around end.  
(State whether over or around the dam)

Additional details in accompanying paper.

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Asphalt dipped corrugated iron pipe, 18 inches in diameter  
(State whether through or around the proposed dam)  
in bottom, and spillway around end, details in accompanying paper.

10. The area submerged by the proposed reservoir, when full, will be 1/2 acres, with a maximum depth of water of 4 feet; and approximate mean depth of water 2 and 1/2 feet.

11. The estimated cost of the proposed work is \$ 250.00

12. Construction work will begin on or before Was built in 1938.

13. Construction work will be completed on or before \_\_\_\_\_

William N. K... L  
(Name of applicant)

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion as follows: for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before February 9, 1959

WITNESS my hand this 8th day of December, 1958

LEWIS A. STANLEY

STATE ENGINEER

By James W. Carver, Jr.  
James W. Carver, Jr., Assistant  
eh

Remarks: ... Dam was built in 1938 by myself, and originally held about 6 feet of water, but has filled with sediment, and would be valuable to catch the seepage from the large reservoir, as it impounds water to the base of Sester Reservoir (permit No. 1616).

It has with stood the waters of 20 years, and it will only take a little altering to build an emergency spillway to conform to the requirements with a six foot bottom and sides 3:1 and 2ft. high.

The Reservoir is to be used to collect the seepage from Sester Reservoir, constructed under permit No. 1616 in 1954, and other seepage which might occur below Sester Reservoir and above the dam of Sester Reservoir No. 1.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of Sester Reservoir #2 and the storage of water from an unnamed stream to be appropriated under Application No. 32874, Permit No. 25964 for supplemental irrigation.

The right hereunder shall be limited to the storage of 1.0 acre feet.

The priority date of this permit is August 15, 1958

Actual construction work shall begin on or before March 16, 1960

and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

WITNESS my hand this 16th day of March 19 59

*[Signature]*  
STATE ENGINEER

Application No. *L. 52206*  
Reservoir Permit No. *R-2213*

## PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the *5th* day of *August*, 19*28*, at *5:30* o'clock *P.* M.

Approved:

*March 16, 1929*  
Recorded in Book No. *6* of  
Reservoirs, on Page *2213*.

**LAWIS A. STANLEY**  
STATE ENGINEER

Drainage Basin No. *3* page *12 c*

Fees Paid .....

State Printing Dept. 31271