## Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

State of, do hereby make application following described reservoir and to store the unappropriated waters of the existing rights.  If the applicant is a corporation, give date and place of incorporation	February 1, 1955
existing rights.  If the applicant is a corporation, give date and place of incorporation  Benton County, Oregon	February 1, 1955
If the applicant is a corporation, give date and place of incorporation  Benton County, Oregon	
Benton County, Oregon	
1. The name of the proposed reservoir is Benton Timber Pro	
**************************************	oducts Log Pond
2. The name of the stream from which the reservoir is to be filled of Mary's River	
tributary ofWillimatte River	
3. The amount of water to be stored is21_2.	acre feet.
4. The use to be made of the impounded water isLog storage	power, domestic supply, etc.)
5 The location of the proposed reservoir will be in Sec	
Tp. 12.5, R. 6.W, W. M., in the county of Benton	•
(a) State whether situated in channel of running stream and give	character of material at outlet
Not situated in channel of running stream, the pond wi	ll be situated in a
cultivated field, constructed of clayey silt.	
(b) If not in channel of running stream, state how it is to be filled.	. If through a feed canal, give
name and dimensions To be filled by pumping from Mary's Riv	
6. The dam will be located in NE 1/4 of SW 1/4 (Smallest legal subdivision)	
Tp. 12 S , R. 6 W , W. M. The maximum height will be 2.7 f	eet above stream bed or ground
surface on center line of dam. The length on top will be1996	feet; length or
bottom 1996 feet; width on top 8	feet; slope of fron
or water side 3. to 1 ; slope on back 2. to 1 ; (Feet horizontal to 1 vertical)	height of dam above water line

Application No. R-33149 Reservoir Permit No. R-2246

## PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This incident West first received in the office of the State Engineer at Salem, Oregon, on the A. W. day of A. M. 1971, at A. Colock A. M.

Returned to applicant:

Approved:

July 20, 1959

Reservoirs, on Page 2216

LENIS A. STANLEY

STATE ENGINEER

Drainage Basin No. Z page 182

Fees

**8** 

,

## Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Benton Timber Products Corporation (Name of Applicant)		
of P. O. Box 506 Philomath (Melling Address)		
State ofOregon, do hereby make application for a permit to construct the		
following described reservoir and to store the unappropriated waters of the State of Oregon, subject to		
existing rights.		
If the applicant is a corporation, give date and place of incorporation February 1, 1955		
Benton County, Oregon		
1. The name of the proposed reservoir is Benton Timber Products Log Pond		
2. The name of the stream from which the reservoir is to be filled and the appropriation made is		
Mary's River		
tributary ofWillimatte River		
3. The amount of water to be stored is21_2 acre feet.		
4. The use to be made of the impounded water is Log storage pond (Irrigation, power, domestic supply, etc.)		
5. The location of the proposed reservoir will be in Sec. 11 (Give sections or townships to be submerged)		
Tp. 12.S., R. 6.W., W. M., in the county of Benton		
(a) State whether situated in channel of running stream and give character of material at outlet		
Not situated in channel of running stream, the pond will be situated in a		
cultivated field, constructed of clayey silt.		
(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give		
name and dimensions To be filled by pumping from Mary's River		
6. The dam will be located in NE 1/4 of SW 1/4 , Sec. 11 (Smallest legal subdivision)  Tp. 12 S R. 6 W W. M. The maximum height will be 2.7 feet above stream bed or ground		
surface on center line of dam. The length on top will be		
bottom 1996 feet; width on top 8 feet; slope of from		
or water side 3 to 1 ; slope on back 2 to 1 ; height of dam above water line (Feet horizontal to 1 vertical)		
when full feet.		
<ul> <li>A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.</li> </ul>		

7. The construction of dam, the material of t	which it is to be built, and method of protection from
waves are as follows: To be constructed of c	ompacted clayey silt. Placement of fill
will be compacted by earth moving	equipment.
Wave protection will be provided by	-
	(State whether over or around the dam)
	ACCI SCITACO CICYALIONA
9. The location of outlet from the proposed re	eservoir, with character of construction and dimensions,
are as follows:None	st be provided with an outlet conduit, of such capacity and location to pass the
normal flow of the stream at any time.)	
10. The area submerged by the proposed res	servoir, when full, will be 2.87 acres,
with a maximum depth of water of11.0	feet; and approximate mean depth of water
7.4 feet.	
11. The estimated cost of the proposed world	c is \$.2,000
12. Construction work will begin on or befor	e June 1. 1959
13. Construction work will be completed on	or before July 1-1959
	(Signature of applicant)
	<u></u>
STATE OF OREGON,	
County of Marion,	
This is to certify that I have examined the	foregoing application, together with the accompanying
maps and data, and return the same for	<u></u>
In order to retain its priority, this applicati	on must be returned to the State Engineer, with correc-
tions on or before	, 19
•	
WITNESS my hand this day of	
	STATE ENGINEER
	Ru
	By

Remarks:	
***************************************	
***************************************	
*	
**************************************	• • • • • • • • • • • • • • • • • • • •
	· • · · • • · ·
	· · · · · • •
	•
•	
•	
	····•
······································	· · · · · ·
ATE OF OREGON,	
County of Marion,	
This is to certify that I have examined the forbasing and the	
This is to certify that I have examined the foregoing application and do hereby grant the sam ject to the following limitations and sometimes.	e.
ject to the following limitations and conditions: The right herein granted is limited to the constructions of Benton Timber Products 3.	c-
of Benton Timber Products log pond and the storage of water from Mary's River	
be appropriated under application No. 33150, permit No. 26211 for log storage,	,
the dam shall be constructed under the supervision of a registered professional	
ineer.	
The right hereunder shall be limited to the storage of 21.2	
The priority date of this permit is June 10, 1959	t.
Actual construction work shall begin on or before July 20, 1960	1
l thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19	•
WITNESS my hand this 20th day of July 1959	8
WITNESS my hand this 20th day of July 1959.	V

Application No. R-33149 Reservoir Permit No. R-2246

## PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This transfer with Just received in the office of the State Engineer at Salem, Oregon, on the A. W. day of A. M. 19 M. M.

Returned to applicant:

Approved:

July 20, 1959

Recorded in Book No. 8
Reservoirs, on Page 2216

LEMIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 2 page 173

Fees