

**RECEIVED**  
**RECEIVED**  
 JUL 3 1958

STATE ENGINEER  
 SALEM, OREGON  
 License Permit No. 2262

**Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon**

I, Oregon Coast Veneer  
(Name of Applicant)

of Box 246 Brookings,  
(Mailing Address)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation \_\_\_\_\_

1. The name of the proposed reservoir is Oregon Coast Veneer Reservoir  
and diversion reservoir

2. The name of the stream from which the reservoir is to be filled and the appropriation made is Springs at head of unnamed creek and within diversion pond,  
 tributary of Harris Creek

3. The amount of water to be stored is 1.92 (see remarks) \_\_\_\_\_ acre feet.

4. The use to be made of the impounded water is manufacturing & fire protection  
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 25 (SW<sub>1</sub>-SE<sub>1</sub>)  
(Give sections or townships to be submerged)  
 Tp. 40 S., R. 14 W., W. M., in the county of Gurry

(a) State whether situated in channel of running stream and give character of material at outlet  
This reservoir is not situated in the channel of a running stream  
Clay and dirt

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions  
Thru an 8 inch steel pipe-line from diversion works

6. The dam will be located in SW<sub>1</sub>-SE<sub>1</sub> \_\_\_\_\_, Sec. 25,  
(Smallest legal subdivision)  
 Tp. 40 S., R. 14 W., W. M. The maximum height will be 9 feet above stream bed or ground surface on center line of dam. The length on top will be 363.9 feet; length on bottom 362.3 feet; width on top 10.0 feet; slope of front or water side 2 to 1; slope on back 2 to 1; height of dam above water line when full 2 feet.  
(Feet horizontal to 1 vertical) (Feet horizontal to 1 vertical)

\* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: The reservoir dike is earth fill construction  
(See cross sections on attached sheet)

8. The location of wasteway with dimensions are as follows: (State whether over or around the dam)  
The safety overflow outlet for the reservoir is located on the  
north westerly side of reservoir. (see map) Overflow to be a  
12" steel pipe installed thru dike at water level and will drain  
onto solid ground.

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Outlet for proposed reservoir will be located on the south  
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time.)  
easterly side of reservoir. Outlet to be 8" steel pipe with concrete  
cut-off collar(see storage reservoir cross section#2). Connects with  
main pipe line & also reservoir drain.

10. The area submerged by the proposed reservoir, when full, will be 0.29 acres,  
with a maximum depth of water of 6.0 feet; and approximate mean depth of water  
6.0 feet.

11. The estimated cost of the proposed work is \$ 3,000.00

12. Construction work will begin on or before 6/30/59

13. Construction work will be completed on or before 8/30/59

Jack B. Jueny, Forester  
(Signature of applicant)  
Oregon Coast Timber

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for reconsideration

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 14, 19 59.

WITNESS my hand this 14th day of August, 19 59

LEWIS A. STANLEY  
STATE ENGINEER

By James W. Carver, Jr.  
James W. Carver, Jr. ASSISTANT

In 1959 with the 1.74 acre feet of water stored in the storage reservoir, there will be 0.18 acre feet stored behind the diversion dam

[Lined area for additional text or conditions]

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of Oregon Coast Veneer Reservoir and diversion reservoir and the storage of water from an unnamed stream to be appropriated under application No. 33204, permit No. 26276 for manufacturing and fire protection.

The right hereunder shall be limited to the storage of 1.92 acre feet.

The priority date of this permit is July 3, 1959

Actual construction work shall begin on or before September 22, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1961.

WITNESS my hand this 22nd day of September, 1959

[Signature of Lewis A. Stanley]  
STATE ENGINEER

Application No. *R-33208*  
Reservoir Permit No. *R-2262*

**PERMIT**

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the *2* day of *July*, 19*57*, at *8:00* o'clock *A.* M.

Returned to applicant:

Approved:

September 22, 1959

Recorded in Book No. *8* of Reservoirs, on Page *252*

*LEWIS A. STANLEY*  
STATE ENGINEER

Drainage Basin No. *15* page *26*

Fees