

RECEIVED
91 JAN 16 1960
STATE ENGINEER
SALEM, OREGON

Reservoir Permit No. 2320

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, WALTER BAGGENSTOS
(Name of Applicant)

of ROUTE 1 BOX 124A CORNELIUS
(Mailing Address)

State of OREGON, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation ~~UN-NAMED STREAM~~

~~UN-NAMED STREAM CORPORATION~~

1. The name of the proposed reservoir is

2. The name of the stream from which the reservoir is to be filled and the appropriation made is

UN-NAMED ~~STREAM~~ INTERMITTENT STREAM ~~FEED~~

tributary of EAST FORK OF DAIRY CREEK

3. The amount of water to be stored is ~~10~~ 9.0 acre feet.

4. The use to be made of the impounded water is IRRIGATION ~~DOMESTIC~~
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. SW 1/4 SE 1/4 SEC 10
(Give sections or townships to be submerged)

Tp. 2N, R. 3W, W. M., in the county of WASHINGTON

(a) State whether situated in channel of running stream and give character of material at outlet

A INTERMITTENT STREAM - TO BE FILLED MAINLY FROM RUN-OFF FLOW. - Clay at outlet

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in SW 1/4 SE 1/4 Sec. 10
(Smallest legal subdivision.)

Tp. 2N, R. 3W, W. M. The maximum height will be 9.9 feet above stream bed or ground surface on center line of dam. The length on top will be 50 feet; length on bottom 10 feet; width on top 12 feet; slope of front or water side 3:1; slope on back 2:1; height of dam above water line when full 3 feet.
(Feet horizontal to 1 vertical)

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge together with instructions, by addressing the State Engineer, Salem, Oregon.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: EARTH FILL

PROTECTED FROM WAVES BY GRASS SOD

8. The location of wasteway with dimensions are as follows: 3' DOWN FROM TOP
(State whether over or around the dam)

TOP ON EAST END
16" CEMENT & PIPE

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: 3' DOWN FROM TOP ON EAST END
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time.)

16" CEMENT & PIPE

10. The area submerged by the proposed reservoir, when full, will be 0.74 acres, with a maximum depth of water of 30 feet; and approximate mean depth of water 12 feet.

11. The estimated cost of the proposed work is \$ 700.00

12. Construction work will begin on or before MARCH 15 1920

13. Construction work will be completed on or before MAY 1 1920

X Walter Benjamin
(Signature of applicant)

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Remarks: This dam was completed 11 May 1938
The stream is normally dry by 1 May
and dam is filled by runoff entirely

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of a reservoir and storage of water from an unnamed intermittent stream to be appropriated under application No. 33308, permit No. 26543 for irrigation.

The right hereunder shall be limited to the storage of 9.0 acre feet.
The priority date of this permit is February 19, 1930
Actual construction work shall begin on or before April 11, 1931 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1931

WITNESS my hand this 11th day of April, 1930

Harvie A. Standen
STATE ENGINEER

Application No. *R-33658*
Reservoir Permit No. *R-2320*

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the *17th* day of *February* 19*60*, at *11:45* o'clock *A*.M.

Returned to applicant:

Approved:

April 11, 1960
Recorded in Book No. *8* of
Reservoirs, on Page *2320*

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. *2* page *62A16*