

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

7, OREGON STATE GAME COMMISSION (Name of Applicant)		
of		
State of Oregon, do hereby make application for a permit to construct the		
following described reservoir and to store the unappropriated waters of the State of Oregon, subject to		
existing rights.		
If the applicant is a corporation, give date and place of incorporation		
1. The name of the proposed reservoir is Whistler's Bend		
2. The name of the stream from which the reservoir is to be filled and the appropriation made is Bull Creek		
tributary ofNorth Umpqua River		
3. The amount of water to be stored is350 acre feet.		
4. The use to be made of the impounded water is Fish rearing. (Irrigation, power, domestic supply, etc.)		
5. The location of the proposed reservoir will be in Sec. 17, 18, 19, 20 (Give sections or townships to be submerged)		
Tp. 26S , R. 4 W , W. M., in the county of Douglas		
(a) State whether situated in channel of running stream and give character of material at outlet		
Situated in the channel of an intermittent stream, outlet will be through earth at		
right abutment of dam and rip rapped for erosion control.		
(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give		
name and dimensions		
6. The dam will be located in		
Tp26. S, R, W. M. The maximum height will be .30 feet above stream bed or ground		
surface on center line of dam. The length on top will be934 feet; length on		
bottom 1061 feet; width on top 20 feet; slope of front		
or water side 2 on 1; slope on back 3 on 1; height of dam above water line (Feet horizontal to 1 vertical)		
when full feet.		
* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured		

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	7. The construction of dam, the material of which	th it is to be built, and method of protection from
8. The location of wasteway with dimensions are as follows: Wasteway around dan by that shutasent 30 feet wide at bottom with 2 on 1 alope on the sides. 9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Outlet will be through a 2½" CMC in natural stream bed. (All demonstrate material forms discussed must be provided with an evidet weeked, of side as casedly and location to pass to the flower of the from the proposed reservoir, when full, will be 34. acres, with a maximum depth of water of 22 feet; and approximate mean depth of water 10 feet. 11. The estimated cost of the proposed work is \$	weres ere as follows: Earth fill from borrow	in the area CL-2 for core Move pervious
8. The location of wasteway with dimensions are as follows: (thus whether ever or sevend the dam) right abutament 30 feet wide at bottom with 2 on 1 slope on the sides. 9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Outlet will be through a 24 OK in natural stream bed. (Al amazimum disease manuscular manuscular manuscular with as cottat conduit of with especity and location to past the with a maximum depth of water of 22 feet; and approximate mean depth of water 10 feet. 11. The estimated cost of the proposed work is \$ 12. Construction work will be completed on or before 13. Construction work will be completed on or before 14. Construction work will be examined the foregoing application, together with the accompanying maps end data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19. WITNESS my hand this day of 19.	for unstress and downstress somes outside	of core. Slopes will be riprapped from
Pright shutment 30 feet wide at bottom with 2 on 1 slope on the sides. 9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Outlet will be through a 2½ GMC in natural atream bed. All demonstrates and many limits be persisted with an audit of math deposits and location to pass the second flow of any limits. — 10. The area submerged by the proposed reservoir, when full, will be	rock quarry on hill above left abutment.	
Pright abutament 30 feet wide at bottom with 2 on 1 slope on the sides. 9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Outlet will be through a 24° CMC in natural attention bed. (Al demonstrated by the proposed reservoir, when full, will be a such aspects and location to pass the meaning that of the demonstrate mean depth of water of 22 feet; and approximate mean depth of water 10 feet. 11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before 13. Construction work will be completed on or before 13. Construction work will be completed on or before 14. Chicature of applicant) STATE OF OREGON, County of Marion, 155. This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19. WITNESS my hand this	V-	
are as follows: Outlet will be through a 24" CFG in natural stream bed. (All demonstrate internal demons must be provided with an outlet conduit, of such accession to peas the maximum depth of water of 22 feet; and approximate mean depth of water 10 feet. 11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before 13. Construction work will be completed on or before 13. Construction work will be completed on or before 14. This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for 19. In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19. WITNESS my hand this day of 19.		
are as follows: Outlet will be through a 24" CHC in natural stream bed. (All demonstrates instanced must be provided with an outlet conduct, of such cases the content to your the same flow of the dream at May time.) — 10. The area submerged by the proposed reservoir, when full, will be		
The area submerged by the proposed reservoir, when full, will be	ore as follows: Outlet will be through a 2km Ch	C in natural stream bed.
- 10. The area submerged by the proposed reservoir, when full, will be	(All dams across natural stream channels must be	provided with an outlet creduit, of such capacity and location to pass the
with a maximum depth of water of	normal flow of the stream at any time.)	
with a maximum depth of water of		
11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before 13. Construction work will be completed on or before 13. Construction work will be completed on or before 14. State of Oregon, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before WITNESS my hand this day of	- 10. The area submerged by the proposed reserv	poir, when full, will beacres,
11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before 13. Construction work will be completed on or before 13. Construction work will be completed on or before STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	with a maximum depth of water of22	feet; and approximate mean depth of water
12. Construction work will begin on or before 13. Construction work will be completed on or before STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	10 feet.	
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before WITNESS my hand this	11. The estimated cost of the proposed work is	\$
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before WITNESS my hand this	12. Construction work will begin on or before	
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	13. Construction work will be completed on or	Signature of applicant)
WITNESS my hand this day of	County of Marion, Ss. This is to certify that I have examined the for	
WITNESS my hand this day of	In order to retain its priority, this application	must be returned to the State Engineer, with correc-
STATE ENGINEER	tions on or before, 19)
STATE ENGINEER	WITNESS my hand this day of	
By	i	Ву

Remarks:	
	•
•	•
1-10-11-11-11-11-1-1-1-1-1-1-1-1-1-1-1-	*
	*
<u>-</u>	
1	

	·
•	

STATE OF OREG	ON. 1
County of Mario	88.
• •	
This is to cer	rtify that I have examined the foregoing application and do hereby grant the same,
rubject to the follo	wing limitations and conditions: The right herein granted is limited to the construc-
ion of Whistler	's Bend Reservoir and storage of water from Bull Creek to be
	·
	der application No. 34268, permit No. 26966 for fish culture and
the dam shall b	e constructed under the supervision of a registered professional
engineer.	
The night has	350.0
	reunder shall be limited to the storage of350.0 acre feet.
The priority	date of this permit is
Actual const	ruction work shall begin on or before September 6, 1961 and
	prosecuted with reasonable diligence and be completed on or before October 1, 19.62
WITNESS m	y hand this 6th day of September, 1960
	Lewis 1. Stanley
	JUNIO VI AMMUNI

Application No. R. 34267 Reservoir Permit No. 6-2869

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

Returned to applicant:

Approved:

Recorded in Book No. 9
Reservoirs, on Page 2163

LEVIS A. STANIEX

Drainage Basin No. page 28......

Fees