

Reservoir Permit No. 2175

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

m o indiced - o coleen Dut. cati D1 Latit	(Hame of Applicant)		
ofP.,Q. Box 37, Prineville, Ore	(Mailing Address)	•• •• • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·
State ofOregan	, do hereby make a	pplication for	a permit to construct the
following described reservoir and to store t	he unappropriated wa	iters of the St	ate of Oregon, subject to
existing rights.			
If the applicant is a corporation, give	late and place of incom	rporation	
Government Agency	······································		
1. The name of the proposed reservois	is Long Draw #1	Detention o	a n
2. The name of the stream from which	h the reservoir is to b	e filled and th	he appropriation made is
Reservoir is to be filled from a dr	aw feeding into Se	ars Canyon	
tributary of Crooked River through u	nderground flow		
3. The amount of water to be stored in4. The use to be made of the impound	led water is lives to	ck consumpt	
5. The location of the proposed reser	voir will be in Sec	25	dornestic supply, etc i
Tp. 20 S., R. 21 E., W. M., in the c			
(a) State whether situated in channe	el of run ning stream a	nd give chara	cter of material at outlet
This reservoir is to be situated in	a draw which is d	ry except (or a short period
during spring run off.			
(b) If not in channel of running stree	im, state how it is to	be filled. If th	rrough a feed canal, give
name and dimensions This reservoi	r w il lube billed f	rom melted	snow flowing lown to
channel in which the reservoir is t	o_be_constructed.		
· · · · · · · · · · · · · · · · · · ·			
6. The dam will be located in			Sec. 23
Tp20S, R21E, W. M. The m			
surface on center line of dam. The length on			•
			_
	•		feet; slope of front
or water side331; slope on	back2:1	; height	of dam above water line
when full 5 feet.	(Pert horizontal to 1 v	rertical)	

*A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

7. The construction of dam, the material of which it is to be built, and method of protection from
waves are as follows: This dam will be constructed of a silty clay soil which contains
some gravel and small rocks. No protection from wave action will be provided.
enter a succession de la companya del companya de la companya del companya de la
8. The location of wasteway with dimensions are as follows: The wasteway will be around (State whether over or around the dam)
the end of the dam. It will be 5 feet deep, 10 feet wide on the bottom, and 20 feet
wide on the top. The bottom 2 feet of depth will be in solid undisturbed soil and
the top 3 feet will be composed of fill.
9. The location of outlet from the proposed reservoir, with character of construction and dimensions.
are as follows: There is no existing normal flow in this channel only a peak lasting a (All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the
very short period of time. No outlet conduity is to be provided.
10. The area submerged by the proposed resevoir, when full, will be
with a maximum depth of water of
11. The estimated cost of the proposed work is \$ 558.45
12. Construction work will begin on or before November 15, 1960
13. Construction work will be completed on or before January 1, 1961
(Signature of auniform). District Manager,
· · · · · · · · · · · · · · · · · · ·
STATE OF OREGON, County of Marion,
This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for
In order to retain its priority, this application must be returned to the State Engineer, with cor-
rections, on or before
WITNESS my hand this day of

STATE ENGINEER

Elementa:	······································
·	
	•
	· · · · · · · · · · · · · · · · · · ·
	• • • • • • • • • • • • • • • • • • • •
	<u></u>
······································	
	·
······································	
•	
STATE OF OREGON,	
County of Marion,	
This is to certify that I have examined the foregoing application	m and do hereby grant the same,
subject to the following limitations and conditions: The right herein g	
tion of Long Draw No. 1 Detention Reservoir and storage of	water from a tributary of
Sears Canyon for livestock watering purposes.	
The right of storage of water as granted herein is subjected maintenance of an outlet pipe, or to provide other mestater when determined by the State Engineer to be necessary tream rights.	ins to evacuate the stored
The right hereunder shall be limited to the storage of	3.7 acre feet.
The priority date of this permit is	June 21, 1960
Actual construction work shall begin on or before	October 20, 1961 and
shall thereafter be prosecuted with reasonable diligence and be comple	ted on or before October 1, 1962
WITNESS my hand this 20th day of Oct	20 ber
	LUTA de Slánder E.

Reservoir Permit No. K 2775 Application No. 19-34040

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the on the 21st day of alk ac office of the State Engineer at Salem, Oregon, 19.60, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

October 20, 1960

Reservoirs, on Page (15.)

LEWIS A. STANIET

Drainage Basin No. 5 ... page 14D