## Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, United States Bureau of Land Management

SALS

ofP. O. Bo	x 37, Prineville	, Oregon (Mailing Addi	reas)		
State of Or	egon	do hereb	y <b>ma</b> ke applic	ation for a per	mit to construct the
following describ	ped reservoir and to	store the unapprop	riated waters	of the State of	Oregon, subject to
existing rights.					
If the appl	licant is a corporation	n, give date and pla		ation	
1. The nat	me of the proposed r	eservoir is Pocket	Detention	Dam	
,	<u>-</u>				
	•				propriation made is
Reservoir is t	to be filled from	n a draw feeding	into Sears	Canyon	
tributary of	Crooked River	through undergro	and flow.		
	ount of water to be e to be made of the		to retain livestock	spring run o	on1v
	cation of the propose.		in Sec	/ Give sections or town	
(a) State	whether situated in	n channel of runnin	g stream and	give character	of material at outlet
This reservoi	r is to be situa	ted in a draw wh	ich is ary	except for a	, short period
during the sp	ring run off.				
(b) If not	t in channel of runn	ing stream, state ho	w it is to be f	filled. If throu	gh a feed canal, give
name and dime	nsions This rese	rvoir will be fi	.Hed Iron w	seltes anow .	liowing cown
the channel i	n which the rese	rvoir is to be c	onstructed.		
				a de la companya de	
6. The de	am will be located is	n NWENKE		, S	Sec. ±7
					stream bed or ground
-					feet; length or
bottom.	(				feet; slope of fron
					dam above water line
when full	5				

\*A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be recured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

7. The construction of dam, the material of which it is to be built, and method of protection from						
waves are as follows: This dam will be constructed of a silty clay soil which contains						
some gravel and small rocks. No protection from wave action will be provided.						
• • · · · · · · · · · · · · · ·						
8. The location of wasteway with dimensions are as follows: The was toway will be arrunded.  (State whether over or around the dam)						
the end of the dam. It will be 5 feet deep, 10 feet wide on the bottom and 20 feet						
wide on the top. The pottom 2 feet of depth will be in solid unlistarbed earth and						
the top 3 feet will be composed of fill.						
9. The location of outlet from the proposed reservoir, with character of construction and dimensions,						
are as follows: There is no existing normal flow in this channel only a peak lasting.  (All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the						
very short period of time. No outlet conduit is to be provided.						
normal flow of the stream at any time.)						
10. The area submerged by the proposed resevoir, when full, will be26 acres.						
with a maximum depth of water of						
6.7 feet.						
11. The estimated cost of the proposed work is \$ 345						
12. Construction work will begin on or before August 1, 1960						
13. Construction work will be completed on or before January 1, 1961						
(Signature of applicant)						
District Language						
STATE OF OREGON, )						
County of Marion,						
This is to certify that I have examined the foregoing application, together with the accompanying						
maps and data, and return the same for						
In order to retain its priority, this application must be returned to the State Engineer, with cor-						
rections, on or before						
WITNESS my hand this day of, 19, 19						

STATE ENGINEER

Resident at:		
······································		
-		
		• • • • • • • • • • • • • • • • • • • •
	• • • • • • • • • • • • • • • • • • • •	
	· · · · · · · · · · · · · · · · · · ·	
		and the second second
<b>x</b>		
	•	
		••
······································		
•		
STATE OF OREGON,		
County of Marion,		
This is to certify that I have examined the foregoing application a	nd do herebu ara	nt the same
subject to the following limitations and conditions: The right herein gran	_	
·		
tion of Pocket Detention Reservoir and storage of water from	a tributary of	Sears
Canyon for livestock watering purposes.		
The right of storage of water as granted herein is su and maintenance of an outlet pipe, or to provide other means water when determined by the State Engineer to be necessary to stream rights.	to evacuate th	ne stored
The right hereunder shall be limited to the storage of	1.7	acre feet.
The priority date of this permit is	June 21, 1960	
Actual construction work shall begin on or before	Octobe 20, 19	961 and
shall thereafter be prosecuted with reasonable diligence and be completed	on or before Octo	ber 1, 19 <u>0</u> 2
WITNESS my hand this 20th day of October	, <u>196</u> 0	)

NOTICE OF CAMELLE

ći

Reservoir Permit No. R-2879 Application No. R. 34044

## PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the on the 21 st day of ture. office of the State Engineer at Salem, Oregon, 19 60 at 1:00 o'clock P. M.

Returned to applicant:

Approved:

October 20, 1960

Reservoirs, on Page

LEMIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 5 .. page HO