APPLICATION FOR A PERMIT TO CONSTRUCT A RESERVOIR AND TO STORE FOR BENEFICIAL USE THE UNAPPROPRIATED WATERS OF THE STATE OF OREGON

1,	• 	N H Latimer						
	Sea	attle	(Name of Applicant.), County of	King				
	Washing	t on		e application for a permit	to construct th			
	ng described reser	rvoir and to store	the unappropriated u	vaters of the State of Ore	egon, subject t			
If	the applicant is o	a corporation, give	e date and place of in	corporation				
1.	The name of the	e proposed reservo						
		Knight Reservoir						
2.	•	stream from whice of Foots Creek	th the reservoir is to be	e filled and the appropriation	n made is			
3.	The amount of	water to be stored	is2	acre feet.				
4.	The use to be m	rade of the impour	nded water is Irr	igation				
				(Irrigation, power, d	lomestic supply, etc.			
5.	The location of	the proposed rese	ervoir will be in Sec	NE ¹ of SE ¹ of Sec. 1	.2			
٠.	n	77 C D A Wast	↑+* W - M -	(Give sections or townships to				
				am and give character of m				
	(a) State wheti	her situated in cha	nnel of running stree		aterial at outle			
	(a) State wheti	her situated in cha	nnel of running stree	um and give character of m	aterial at outle			
	(a) State wheth	her situated in cha	nnel of running stree	um and give character of m	feed canal, giv			
ime o	(a) State wheth	her situated in cha rannel of running s	nnel of running stree stream, state how it i	am and give character of m	feed canal, gir			
	(a) State wheth	her situated in cha nannel of running s Filled through 3 feet wide at	nnel of running stree stream, state how it i a feed canal call top - 2 feet wide	am and give character of me s to be filled. If through a sed Knight Ditch 2100 f	feed canal, gir			
	(a) State wheth	her situated in cha nannel of running s Filled through 3 feet wide at	nnel of running stree stream, state how it i a feed canal call top - 2 feet wide	s to be filled. If through a ed Knight Ditch 2100 f	feed canal, gir			

Tp. 37 S	4 W 3 $\frac{1}{2}$ feet in height, having a length (No. E. or W.)
on top of 30	eet; length on bottom 25 feet; width on ton 6
slope of front or wate	er side
slone on back	same (Feet horizontal to 1 vertical)
line when full	Same (Feet horizontal to 1 vertical) (Feet horizontal to 1 vertical) one feet.
7. The construct	tion of dam, the material of which it is to be built, and method of protection from
•	Timber and earth
and the follower.	
······································	
8. The location o	of wasteway with dimensions are as follows: r of dam 4 feet wide, $3\frac{1}{2}$ feet high. (State whether over or around the dam)
Through center	c of dam 4 feet wide , 3克 feet high. (State whether over or around the dam)
In case of flo	ood this is opened wide, under normal condition the opening is 1
foot high.	

9. The location	of outlet from the proposed reservoir, with character of construction and dimen
	Through the east end of dam. Is made of timber and 24# wide and
sions, are as follows:	Through the east end of dam. Is made of timber and 24" wide and 12" high (State whether through or around the proposed dam)
sions, are as follows: 10. The area sub	Through the east end of dam. Is made of timber and 24" wide and 12" high (State whether through or around the proposed dam) merged by the proposed reservoir, when full, will be 13,000 sq. ft. acres
sions, are as follows: 10. The area subwith a maximum dept.	Through the east end of dam. Is made of timber and 24" wide and 12" high (State whether through or around the proposed dam) merged by the proposed reservoir, when full, will be 13,000 sq. ft. acres the of water of 12 feet, and approximate mean depth of
sions, are as follows: 10. The area subswith a maximum dept. water 10	Through the east end of dam. Is made of timber and 24" wide and 12" high (State whether through or around the proposed dam) merged by the proposed reservoir, when full, will be 13,000 sq. ft. acres the of water of 12 feet, and approximate mean depth of feet.
sions, are as follows: 10. The area substitute a maximum dept. water 10 11. The estimated	Through the east end of dam. Is made of timber and 24" wide and 12" high (State whether through or around the proposed dam) merged by the proposed reservoir, when full, will be 13,000 sq. ft. acres the of water of 12 feet, and approximate mean depth of 12 feet. d cost of the proposed work is \$ Already constructed
sions, are as follows: 10. The area subswith a maximum dept. water 10 11. The estimated 12. Construction of	Through the east end of dam. Is made of timber and 24" wide and 12" high (State whether through or around the proposed dam) merged by the proposed reservoir, when full, will be 13,000 sq. ft. acres the of water of 12 feet, and approximate mean depth of feet. d cost of the proposed work is \$ Already constructed work will begin on or before as part of placer mining
sions, are as follows: 10. The area subswith a maximum dept. water 10 11. The estimated 12. Construction of	Through the east end of dam. Is made of timber and 24" wide and 12" high (State whether through or around the proposed dam) merged by the proposed reservoir, when full, will be 13,000 sq. ft. acres the of water of 12 feet, and approximate mean depth of 12 feet. d cost of the proposed work is \$ Already constructed
10. The area subvivith a maximum dept. water 10 11. The estimated 12. Construction of 13. Construction of	Through the east end of dam. Is made of timber and 24" wide and 12" high (State whether through or around the proposed dam) merged by the proposed reservoir, when full, will be 13,000 sq. ft. acres the of water of 12 feet, and approximate mean depth of feet. d cost of the proposed work is \$ Already constructed work will begin on or before as part of placer mining
10. The area subrater 10 11. The estimated 12. Construction of Duplicate maps of	Through the east end of dam. Is made of timber and 24" wide and 12" high (State whether through or around the proposed dam) merged by the proposed reservoir, when full, will be 13,000 sq. ft. acres the of water of 12 feet, and approximate mean depth of feet. d cost of the proposed work is \$ Already constructed work will begin on or before as part of placer mining work will be completed on or before Works are owned by applicant f the proposed reservoir and storage works, prepared in accordance with the rules of accompany this application.
10. The area subrater 10 11. The estimated 12. Construction of Duplicate maps of	Through the east end of dam. Is made of timber and 24" wide and 12" high (State whether through or around the proposed dam) merged by the proposed reservoir, when full, will be 13,000 sq. ft. acres the of water of 12 feet, and approximate mean depth of feet. d cost of the proposed work is \$ Already constructed work will begin on or before as part of placer mining work will be completed on or before Works are owned by applicant f the proposed reservoir and storage works, prepared in accordance with the rules of
10. The area subrater 10 11. The estimated 12. Construction of Duplicate maps of	Through the east end of dam. Is made of timber and 24" wide and 12" high (State whether through or around the proposed dam) merged by the proposed reservoir, when full, will be 13,000 sq. ft. acres the of water of 12 feet, and approximate mean depth of feet. d cost of the proposed work is \$ Already constructed work will begin on or before as part of placer mining work will be completed on or before Works are owned by applicant f the proposed reservoir and storage works, prepared in accordance with the rules of accompany this application. N H Latimer
10. The area subrater 10 11. The estimated 12. Construction of Duplicate maps of the Board of Control,	Through the east end of dam. Is made of timber and 24" wide and 12" high (State whether through or around the proposed dam) merged by the proposed reservoir, when full, will be 13,000 sq. ft. acres the of water of 12 feet, and approximate mean depth of feet. d cost of the proposed work is \$ Already constructed work will begin on or before as part of placer mining work will be completed on or before Works are owned by applicant f the proposed reservoir and storage works, prepared in accordance with the rules of accompany this application. N H Letimer (Name of applicant)
sions, are as follows: 10. The area subration with a maximum dept. water 10 11. The estimated 12. Construction of 13. Construction of Duplicate maps of the Board of Control, Signed in the pres	Through the east end of dam. Is made of timber and 24" wide and 12" high (State whether through or around the proposed dam) merged by the proposed reservoir, when full, will be 13,000 sq. ft. acres the of water of 12 feet, and approximate mean depth of feet. It cost of the proposed work is \$ Already constructed as part of placer mining work will begin on or before Works are owned by applicant f the proposed reservoir and storage works, prepared in accordance with the rules of accompany this application. N H Letimer (Name of applicant)
10. The area subrater 10 11. The estimated 12. Construction of Duplicate maps of the Board of Control, Signed in the present (1)	Through the east end of dam. Is made of timber and 24" wide and 12" high (State whether through or around the proposed dam) merged by the proposed reservoir, when full, will be 13,000 sq. ft. acres the of water of 12 feet, and approximate mean depth of 12 feet. d cost of the proposed work is \$ Already constructed as part of placer mining work will be completed on or before. Works are owned by applicant for the proposed reservoir and storage works, prepared in accordance with the rules of accompany this application. N H Latimer (Name of applicant) Seattle, Wash. (Name)
sions, are as follows: 10. The area subration with a maximum dept. water 10 11. The estimated 12. Construction of 13. Construction of Duplicate maps of the Board of Control, Signed in the present 11. M. M	Through the east end of dam. Is made of timber and 24" wide and 12" high (State whether through or around the proposed dam) merged by the proposed reservoir, when full, will be 13,000 sq. ft. acres the of water of 12 feet, and approximate mean depth of feet. d cost of the proposed work is \$ Already constructed as part of placer mining work will begin on or before Works are owned by applicant f the proposed reservoir and storage works, prepared in accordance with the rules of accompany this application. N H Latimer (Name of applicant) Seence of us as witnesses:

A CONTRACTOR OF THE CONTRACTOR

Remarks:	owned by applicant. It is the desire of the applicant to store				
			r runs down the creek in the summertime		
	for irrigation	n purposes.	······································	••••	
		- *		······	
					
				-	
			<u> </u>	•	
,					
				••	
TATE OF ORI	EGON	1			
	unty of Marion	88.			
	· · · · · · · · · · · · · · · · · · ·	,			
This is to ce	ertify that I have e	examined the f	foregoing application, together with the accompanying	maps	
nd data, and r	eturn the same fo	or correction o	or completion, as follows:	•••••	
************	** ****************************				
		•	ation must be returned to the State Engineer, with	cor-	
WITNESS	my hand this		day of, 19	-•	
			State Engineer.		
STATE OF OR.	EGON, unty of Marion				
This is to ce	ertify that I have	examined the f	foregoing application and do hereby grant the same, su	bject	
o the following			l be limited to the storage of two acre feet		
			is permit is July 14th, 1913		
Actual cons	struction work sh	all begin on or	r before Sep 1st, 1914		
and shall therea	fter be prosecuted	l with reasona	ble diligence and be completed on or before		
WITNESS	my hand this	lst	day of September , 19 13		
77 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	01000		John H Lewis		
			State Engineer		

Application No	3078						
Reservoir Permit No							
PERMIT TO CONSTRUCT A RESERVOIR AND STORE FOR BENEFICIAL USE THE UNAPPROPRIATED WATERS OF THE STATE OF OREGON							
Division No	District No						
of the State Engineer at	July A M.						
Corrected application	ation received						
Appro-	ved						
PageJohn H Lewis	_						
MDMcC PAC \$8.	00 State Engineer.						