## APPLICATION FOR A PERMIT TO CONSTRUCT A RESERVOIR AND TO STORE FOR BENEFICIAL USE THE UNAPPROPRIATED WATERS OF THE STATE OF OREGON

			C Dalten							
_	,			(:	Name of Ap			41.		
			(Postoffice)	)					<i>,</i>	
State	of	Ore	gon		, do h	ereby mak	e applicate	ion for a	a permit to	construct th
existi	ing righ	ts.				-				on, subject t
	., oroc w <sub>k</sub>		w corpora	guo		processor or				
· · · J	t. The	name of t	he propose	d reservoi	r $is$					
leCoy	Reserv	oir and	Siems Re	servo <b>ir</b>	<b>-</b>					
			he stream fo ige water				e filled and	the app	ropriation	made is
( e	3. The	amount o	f water to l	e stored	s 14	-60		acr	e feet.	
4	y. 110C	use to se	made of th		xou wuvor			(Irrigati	on, power, do	nestic supply, etc.
_			of the prop							cs. 29 and be submerged)
. Sim	ns Kese	rvoir i	n Section	31 Twp	40 S R	13 E.W.M.	· · · · · · · · · · · · · · · · · · ·			* *
Loca	, ,		ether situat s and dra							terial at outle and rock.
name			channel of			ate how it	is to be fill	ed. If t	hrough a f	
name						ate how it	is to be fill	ed. If t	hrough a f	
	e and di	mensions		Mecoy	am: NE-	ate how it	is to be fill	ed. If t	hrough a f	eed canal, gir

rn. 40 S R 13 East W M	They I. H will be 15 feet in height, having a length
(No. N. or S.) (No. E. or W.)	75 and
t top of300feet; length on bott	tom100 feet; width on top <sup>6</sup> - feet;
ope of front or water side 2:	(Feet horizontal to 1 vertical)
ope on back 1:	1 ; height of dam above water
(Feet horizontal 15	foot
	,
•	terial of which it is to be built, and method of protection from a foundations, earth fill. Rock faced on water side.
aves are as follows:	e foundations, earth fill, Rock faced on water side.
······································	<u> </u>
·	
	······································
8. The location of wasteway with di	imensions are as follows:
	(State whether over or around the dam) end of Dams and are to be 3 feet deep by 25 feet wide
noth wasteways are nocated at	Gift Of Daily after of a good more after
	,
	,
-	
9. The location of outlet from the	e proposed reservoir, with character of construction and dimen- in an 18 inch pipe, pipes to be bound with
9. The location of outlet from the	e proposed reservoir, with character of construction and dimen-
9. The location of outlet from the	e proposed reservoir, with character of construction and dimen- in an 18 inch pipe, pipes to be bound with
9. The location of outlet from the ions, are as follows:  Concrete band	e proposed reservoir, with character of construction and dimen- in an 18 inch pipe, pipes to be bound with  (State whether through or around the proposed dam) ds.
9. The location of outlet from the ions, are as follows:  Concrete band  10. The area submerged by the prop	e proposed reservoir, with character of construction and dimen- in an 18 inch pipe, pipes to be bound with  (State whether through or around the proposed dam)  as.  posed reservoir, when full, will be
9. The location of outlet from the ions, are as follows:  Concrete band  10. The area submerged by the prop	e proposed reservoir, with character of construction and dimen- in an 18 inch pipe, pipes to be bound with  (State whether through or around the proposed dam)  as.  posed reservoir, when full, will be 1460 acres
9. The location of outlet from the ions, are as follows:  Concrete band  10. The area submerged by the proports a maximum depth of water of	e proposed reservoir, with character of construction and dimension and la inch pipe, pipes to be bound with  (State whether through or around the proposed dam)  oosed reservoir, when full, will be 1460 acres  feet, and approximate mean depth of
9. The location of outlet from the fons, are as follows:  Concrete band  10. The area submerged by the proporth a maximum depth of water of feet	e proposed reservoir, with character of construction and dimenting and 18 inch pipe, pipes to be bound with the ds.  (State whether through or around the proposed dam)  cosed reservoir, when full, will be 1460 acres feet, and approximate mean depth of the cosed reservoir.
9. The location of outlet from the fions, are as follows:  Concrete band  10. The area submerged by the proposith a maximum depth of water of set.  21. The estimated cost of the proposition.	e proposed reservoir, with character of construction and dimension and 18 inch pipe, pipes to be bound with ds.  (State whether through or around the proposed dam)  coosed reservoir, when full, will be 1460 acres feet, and approximate mean depth of the sed work is \$ 5000.
9. The location of outlet from the fons, are as follows:  Concrete band  10. The area submerged by the proporth a maximum depth of water of feet  11. The estimated cost of the proportion work will begin on	e proposed reservoir, with character of construction and dimension and 18 inch pipe, pipes to be bound with (State whether through or around the proposed dam)  osed reservoir, when full, will be 1460 acres  feet, and approximate mean depth of the sed work is \$ 5000.000.0000  Fall of year 1913 or before.
9. The location of outlet from the Through dams concrete band of the property of the maximum depth of water of the property.  10. The area submerged by the property of the maximum depth of water of the property.  11. The estimated cost of the property.  12. Construction work will begin on	e proposed reservoir, with character of construction and dimension and 18 inch pipe, pipes to be bound with (State whether through or around the proposed dam)  osed reservoir, when full, will be 1460 acres  feet, and approximate mean depth of the sed work is \$ 5000.000.0000  Fall of year 1913 or before.
9. The location of outlet from the fons, are as follows:  Concrete band  10. The area submerged by the proporth a maximum depth of water of feet  11. The estimated cost of the proportion work will begin on 13. Construction work will be compared.	e proposed reservoir, with character of construction and dimension in an 18 inch pipe, pipes to be bound with ds.  (State whether through or around the proposed dam)  cosed reservoir, when full, will be acres feet, and approximate mean depth of the sed work is \$ 5000. **  Fall of year 1913  or before Fall of year 1914
9. The location of outlet from the fons, are as follows:  Concrete band  10. The area submerged by the proposith a maximum depth of water of set.  11. The estimated cost of the proposition work will begin on 13. Construction work will be completed.  Duplicate maps of the proposed reservices.	e proposed reservoir, with character of construction and dimending and 18 inch pipe, pipes to be bound with  (State whether through or around the proposed dam)  osed reservoir, when full, will be 1460 acres  feet, and approximate mean depth of seed work is \$ 5000.000  Fall of year 1913  or before Fall of year 1914  servoir and storage works, prepared in accordance with the rules of the servoir and storage works, prepared in accordance with the rules of the servoir and storage works, prepared in accordance with the rules of the servoir and storage works, prepared in accordance with the rules of the servoir and storage works, prepared in accordance with the rules of the servoir and storage works, prepared in accordance with the rules of the servoir and storage works, prepared in accordance with the rules of the servoir and storage works, prepared in accordance with the rules of the servoir and storage works, prepared in accordance with the rules of the servoir accorda
9. The location of outlet from the fions, are as follows:  Concrete band  10. The area submerged by the proposith a maximum depth of water of set.  11. The estimated cost of the proposition work will begin on 13. Construction work will be completed.  Duplicate maps of the proposed res	e proposed reservoir, with character of construction and dimension and 18 inch pipe, pipes to be bound with  ds.  (State whether through or around the proposed dam)  oosed reservoir, when full, will be acres  feet, and approximate mean depth of  sed work is \$  Fall of year 1913  or before  Fall of year 1914  servoir and storage works, prepared in accordance with the rules of application.  V C Dalton.
9. The location of outlet from the ions, are as follows:  Concrete band  10. The area submerged by the proposith a maximum depth of water of set.  11. The estimated cost of the proposition work will begin on 13. Construction work will be completed.  Duplicate maps of the proposed res	e proposed reservoir, with character of construction and dimension in an 18 inch pipe, pipes to be bound with ds.  (State whether through or around the proposed dam)  cosed reservoir, when full, will be 1460 acres feet, and approximate mean depth of seed work is \$ 5000.000 Fall of year 1913 or before feet on or before Fall of year 1914  servoir and storage works, prepared in accordance with the rules of application.
9. The location of outlet from the fions, are as follows:  Concrete band  10. The area submerged by the proposith a maximum depth of water of set.  11. The estimated cost of the proposition work will begin on 13. Construction work will be completed.  Duplicate maps of the proposed res	e proposed reservoir, with character of construction and dimen in an 18 inch pipe, pipes to be bound with ds.  (State whether through or around the proposed dam)  bosed reservoir, when full, will be 1460 acres 15 feet, and approximate mean depth of the servoir and storage works, prepared in accordance with the rules of application.  W C Dalton,  (Name of applicant)  Malin, Oregon
9. The location of outlet from the ions, are as follows:  Through dams concrete band  10. The area submerged by the proposition a maximum depth of water of the proposition.  11. The estimated cost of the proposition work will begin on the proposed research to the propose	e proposed reservoir, with character of construction and dimending and lambda. (State whether through or around the proposed dam)  ds. (State whether through or around the proposed dam)  cossed reservoir, when full, will be 1460 acres  15 feet, and approximate mean depth of the servoir and storage works, prepared in accordance with the rules of application.  W. C. Dalton, (Name of applicant)  Malin, Oregon
9. The location of outlet from the ions, are as follows:  Through dams concrete band  10. The area submerged by the proposith a maximum depth of water of the proposition.  11. The estimated cost of the proposition work will begin on 13. Construction work will be compared by the proposed reside Board of Control, accompany this of the proposed reside Board of Control, accompany this of the proposed.	e proposed reservoir, with character of construction and dimendinal 18 inch pipe, pipes to be bound with ds.  (State whether through or around the proposed dam)  obselved reservoir, when full, will be 1460 acres 15 feet, and approximate mean depth of the servoir and storage works, prepared in accordance with the rules of application.  Oragon  (Name of applicant)  Malin, Oragon
9. The location of outlet from the ions, are as follows:  Concrete band  10. The area submerged by the proposith a maximum depth of water of set 11. The estimated cost of the proposition work will begin on 13. Construction work will be composited maps of the proposed reside Board of Control, accompany this of Signed in the presence of us as with	e proposed reservoir, with character of construction and dimential and 18 inch pipe, pipes to be bound with  ds.  (State whether through or around the proposed dam)  oosed reservoir, when full, will be acres  15 feet, and approximate mean depth of  sed work is \$  Fall of year 1913  or before  letted on or before Fall of year 1914  servoir and storage works, prepared in accordance with the rules of application.  W C Dalton,  (Name of applicant)  Malin, Oregon
9. The location of outlet from the rions, are as follows:  Concrete band  10. The area submerged by the proposition of water of the proposition work will begin on 13. Construction work will be composited maps of the proposed rest the Board of Control, accompany this of Signed in the presence of us as with the signed in the signed in the presence of us as with the signed in the presence of us as with the signed in the s	e proposed reservoir, with character of construction and dimen- in an 18 inch pipe, pipes to be bound with  ds.  (State whether through or around the proposed dam)  oosed reservoir, when full, will be
9. The location of outlet from the sions, are as follows:  Concrete band  10. The area submerged by the proposition a maximum depth of water of set 11. The estimated cost of the proposition work will begin on 13. Construction work will be composited maps of the proposed rest the Board of Control, accompany this of Signed in the presence of us as with the signed in the signed in the presence of us as with the signed in the signed	e proposed reservoir, with character of construction and dimensional lines and lines pipe, pipes to be bound with ds.  (State whether through or around the proposed dam)  (St

***************************************		•	
	<del></del>		
·			
	· · · · · · · · · · · · · · · · · · ·		
1	^	·	
			·····
			·
			,
	<b>-</b>		
TATE OF OREGON,	· ·		
	88.		
County of Marion	}	- ′	
This is to certify that I have o	examined the fo	oregoing application, together with t	he accompanying map
	·		
		· · · · · · · · · · · · · · · · · · ·	<u>*</u>
	·		
			<b>*</b> →
In order to retain its priorit	ty, this applica	ation must be returned to the Stat	e Engineer, with cor
		ation must be returned to the Stat	e Engineer, with cor
ections, on or before			•
ections, on or before			, 19
ections, on or before WITNESS my hand this			, 19
witness my hand this  TATE OF OREGON,			, 19
ections, on or before			, 19
ections, on or before  WITNESS my hand this  TATE OF OREGON,  County of Marion	$\bigg\} ss.$		State Engineer.
ections, on or before  WITNESS my hand this  TATE OF OREGON,  County of Marion  This is to certify that I have o	igg ss. examined the f	day ofday ofday of	State Engineer.  State Engineer.
ections, on or before  WITNESS my hand this  STATE OF OREGON,  County of Marion  This is to certify that I have on the following limitations and of the state of t	ss. examined the fo		State Engineer.  grant the same, subjec
ections, on or before  WITNESS my hand this  TATE OF OREGON,  County of Marion  This is to certify that I have of the following limitations and of this appropriation shall be	ss.  examined the forconditions:	oregoing application and do hereby the storage of 1460 acre feet	State Engineer.  grant the same, subjec
WITNESS my hand this  TATE OF OREGON,  County of Marion  This is to certify that I have of the following limitations and other appropriation shall be	ss.  examined the forconditions:	day ofday of	State Engineer.
ections, on or before	ss.  examined the forconditions:  limited to  ermit is Jul	day of day of the storage of 1460 acre feet by 30, 1915.	State Engineer.
ections, on or before  WITNESS my hand this  STATE OF OREGON,  County of Marion  This is to certify that I have on the following limitations and on the priority date of this possible priority date of this possible.  Actual construction work should be seen to be shown that the priority date of this possible.	ss.  examined the formations:  limited to  ermit is Jul  all begin on or	day of day of the storage of 1460 acre feet by 30, 1915.  before Oct. 14, 1914 ble diligence and be completed on or	State Engineer.  grant the same, subjections before
WITNESS my hand this  STATE OF OREGON,  County of Marion  This is to certify that I have a contraction shall be the priority date of this p  Actual construction work sh	ss.  examined the formations:  limited to  ermit is Jul  all begin on or	day of day of the storage of 1460 acre feet by 30, 1913.	State Engineer.  grant the same, subjections before
WITNESS my hand this  TATE OF OREGON,  County of Marion  This is to certify that I have on the following limitations and on this appropriation shall be the priority date of this periority date of this period of the priority date of this period of the priority date of the prio	ss.  examined the formations:  limited to  ermit is Jul  all begin on or  l with reasonab	day of day of the storage of 1460 acre feet by 30, 1915.  before Oct. 14, 1914 ble diligence and be completed on or June 1, 1916-everended	State Engineer.  State Engineer.  grant the same, subjections and the same and the same are subjections.
WITNESS my hand this  TATE OF OREGON,  County of Marion  This is to certify that I have on the following limitations and on the priority date of this periority date of this periority date of the priority date of t	ss.  examined the formations:  limited to  ermit is Jul  all begin on or  l with reasonab	day of	State Engineer.  State Engineer.  before
WITNESS my hand this  TATE OF OREGON,  County of Marion  This is to certify that I have on the following limitations and on the priority date of this periority date of this periority date of the priority date of this periority date of the priority date of	ss.  examined the formations:  limited to  ermit is Jul  all begin on or  l with reasonab	day of	State Engineer.  State Engineer.  grant the same, subj

Reservoir Permit No252					
PERMIT TO CONSTRUCT A RESERVOIR AND STORE FOR BENEFICIAL USE THE UNAPPROPRIATED WATERS OF THE STATE OF OREGON					
Division No1 District No					
This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 30 July day of					
Returned to applicant for correction  Corrected application received					
Approved Oct 14 1913					
Recorded in Book No. 2 of Reservoirs or 252					
John H Lewis  MDMcC PAC \$8.00 State Engineer.  1 map					

Application No. \_\_\_\_3113