

Reservoir Permit No. 266

CERTIFICATE NO. 1685

APPLICATION FOR A PERMIT TO CONSTRUCT A RESERVOIR AND TO STORE FOR BENEFICIAL USE THE UNAPPROPRIATED WATERS OF THE STATE OF OREGON

I, Brookings Timber & Lumber Company (Name of Applicant.)

of Brookings, County of Curry (Postoffice)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation.

St. Louis, Mo. January 9th, 1913

1. The name of the proposed reservoir is.

Brookings Log Pond

2. The name of the stream from which the reservoir is to be filled and the appropriation made is.

Macklyn Creek

3. The amount of water to be stored is 220 acre feet acre feet.

4. The use to be made of the impounded water is Log pond, and storage for domestic and manufacturing supply as described in Application No. 3311, Permit No. 1933 (Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 6, Tp 41 S R 13 W (Give sections or townships to be submerged)

(a) State whether situated in channel of running stream and give character of material at outlet Dam across channel of stream, wing dam across excavated flat near stream.

2 feet concrete conduit through dam, and 50 feet spillway around dam at end of wing.

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in Lot 5 SW of SE, Sec. 6, Tp 41 S R 13 W. (Smallest legal subdivision)

*A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

Tp. 41 S, R. 13 W, W. M. It will be 60 feet in height, having a length
(No. N. or S.) (No. E. or W.)
 on top of 250 feet; length on bottom 50 feet; width on top 20 feet;
 slope of front or water side 3 : 1
(Feet horizontal to 1 vertical)
 slope on back 2 1/2 : 1
(Feet horizontal to 1 vertical); height of dam above water
 line when full 4 feet. wing 550 feet long, height 10 feet, crest 10
 feet, same slopes as dam.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Hydraulic fill in main dam, roll fill on wing, Log cribs and boom.

8. The location of wasteway with dimensions are as follows: Flush pipe through dam 2 feet con-
(State whether over or around the dam)
 crete conduit with hydraulic lift gate. 50 feet spillway around dam at end of wing.

9. The location of outlet from the proposed reservoir, with character of construction and dimen-
 sions, are as follows: 2 18" iron pipes to pumps in mill
(State whether through or around the proposed dam)

10. The area submerged by the proposed reservoir, when full, will be 18 acres,
 with a maximum depth of water of 56 feet, and approximate mean depth of
 water 12 feet.

11. The estimated cost of the proposed work is \$ 40,000

12. Construction work will begin on or before at once

13. Construction work will be completed on or before Sept 1st, 1914

Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of State Water the Board of Control, accompany this application.

Brookings Timber & Lumber Company

(Name of applicant)

J E Brookings,

President

Signed in the presence of us as witnesses:

(1) B T Black, Brookings, Oregon
(Name) (Address of witness)
 W D Ward, " "
(Name) (Address of witness)
 (2) _____, _____
(Name) (Address of witness)

Remarks: The reservoir applied for herein is, in the main, a log pond for the storage and sorting of logs for the Brookings Timber & Lumber Company's saw mill now under construction.

STATE OF OREGON, } ss.
County of Marion }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows:

For map

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before April 9th 19 14.

WITNESS my hand this 10th day of March, 19 14.

John H Lewis

RWP

State Engineer.

STATE OF OREGON, } ss.
County of Marion }

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

This appropriation shall be limited to the storage of 220 acre feet.

The priority date of this permit is December 1st, 1913

Actual construction work shall begin on or before April 30, 1915

and shall thereafter be prosecuted with reasonable diligence and be completed on or before

June 1st, 1916

WITNESS my hand this 30th day of April, 19 14.

John H Lewis

State Engineer.

15

Application No. 3310

Reservoir Permit No. 266

PERMIT
 TO CONSTRUCT A RESERVOIR AND STORE FOR
 BENEFICIAL USE THE UNAPPROPRIATED
 WATERS OF THE STATE OF OREGON

Division No. 1 District No.

*This instrument was first received in the office
 of the State Engineer at Salem, Oregon, on the*
 1 day of December
 1913, at 10:00 o'clock A.M.

Returned to applicant for correction
 March 10, 1914

Corrected application received
 March 30, 1914

Approved
 April 30, 1914

Recorded in Book No. 21 of Reservoirs on
 Page 266

John H Lewis

McC \$8.00 State Engineer.

1 map