CASE OF THE PROPERTY.

ս **19**61 💹

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights. If the applicant is a corporation, give date and place of incorporation 1. The name of the proposed reservoir is	I,	Willard J.	Reed (Nam	e of Applicant)	•••••		
State of Oregon ,, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights. If the applicant is a corporation, give date and place of incorporation 1. The name of the proposed reservoir is	of	Rt.2, Box 2	219, Fstacada	•		······································	
following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights. If the applicant is a corporation, give date and place of incorporation 1. The name of the proposed reservoir is							
### If the applicant is a corporation, give date and place of incorporation 1. The name of the proposed reservoir is	State of	Cregon	, do	hereby make ap	oplication for a	permit to const	ruct the
If the applicant is a corporation, give date and place of incorporation 1. The name of the proposed reservoir is	followin	ng described reservoir	and to store the und	ippropriated wa	ters of the State	e of Oregon, su	bject to
1. The name of the proposed reservoir is	existing	rights.					
2. The name of the stream from which the reservoir is to be filled and the appropriation made is Unnamed tributary of Little Clear Creek tributary of Clear Creek 3. The amount of water to be stored is 1.25 acre feet. 4. The use to be made of the impounded water is Irrigation (Great acre) 5. The location of the proposed reservoir will be in Sec. 9 (Give sections or townships to be subsequed) Tp. 1.5 , R. 1.5 , W.M., in the county of Claekannes (a) State whether situated in channel of running stream and give character of material at outlet The reservoir will be in the channel of the stream and will be an earth fill structure. (b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions 6. The dam will be located in SELSW1 and dimensions 6. The dam will be located in SELSW1 , Sec. 9 Tp. 1.5 , R. 1.5 , W.M. The maximum height will be 8 feet above stream bed or ground surface on center line of dam. The length on top will be 63 feet; length on bottom 23 feet; width on top 16 feet; stope on front or water side 311 rest bonzontal to I vertical); height of dam above water line of water side 1900 for the creates a side of the proposed content in the country of Little Creat bonzontal to I vertical); height of dam above water line of water side 1900 for the creates a side of the creates and the country of the crea	Ij	f the applicant is a co	rporation, give date o	and place of inco	orporation	• • • • • • • • • • • • • • • • • • • •	
Unnamed tributary of Little Clear Creek 3. The amount of water to be stored is 1.25 acre feet. 4. The use to be made of the impounded water is Irrigation (trigation, power, dementic supply, etc.) 5. The location of the proposed reservoir will be in Sec. 9 Tp. US, R. LE, W.M., in the county of Cleekamas (a) State whether situated in channel of running stream and give character of material at outlet The reservoir will be in the channel of the stream and will be an earth fill structure. (b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions 6. The dam will be located in SEASWA (Sanaleen least subdivision) Tp. LiS, R. LiE, W.M. The maximum height will be 8. feet above stream bed or ground surface on center line of dam. The length on top will be 63 feet; stope on front or water side 311 (Feet bottleontal to 1 vertical); slope on back 211 (Feet bottleontal to 1 vertical); slope on back 211 (Feet bottleontal to 1 vertical); slope water line	1	. The name of the pro	posed reservoir is	v	nnamed		
3. The amount of water to be stored is l.25 acre feet. 4. The use to be made of the impounded water is Irrigation (tregation, power, domestic supply, etc.) 5. The location of the proposed reservoir will be in Sec. (Give sections or townships to be subserved) Tp. LS R. LE WM, in the county of Claekanas (a) State whether situated in channel of running stream and give character of material at outlet The reservoir will be in the channel of the stream and will be an earth fill structure. (b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions 6. The dam will be located in SELSW1 Sec. 9 Grandien legs subdivision) Tp. LS R. LE WM. The maximum height will be 8 feet above stream bed or ground surface on center line of dam. The length on top will be 63 feet; length on bottom 23 feet; width on top 16 feet; slope on front or water side 311 (Feet horizontal to 1 vertical); height of dam above water line	2	. The name of the str	eam from which the	reservoir is to b	e filled and the	appropriation	made is
3. The amount of water to be stored is 1.25 acre feet. 4. The use to be made of the impounded water is Circumstion, power, demonstrate supply, see.) 5. The location of the proposed reservoir will be in Sec. 9. (a) State whether situated in channel of running stream and give character of material at outlet The reservoir will be in the channel of the stream and will be an earth fill structure. (b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions 6. The dam will be located in SELOW Chanles legal subdivision 7. Lis., R. Lie., W.M. The maximum height will be 8. feet above stream bed or ground surface on center line of dam. The length on top will be 63. feet; length on bottom 23. feet; width on top 16. feet; slope on front (Feet horizontal to 1 vertical)	•	Unnamed t	ributary of Little	e Clear Creek	.		••••••••
4. The use to be made of the impounded water is	tributa:	ry ofCle	ar Creek	•••••••••••••••••••••••••••••••••••••••	••••••	••••	•••••
5. The location of the proposed reservoir will be in Sec. (Give sections or townships to be submarged) Tp. LS., R. LE., W.M., in the county of Claekamas (a) State whether situated in channel of running stream and give character of material at outlet The reservoir will be in the channel of the stream and will be an earth fill structure. (b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions 6. The dam will be located in SELSWA (Smallest legal subdivision) Tp. LS., R. LE, W.M. The maximum height will be 8 feet above stream bed or ground surface on center line of dam. The length on top will be 63 feet; length on bottom 23 feet; width on top 16 feet; stope on front or water side 311 (Feet horizontal to 1 vertical)	3	The amount of water	er to be stored is		25	a	cre feet.
5. The location of the proposed reservoir will be in Sec. (Give sections or townships to be subsected) Tp. LS , R. LE , W.M., in the county of Claskamas (a) State whether situated in channel of running stream and give character of material at outlet The reservoir will be in the channel of the stream and will be an earth fill structure. (b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions 6. The dam will be located in SEASWA (Smallest legal subdivision) Tp. LS , R. LE , W.M. The maximum height will be 8 feet above stream bed or ground surface on center line of dam. The length on top will be 63 feet; length on bottom 23 feet; width on top 16 feet; stope on front or water side 311 (Feet horizontal to 1 vertical)	4	. The use to be made	of the impounded wat	ет is	Irrigation		
(a) State whether situated in channel of running stream and give character of material at outlet The reservoir will be in the channel of the stream and will be an earth fill structure. (b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions 6. The dam will be located in SELSWA (Smallest legal subdivision) Tp. LiS., R. LiE., W.M. The maximum height will be 8 feet above stream bed or ground surface on center line of dam. The length on top will be 63 feet; length on bottom 23 feet; width on top 16 feet; stope on front or water side 311 (Feet horizontal to 1 vertucal); slope on back 21 (Feet horizontal to 1 vertucal); height of dam above water line	5	. The location of the	proposed reservoir w				
(a) State whether situated in channel of running stream and give character of material at outlet The reservoir will be in the channel of the stream and will be an earth fill structure. (b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions 6. The dam will be located in SEISWI							
The reservoir will be in the channel of the stream and will be an earth fill structure. (b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions 6. The dam will be located in SELSW1 , Sec. 9 (Gradlest legal subdivision) Tp							
(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions 6. The dam will be located in SELSWI (Smallest legal subdivision) Tp. 45. , R. 4E. , W.M. The maximum height will be 8 feet above stream bed or ground surface on center line of dam. The length on top will be 63 feet; length on bottom 23 feet; width on top 16 feet; slope on front or water side 3th (Feet horizontal to 1 vertical); slope on back 2th vertical); height of dam above water line	,	The received					
(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions 6. The dam will be located in SELSW1 , Sec. 9 , (Smallest legal subdivision) Tp	•						•
6. The dam will be located in SESSW1 , Sec. 9 (Smallest legal subdivision) Tp. 15 , R. 1E , W.M. The maximum height will be 8 feet above stream bed or ground surface on center line of dam. The length on top will be 63 feet; length on bottom 23 feet; width on top 16 feet; stope on front or water side 311 (Feet horizontal to 1 vertical); slope on back 211 (Feet horizontal to 1 vertical); height of dam above water line	•••••	fill structure.		······································		•••••••••••••••••••••••••••••••••••••••	••••••
6. The dam will be located in SEISWI , Sec. 9 (Smallest legal subdivision) Tp. LiS., R. LiE., W.M. The maximum height will be 8 feet above stream bed or ground surface on center line of dam. The length on top will be 63 feet; length on bottom 23 feet; width on top 16 feet; stope on front or water side 311 (Feet horizontal to 1 vertical); slope on back (Feet horizontal to 1 vertical); height of dam above water line	((b) If not in channel	of running stream, st	ate how it is to	be filled. If the	ough a feed ca	nal, give
6. The dam will be located in SBISWI , Sec. 9. (Smallest legal subdivision) Tp. LIS., R. LIE., W.M. The maximum height will be 8 feet above stream bed or ground surface on center line of dam. The length on top will be 63 feet; length on bottom 23 feet; width on top 16 feet; slope on front or water side 311 (Feet horizontal to 1 vertical); slope on back (Feet horizontal to 1 vertical); height of dam above water line	name a	nd dimensions		·····	•••••••••••••••••••••••••••••••••••••••	·····	•••••••••••
6. The dam will be located in SELSWL , Sec. 9 (Smallest legal subdivision) Tp. 45 , R. 4E , W.M. The maximum height will be 8 feet above stream bed or ground surface on center line of dam. The length on top will be 63 feet; length on bottom 23 feet; width on top 16 feet; slope on front or water side 311 (Feet horizontal to 1 vertical); slope on back (Feet horizontal to 1 vertical); height of dam above water line	•••••						
surface on center line of dam. The length on top will be	(
bottom 23 feet; width on top 16 feet; slope on front or water side 3:1 ; slope on back 2:1 ; height of dam above water line (Feet horizontal to 1 vertical)	Tp	l _i s, r. l <u>ie</u> ,	W.M. The maximum	height will be		e stream bed o	r ground
or water side; slope on back; height of dam above water line (Feet horizontal to 1 vertical)	surface	on center line of dam.	The length on top w	ill be	63	feet; l	ength on
or water side; slope on back; height of dam above water line (Feet horizontal to 1 vertical)	bottom	23	feet; width o	n t op	16	jeet; slope	on front
	or wat	er side3:1	; slope on back			•	•
when full feet. *A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.	•		•			_	

Deeded .	
•	s are as follows: Around the dam and will consider the dam and will consider the dam and the dam.
of 2-12 inch and 1-1	Ut inch pips.
	servoir, with character of construction and dimensions,
	ough the dam and will be 11 inches in set be provided with an outlet conduit, of such capacity and location to pass the
	control structure.
	ervoir, when full, will be 0.25 acres.
	feet; and approximate mean depth of water
feet.	
11. The estimated cost of the proposed work	
12. Construction work will begin on or before	e Has Begun
13. Construction work will be completed on	or before October 1, 1962 (Signature of applicant)
	•
STATE OF OREGON, County of Marion.	
County of Marion.	foregoing application, together with the accompanying
County of Marion.	
County of Marion. Ss. This is to certify that I have examined the	<u></u>
County of Marion. This is to certify that I have examined the maps and data, and return the same for	<u></u>
County of Marion. This is to certify that I have examined the maps and data, and return the same for	ion must be returned to the State Engineer, with correc-
County of Marion. This is to certify that I have examined the maps and data, and return the same for	ion must be returned to the State Engineer, with correc-
County of Marion. This is to certify that I have examined the maps and data, and return the same for	ion must be returned to the State Engineer, with correc-
County of Marion. This is to certify that I have examined the maps and data, and return the same for	ion must be returned to the State Engineer, with correc-
County of Marion. This is to certify that I have examined the maps and data, and return the same for	ion must be returned to the State Engineer, with correc-

Kemarks:				
		,		
***************************************	***************************************	***************************************	***************************************	
•••••••••••••••••••••••••••••••••••••••		•	***************************************	**********
		•		
•••••••••••••••••••••••••••••••••••••••	***************************************	•••••••••••••••••••••••••••••••••••••••		
	·	••••••	•••••	
	·			
			•••••••••••••••••••••••••••••••	••••••
`	•			
,,		•••••••••••••••••••••••••••••••••••••••	••••••••••••	
••••••••	***************************************	•		
•				
	•	***************************************	••••••••••••••••••••••••••••••••	•••••••
•••••••	••••••	·····	····	***************************************
			•••••••••••••••••••••••••••••••••••••••	
•••••	••••••	••••••	·····	
•••••••••••••••••••••••••••••••••••••••	***************************************	•••••••••••••	******************************	
•••••••••••••••••••••••••••••••••••••••			•••••	***************************************
		•		
***************************************	•••••••••••••••••••••••••••••••••••••••	***	•••••••••••••••••••••••••••••••••••••••	
•	·	,		
•••••••••••••••••••••••••••••••••••••••				•••••••••••••••••••••••••••••••••••••••
am amn on onnaon				
STATE OF OREGON,	ss.			•
County of Marion,	1		•	
This is to certify the	hat I have examined the fore	going application (and do herebu ar	ant the same.
				·
entred to the following is	mitations and conditions: The	tright herein grant	ed is limited to th	e construction
of an unnamed reserve	oir and storage of water	from unnamed t	ributary of Li	ttle Clear
Creek to be aumronm	lated under application	No. 37016 name	si+ No. 27615 6	
	·	wwwJ.(NYN*Net#	u.v. No	or irrigation
	••••••		•	••••••
	• • • •		3 05	
	er shall be limited to the store			acre feet.
The priority date of	this permit is	November 3	, 1961	
Actual construction	work shall begin on or before	re January 91	1707	and
shall thereafter be prosec	uted with reasonable diligenc	e and be completed	l on or before Oct	ober 1, 19.63
	! this day of		. 62	-, -,
WITNESS my hand	tris day of	<i>(</i>	, 19	
		Lauri	a. Stan	<i>0</i> .
	••••	Jw /	M. Dean	Cy
			, a	

Application No. 18-37165 Reservoir Fermit No. 4:2699

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the
office of the State Engineer at Salem, Oregon.
on the 3% and of a same transfer
19 octook M.
Returned to appl cant:

Approved:

Recorded in Book No. 16 of Reservoirs, on Page (25) 19.

State Engineer

Fees