SILT WEER

## Application for a Permit to Construct a Reservoir and to

Store for Beneficial Use the Unappropriated

Waters of the State of Oregon

\*Reservoir Permit No. 2986

1, 2, 4, 4, 5		
of ET 3 Bex 150 Last 150		
(Mailing Address)		
State of, do hereby make application for a permit to construct the		
following described reservoir and to store the unappropriated waters of the State of Oregon, subject to		
existing rights.		
If the applicant is a corporation, give date and place of incorporation		
1. The name of the proposed reservoir is		
2. The name of the stream from which the reservoir is to be filled and the appropriation made is		
Back 1 C 16		
tributary of Creeked Creek		
3. The amount of water to be stored is acre feet.		
4. The use to be made of the impounded water is J. J. A. 11 4 T. (Irrigation, power, domestic supply, etc.)		
5. The location of the proposed reservoir will be in Sec. 19 (Give sections or townships to be submerged)		
Tp. 345, R. 4/E, W.M., in the county of Lu. 16		
(a) State whether situated in channel of running stream and give character of material at outlet		
177 ter mit twit ST - 177 1/2 2 20 20 1/2		
(Materiai) Clay		
(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give		
name and dimensions		
6. The dam will be located in N'4 NE 4 , Sec. 19		
Tp		
surface on center line of dam. The length on top will be		
bottom 165 feet; width on top feet; slope on front		
or water side; slope on back; height of dam above water line (Feet horizontal to 1 vertical)		
when full feet.		
A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be seemed		

9. The location of outlet from the proposed reservoir, with character of construction and dimens
8. The location of wasteway with dimensions are as follows:  South 3. de - 7., 18 ATI 19 ATI
8. The location of wasteway with dimensions are as follows:  South 3. de - To, 18 ATI  Park on U. A. 19 2.  9. The location of outlet from the proposed reservoir, with character of construction and dimensions are as follows:  (All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pare as follows:
8. The location of wasteway with dimensions are as follows:  South 3. de = 7.0, 3! ATV 2.00  Performance of the location of outlet from the proposed reservoir, with character of construction and dimensions are as follows:  (All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to provided the stream at any time)
8. The location of wasteway with dimensions are as follows:  (State whether over or around the dam)
9. The location of outlet from the proposed reservoir, with character of construction and dimens are as follows:  (All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to parental flow of the stream at any time)
9. The location of outlet from the proposed reservoir, with character of construction and dimens are as follows:  (All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pare the stream at any time)
9. The location of outlet from the proposed reservoir, with character of construction and dimens are as follows:  (All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pare the stream at any time)
9. The location of outlet from the proposed reservoir, with character of construction and dimens are as follows:  (All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pare the stream at any time)
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to p normal flow of the stream at any time)
normal flow of the stream at any time)
normal flow of the stream at any time)
10. The area submerged by the proposed reservoir, when full, will be a submerged by the proposed reservoir.
with a maximum depth of water of
feet.
11. The estimated cost of the proposed work is \$
12. Construction work will begin on or before grant 15, 1962
13. Construction work will be completed on or before 24 1962
Anylor M. Elolia (Signature of applicant)
STATE OF OREGON, ss.
County of Marion.
This is to certify that I have examined the foregoing application, together with the accompan
maps and data, and return the same forcompletioncompletion
In order to retain its priority, this application must be returned to the State Engineer, with co
tions on or before May 23 19 62
tions on or before May 23, 19 62.  July 9 62
WITNESS muchandakia 23rd Janes March 10 2
WITNESS my hand this 23rd day of March , 19 62
LETS A. STAULTY
aprifix E)GII
By Walter N. Perry Assist

Remarks:	
	······································
•••••••••••••••••••••••••••••••••••••••	
•	
	•
<u>-</u>	
STATE OF OREGON,	•
County of Marion, ss.	
County of Marion,	
This is to certify that I have examined the	foregoing application and do hereby grant the same,
subject to the following limitations and conditions:	The right herein granted is limited to the construction
Reservoir No. 1 and storage of water	
of moon of the state of the sta	TIOM all distanced stream for stock.
······································	
The right hercunder shall be limited to the	storage of
	March 2, 1962
Actual construction work shall begin on or l	before September 5, 1963 and
shall thereafter be prosecuted with reasonable dilig	gence and be completed on or before October 1, $19$
WITNESS my hand this5 day of	-
11111255 my nana inis aay 07	
	STATE ENGINEER

Application No. R. 37474.

Reservoir Permit No. A-2886

## PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

office of the State Engineer at Salem, Oregon, This instrument was first received in the on the 2nd day of March 19 62, at 1.00 o'clock P. M.

Returned to applicant:

Approved:

Recorded in Book No. .....11................. of September 5, 1962 Reservoirs, on Page ....2986. CHILLS I.a WHILL LER State Engineer

Drainage Basin No. 13 .. page ... 18 ... Feen J'