

# Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Morgan Bros. (Name of Applicant)

of Route 1, Box 366, Dallas (Mailing Address)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is Morgan Reservoir

2. The name of the stream from which the reservoir is to be filled and the appropriation made is Baskett Slough  
tributary of Rickreall Creek

3. The amount of water to be stored is 210 acre feet.

4. The use to be made of the impounded water is Irrigation  
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 11-12  
(Give sections or townships to be submerged)

Tp. 7S, R. 5W, W.M., in the county of Polk

(a) State whether situated in channel of running stream and give character of material at outlet

Structure in channel - heavy clay loam at outlet

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in NW $\frac{1}{4}$  of the NE $\frac{1}{4}$ , Sec. 11  
(Smallest legal subdivision)

Tp. 7S, R. 5W, W.M. The maximum height will be 19.5 feet above stream bed or ground surface on center line of dam. The length on top will be 370 feet; length on bottom 150 feet; width on top 11 feet; slope on front or water side 3:1; slope on back 2:1; height of dam above water line when full 4.2 feet.  
(Feet horizontal to 1 vertical) (Feet horizontal to 1 vertical)

\* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: See attached specifications Easton Falls

8. The location of wasteway with dimensions are as follows: Around South  
(State whether over or around the dam)  
end - 35' wide 2:1 side slopes

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: 8" steel pipe encased  
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

10. The area submerged by the proposed reservoir, when full, will be 7.347 acres, with a maximum depth of water of 15 feet; and approximate mean depth of water 5 feet.

11. The estimated cost of the proposed work is \$ 5440.00

12. Construction work will begin on or before Sept. 10, 1962

13. Construction work will be completed on or before Oct. 10, 1962

Morgan B. ...  
(Signature of applicant)  
Cherry A. ...

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE ENGINEER

By \_\_\_\_\_ ASSISTANT

Remarks:

STATE OF OREGON,

County of Marion.

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of Morgan Reservoir and storage of water from Baskett Slough to be appropriated under application No. 38036, permit No. 28252 for irrigation; provided that no water from the natural flow of the stream shall be stored during the period of June 1 to October 31 of each year, and the dam shall be constructed under the supervision of a registered professional engineer.

The right hereunder shall be limited to the storage of 210.0 acre feet.

The priority date of this permit is September 6, 1962

Actual construction work shall begin on or before October 25, 1963 and

shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964.

WITNESS my hand this 25th day of October, 1962.

*Chas. F. Wheeler*  
STATE ENGINEER

Application No. R 38035

Reservoir Permit No. A-3093

### PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6 day of September 1962 at 8:45 o'clock A.M.

Returned to applicant:

Approved:

October 25, 1962

Recorded in Book No. 11 of Reservoirs, on Page 333.

CHRIS L. WHEELER

State Engineer

Drainage Basin No. 2 page 76A 27

Fees