

20-6-91

* Reservoir Permit No. 3190

**Application for a Permit to Construct a Reservoir and to
Store for Beneficial Use the Unappropriated
Waters of the State of Oregon**

I, Billings - City of, Name of Applicant

of Box 57, City Hall, Mailing Address

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1900, Portland, Oregon

1. The name of the proposed reservoir is

2. The name of the stream from which the reservoir is to be filled and the appropriation made is
Willamette River, tributary of Columbia River.

3. The amount of water to be stored is 1,500,000 cubic feet

4. The use to be made of the impounded water is Irrigation, power, domestic supply, etc.

5. The location of the proposed reservoir will be in Sec. 500 ft. upstream from mouth of stream, Twp. R. 22 S., W.M., in the county of Clackamas.

(a) State whether situated in channel of running stream and give character of material at outlet

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions Feed canal will be 10' wide by 10' deep, 1/2 mile long, 1/2 mile upstream from reservoir, situated south of the river, across.

6. The dam will be located in Sec. 500 ft. upstream from mouth of stream, Twp. R. 22 S., W.M. The maximum height will be 100 feet above stream bed or ground surface on center line of dam. The length on top will be 100 feet; length on bottom 100 feet; width on top 100 feet; slope on front or water side 1 horizontal to 1 vertical; slope on back 1 horizontal to 1 vertical; height of dam above water line when full 100 feet.

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be obtained without charge to other wise instructions, by addressing the State Engineer, Salem, Oregon.

13199

7. The construction of dam, the material of which it is to be built, and method of protection from
waves are as follows:

See remarks

8. The location of wastewater with dimensions are as follows:

(State whether proposed or existing)

See remarks

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows:

(All dams across natural stream channels must be provided with an outlet conduct of such capacity and location to pass the normal flow of the stream at any time)

See remarks

10. The area submerged by the proposed reservoir, when full, will be _____ acres,
with a maximum depth of water of 15 feet; and approximate mean depth of water
..... feet.

11. The estimated cost of the proposed work is \$ 13,610.

12. Construction work will begin on or before Oct. 1, 19 ____.

13. Construction work will be completed on or before Dec. 1, 19 ____.

Clyfford Leavitt

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for consideration.

In order to retain its priority, this application must be returned to the State Engineer, with the above date, on or before Dec. 1, 19 ____.

WITNESS my hand this day of Dec. 19, 19 ____.

State Engineer

By

Assistant

Remarks: This will be an enlargement of a reservoir, permit No. 38537, application No. 26536.

The enlargement of the pond will consist of excavated area of size 50' X 150' X 10'. The plan of excavation will follow the outlet and the inlet of the pond.

Diving equipment will repair the bottom of the pond.

Construction of the dam will be made of earth fill.

The outlet will be located at the bottom of the excavation.

There will be no changes in the existing outlet or inlet.

The outlet will be located at the bottom of the excavation.

The outlet will be located at the bottom of the excavation.

The outlet will be located at the bottom of the excavation.

The outlet will be located at the bottom of the excavation.

The outlet will be located at the bottom of the excavation.

The outlet will be located at the bottom of the excavation.

The outlet will be located at the bottom of the excavation.

The outlet will be located at the bottom of the excavation.

The outlet will be located at the bottom of the excavation.

The outlet will be located at the bottom of the excavation.

The outlet will be located at the bottom of the excavation.

The outlet will be located at the bottom of the excavation.

The outlet will be located at the bottom of the excavation.

The outlet will be located at the bottom of the excavation.

The outlet will be located at the bottom of the excavation.

The outlet will be located at the bottom of the excavation.

The outlet will be located at the bottom of the excavation.

The outlet will be located at the bottom of the excavation.

The outlet will be located at the bottom of the excavation.

WITNESS my hand this 15th day of March 1963.

Edgar L. Hulse
STATE ENGINEER

Application No. R-38335

Reservoir Permit No. K-3194

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 3rd day of January,
1963, at 2:05 o'clock P.M.

Returned to applicant:

Approved:

March 15, 1963

Received in Book No. 12
Reservoir, on Page 3124

State of Oregon
State Engineer
Division of Water Resources

Drainage Basin No. 2 Date, 3624
Fees