

Reservoir Permit No. 3227

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, WILBUR HENDRICKS (Name of Applicant)

of RT. # 1A DUFUR (Mailing Address)

State of OREGON, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is Hendricks Reservoir No. 2 and Hendricks Reservoir No. 3

2. The name of the stream from which the reservoir is to be filled and the appropriation made is winter run-off

tributary of Tygh

3. The amount of water to be stored is 11.75 acre feet.

4. The use to be made of the impounded water is livestock (Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 10 (Give sections or townships to be submerged)

Tp. 3 S, R. 13 E, W.M., in the county of Wasco

(a) State whether situated in channel of running stream and give character of material at outlet in field

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions winter run-off

6. The dam will be located in # 2 NE 1/4 of the SW 1/4, Sec. 10 (Smallest legal subdivision)

Tp. 3 S, R. 13 E, W.M. The maximum height will be 8.5-10 feet above stream bed or ground surface on center line of dam. The length on top will be #2 - 500' #3 - 300' feet; length on bottom #2 - 400', #3 - 100' feet; width on top #2 10' #3 12' feet; slope on front or water side #2 3:1 #3 3:1, slope on back #2 2:1 #3 2:1 height of dam above water line when full 2 feet.

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Earth fill built with dozer

.....
.....
.....

8. The location of wasteway with dimensions are as follows: (State whether over or around the dam)

2 around south end of fill TW 20' D 2' BW 10'

3 around south end of fill TW 27' D 2.5' BW 10'

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows #2 around south end of fill #3 around south end of fill
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

2 top width 20' depth 2' bottom 10'

3 top width 27' depth 2.5' bottom 10'

10. The area submerged by the proposed reservoir, when full, will be 2- .77 acre 3 - 2.18 acres, with a maximum depth of water of #2 - 6' #3 - 8' feet; and approximate mean depth of water # 2 - 4' # 3 - 4' feet.

11. The estimated cost of the proposed work is \$

12. Construction work will begin on or before

13. Construction work will be completed on or before

Arthur Hendricks
Signature of applicant

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 27, 1963.

WITNESS my hand this 25 day of March, 19 63.

CHRIS L. WHEELER
STATE ENGINEER

By *Walter ...*
ASSISTANT

Remarks: Reservoir already constructed

Number of livestock will consist of approximately 75 cows
2 bulls and generally about 100 head of hogs and a couple head of
saddle horses.

These livestock will have to drink directly from the ponds,
& dam lucky to get it.

STATE OF OREGON,)
County of Marion,) ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,
subject to the following limitations and conditions: The right herein granted is limited to the construction
of Hendricks Reservoirs Nos. 2 and 3 and storage of water from an unnamed drainage
area for stock and is subject to the provision of an outlet pipe or other suitable
means of bypassing the flow when determined to be necessary by the State Engineer.

The right hereunder shall be limited to the storage of 11.76 a.f.; being 3.08 acre feet
in Reservoir No. 2 and 8.68 acre feet in Reservoir No. 3

The priority date of this permit is March 4, 1963

Actual construction work shall begin on or before May 24, 1964 and
shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 65.

WITNESS my hand this 24th day of May, 1963

Eric L. Wheeler
STATE ENGINEER

Application No. D-38466
Reservoir Permit No. R-3227

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4th day of November, 1963, at 5:44 o'clock A.M.

Returned to applicant:

Approved:

Nov 4, 1963

Recorded in Book No. 12 of
Reservoirs, on Page 3227

Walter J. ...
State Engineer

Drainage Basin No. 5 page 308

Fees